

rteres

Instrument :

FID_B

ClientSampleId :

EX-6-TPH-2

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/07/2025

Supervised By :Ankita Jodhani 02/07/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB02062
Data File : FB031455.D
Signal(s) : FID2B.CH
Acq On : 6 Feb 2025 12:52
Sample : Q1308-03 50X
Misc : 6.46G/5.00 ML MEOH
ALS Vial : 7 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.717	4.537	4.910	BV	26980	1968650	16.46%	1.633%
2	5.736	5.506	5.805	PV	9431	708092	5.92%	0.587%
3	5.848	5.805	5.876	VV	7124	296023	2.48%	0.246%
4	5.976	5.876	6.219	VV	10672	1340925	11.21%	1.112%
5	6.380	6.219	6.547	VV	21516	1527187	12.77%	1.267%
6	7.152	6.993	7.286	VV	85157	7834438	65.51%	6.499%
7	7.435	7.286	7.573	VV	55642	5718645	47.82%	4.744%
8	7.750	7.573	7.970	VV	35874	4802257	40.16%	3.984%
9	8.073	7.970	8.155	VV	14931	980426	8.20%	0.813%
10	8.255	8.155	8.363	VV	25050	1734941	14.51%	1.439%
11	8.575	8.363	8.696	VV	37375	4295290	35.92%	3.563%
12	8.851	8.696	8.984	VV	69158	5957916	49.82%	4.943%
13	9.169	8.984	9.261	VV	44445	5066945	42.37%	4.203%
14	9.390	9.261	9.548	VV	118261	11155734	93.28%	9.255%
15	9.657	9.548	9.946	VV	87418	8731890	73.01%	7.244%
16	10.029	9.946	10.078	VV	6048	334247	2.79%	0.277%
17	10.194	10.078	10.259	VV	35544	2430906	20.33%	2.017%
18	10.311	10.259	10.397	VV	30415	2136409	17.86%	1.772%
19	10.475	10.397	10.599	VV	28114	2506357	20.96%	2.079%
20	10.667	10.599	10.713	VV	12725	785754	6.57%	0.652%
21	10.792	10.713	10.873	VV	20971	1434639	12.00%	1.190%
22	11.005	10.873	11.114	VV	26126	2818053	23.56%	2.338%
23	11.164	11.114	11.311	VV	17552	1412345	11.81%	1.172%
24	11.385	11.311	11.489	VV	6733	581638	4.86%	0.483%
25	11.762	11.489	11.821	VV	47659	4936629	41.28%	4.095%
26	11.872	11.821	11.984	VV	46273	2766997	23.14%	2.295%
27	12.090	11.984	12.269	VV	39822	2703288	22.60%	2.243%
28	12.340	12.269	12.431	VV	7106	486422	4.07%	0.404%
29	12.526	12.431	12.592	VV	4737	353274	2.95%	0.293%
30	12.790	12.592	12.897	VV	13303	1720364	14.39%	1.427%
31	13.014	12.897	13.235	VV	26484	2572306	21.51%	2.134%
32	13.324	13.235	13.427	VV	6678	540547	4.52%	0.448%
33	13.548	13.427	13.673	VV	18227	1358295	11.36%	1.127%
34	13.804	13.673	13.887	VV	8466	736842	6.16%	0.611%
35	13.917	13.887	13.986	VV	4967	233860	1.96%	0.194%
36	14.099	13.986	14.337	VV	30991	2815407	23.54%	2.336%

	Area	Height	Area%	Height%	Area	Height	Area%	Height%
37	14.539	14.337	14.747	VV	81242	4756024	39.77%	3.946%
38	14.846	14.747	15.011	VV	6825	711957		
39	15.236	15.011	15.365	VV	237598	11959233	100	
40	15.511	15.365	15.724	VV	20976	1857425	15	
41	15.793	15.724	15.872	VV	3295	150251		
42	15.960	15.872	16.094	PV	14019	751866	6	
43	16.202	16.094	16.303	PV	59604	2571108	21.50%	2.133%
Sum of corrected areas:					120541802			

Instrument :
FID_B
ClientSampleId :
EX-6-TPH-2

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/07/2025
Supervised By :Ankita Jodhani 02/07/2025

FB011525.M Fri Feb 07 08:17:37 2025