

rteres

Instrument :

FID_B

ClientSampleId :

EX-11-TPH-14

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/07/2025
Supervised By :Ankita Jodhani 02/07/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB02062
Data File : FB031467.D
Signal(s) : FID2B.CH
Acq On : 6 Feb 2025 18:39
Sample : Q1308-13 50X
Misc : 7.52G/5.00 ML MEOH
ALS Vial : 20 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.713	4.520	4.898	BV	48315	3833439	23.15%	4.114%
2	5.744	5.588	5.768	PV	1503	73828	0.45%	0.079%
3	5.977	5.768	6.195	VV	43843	4132128	24.96%	4.434%
4	6.363	6.195	6.534	VV	4608	446503	2.70%	0.479%
5	7.076	6.804	7.260	VV	75555	7263480	43.87%	7.794%
6	7.436	7.260	8.004	VV	142535	16557892	100.00%	17.768%
7	8.069	8.004	8.144	VV	886	52263	0.32%	0.056%
8	8.250	8.144	8.343	VV	2838	182772	1.10%	0.196%
9	8.483	8.343	8.675	VV	23788	2837584	17.14%	3.045%
10	8.828	8.675	8.991	VV	25488	2682438	16.20%	2.878%
11	9.173	8.991	9.272	VV	62540	5188915	31.34%	5.568%
12	9.385	9.272	9.582	VV	78157	7317059	44.19%	7.852%
13	9.744	9.582	9.947	VV	19125	1927961	11.64%	2.069%
14	10.195	9.947	10.320	VV	13528	1026085	6.20%	1.101%
15	10.488	10.320	10.594	VV	6490	659988	3.99%	0.708%
16	10.786	10.594	10.877	VV	9814	944644	5.71%	1.014%
17	10.973	10.877	11.100	VV	8602	802159	4.84%	0.861%
18	11.163	11.100	11.343	VV	5110	449072	2.71%	0.482%
19	11.442	11.343	11.511	VV	1904	158666	0.96%	0.170%
20	11.755	11.511	11.954	VV	32313	3314667	20.02%	3.557%
21	12.061	11.954	12.223	VV	10851	833028	5.03%	0.894%
22	12.334	12.223	12.447	VV	3327	249289	1.51%	0.268%
23	12.548	12.447	12.618	PV	1692	96923	0.59%	0.104%
24	12.765	12.618	12.894	VV	10525	978858	5.91%	1.050%
25	13.014	12.894	13.218	VV	34098	2602201	15.72%	2.792%
26	13.345	13.218	13.419	PV	7814	512537	3.10%	0.550%
27	13.549	13.419	13.681	VV	30086	2294622	13.86%	2.462%
28	13.806	13.681	13.884	VV	21239	1542524	9.32%	1.655%
29	13.934	13.884	13.995	VV	13052	657355	3.97%	0.705%
30	14.102	13.995	14.241	VV	78119	5043074	30.46%	5.412%
31	14.278	14.241	14.344	VV	7215	312479	1.89%	0.335%
32	14.424	14.344	14.487	VV	9739	539331	3.26%	0.579%
33	14.541	14.487	14.616	VV	8177	423937	2.56%	0.455%
34	14.838	14.616	14.993	VV	39742	3825173	23.10%	4.105%
35	15.236	14.993	15.407	VV	67869	8428919	50.91%	9.045%
36	15.532	15.407	15.715	VV	20418	2345678	14.17%	2.517%

					rters	
37	15.792	15.715	15.875	VV	14875	733748
38	16.039	15.875	16.120	PV	21740	1407765
39	16.206	16.120	16.308	VV	7648	512138
					Sum of corrected areas:	932

FB011525.M Fri Feb 07 08:22:19 2025

Instrument :
FID_B
ClientSampleId :
EX-11-TPH-14
4.43% 0.787%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/07/2025
Supervised By :Ankita Jodhani 02/07/2025