

rteres

Instrument :

FID_B

ClientSampleId :

EX-11-TPH-5

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB02062
Data File : FB031468.D
Signal(s) : FID2B.CH
Acq On : 6 Feb 2025 19:06
Sample : Q1308-04
Misc : 7.92G/5.00 ML DI WATER
ALS Vial : 21 Sample Multiplier: 1

Reviewed By :Yogesh Patel 02/07/2025
Supervised By :Ankita Jodhani 02/07/2025

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.720	4.487	4.894	BV	57779	4718989	30.25%	3.784%
2	5.741	5.511	5.787	PV	3465	222966	1.43%	0.179%
3	5.983	5.787	6.214	VV	38935	3954963	25.35%	3.171%
4	6.382	6.214	6.573	VV	15097	1199470	7.69%	0.962%
5	7.083	6.814	7.264	VV	66296	6311017	40.45%	5.060%
6	7.443	7.264	7.790	VV	125985	14457063	92.67%	11.592%
7	7.892	7.790	8.152	VV	64918	4035785	25.87%	3.236%
8	8.251	8.152	8.346	VV	3337	227737	1.46%	0.183%
9	8.491	8.346	8.684	VV	23298	2872236	18.41%	2.303%
10	8.831	8.684	8.997	VV	23046	2478791	15.89%	1.988%
11	9.181	8.997	9.278	VV	60312	5087249	32.61%	4.079%
12	9.392	9.278	9.591	VV	77921	7544987	48.36%	6.050%
13	9.757	9.591	9.980	VV	28935	2749797	17.63%	2.205%
14	10.199	9.980	10.386	VV	10739	949299	6.08%	0.761%
15	10.494	10.386	10.569	VV	5547	451569	2.89%	0.362%
16	10.792	10.569	10.875	VV	10342	1271752	8.15%	1.020%
17	10.959	10.875	11.084	VV	10750	911900	5.85%	0.731%
18	11.167	11.084	11.375	VV	9562	828380	5.31%	0.664%
19	11.456	11.375	11.511	VV	1989	139888	0.90%	0.112%
20	11.759	11.511	11.960	VV	32809	3605096	23.11%	2.891%
21	12.079	11.960	12.218	VV	15764	1268647	8.13%	1.017%
22	12.338	12.218	12.459	VV	7560	564609	3.62%	0.453%
23	12.552	12.459	12.614	PV	1201	56233	0.36%	0.045%
24	12.768	12.614	12.898	PV	14146	1183043	7.58%	0.949%
25	13.020	12.898	13.228	VV	39670	3530009	22.63%	2.830%
26	13.346	13.228	13.431	VV	20713	1478769	9.48%	1.186%
27	13.539	13.431	13.660	VV	69420	4346704	27.86%	3.485%
28	13.810	13.660	13.904	VV	52890	4007536	25.69%	3.213%
29	13.933	13.904	13.992	VV	16128	655879	4.20%	0.526%
30	14.104	13.992	14.328	VV	121212	8469649	54.29%	6.791%
31	14.422	14.328	14.500	PV	20965	1193905	7.65%	0.957%
32	14.551	14.500	14.616	VV	8477	376347	2.41%	0.302%
33	14.706	14.616	14.751	PV	15317	692650	4.44%	0.555%
34	14.839	14.751	14.949	VV	58557	3724141	23.87%	2.986%
35	15.214	14.949	15.402	VV	104649	15600914	100.00%	12.509%
36	15.521	15.402	15.730	VV	62071	6901296	44.24%	5.534%

					rters				
37	15.805	15.730	15.874	PV	49609	2118011	13.58%	1.698%	
38	15.948	15.874	16.014	VV	49454	2328230	14		
39	16.041	16.014	16.111	VV	15811	570276	3		
40	16.298	16.111	16.341	PV	20835	1629222	10		

Sum of corrected areas: 1247

Instrument :
FID_B
ClientSampleId :
EX-11-TPH-5

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/07/2025
Supervised By :Ankita Jodhani 02/07/2025

FB011525.M Fri Feb 07 08:22:43 2025