

rteres

Instrument :

FID_B

ClientSampleId :

EX-11-TPH-6

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/07/2025
Supervised By :Ankita Jodhani 02/07/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB02062
Data File : FB031469.D
Signal(s) : FID2B.CH
Acq On : 6 Feb 2025 19:33
Sample : Q1308-05
Misc : 7.61G/5.00 ML DI WATER
ALS Vial : 22 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.729	4.470	4.914	BV	101311	9271084	20.48%	2.569%
2	5.745	5.501	5.783	PV	6597	400004	0.88%	0.111%
3	5.998	5.783	6.230	VV	92181	10095422	22.30%	2.797%
4	6.384	6.230	6.598	VV	29260	2416164	5.34%	0.669%
5	7.097	6.812	7.275	VV	158268	15951353	35.23%	4.419%
6	7.466	7.275	7.803	VV	346088	41988824	92.74%	11.633%
7	7.891	7.803	8.149	VV	63747	4186787	9.25%	1.160%
8	8.256	8.149	8.344	PV	5426	332741	0.73%	0.092%
9	8.556	8.344	8.702	VV	71006	9441959	20.85%	2.616%
10	8.835	8.702	9.004	VV	48570	5808873	12.83%	1.609%
11	9.200	9.004	9.294	VV	207324	18518901	40.90%	5.131%
12	9.410	9.294	9.614	VV	271332	28698919	63.38%	7.951%
13	9.770	9.614	10.075	VV	110285	11039963	24.38%	3.059%
14	10.210	10.075	10.390	VV	31567	2780340	6.14%	0.770%
15	10.505	10.390	10.595	VV	16742	1568039	3.46%	0.434%
16	10.801	10.595	10.887	VV	34963	4047951	8.94%	1.122%
17	10.967	10.887	11.088	VV	31619	2815829	6.22%	0.780%
18	11.174	11.088	11.389	VV	32537	2962545	6.54%	0.821%
19	11.470	11.389	11.509	VV	6043	382883	0.85%	0.106%
20	11.765	11.509	11.974	VV	103675	12064552	26.65%	3.343%
21	12.094	11.974	12.238	VV	53030	4362902	9.64%	1.209%
22	12.348	12.238	12.475	VV	25451	1901075	4.20%	0.527%
23	12.563	12.475	12.620	PV	2822	126442	0.28%	0.035%
24	12.785	12.620	12.908	PV	46971	3976032	8.78%	1.102%
25	13.031	12.908	13.232	VV	118882	10676374	23.58%	2.958%
26	13.357	13.232	13.443	VV	62825	4540402	10.03%	1.258%
27	13.551	13.443	13.672	VV	199107	13049095	28.82%	3.615%
28	13.823	13.672	14.000	VV	162676	14506400	32.04%	4.019%
29	14.115	14.000	14.337	VV	345888	25600486	56.54%	7.093%
30	14.436	14.337	14.520	PV	61560	3673105	8.11%	1.018%
31	14.563	14.520	14.627	VV	18020	782733	1.73%	0.217%
32	14.721	14.627	14.756	PV	41100	1804831	3.99%	0.500%
33	14.852	14.756	14.962	VV	176868	11556088	25.52%	3.202%
34	15.215	14.962	15.415	VV	302053	45277939	100.00%	12.545%
35	15.537	15.415	15.742	VV	160135	18893551	41.73%	5.235%
36	15.817	15.742	15.887	PV	118095	5127442	11.32%	1.421%

	Area	Height	Area%	Height%	Area	Height	Area%	Height%
37	15.960	15.887	16.025	VV	118020	5589782	12.35%	1.549%
38	16.054	16.025	16.131	VV	40198	1578691		
39	16.307	16.131	16.350	PV	43108	3135124		
					Sum of corrected areas: 3609			

FB011525.M Fri Feb 07 08:23:09 2025

Instrument :
FID_B
ClientSampleId :
EX-11-TPH-6

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/07/2025
Supervised By :Ankita Jodhani 02/07/2025