



A

B

C

SAMPLE DATA

Report of Analysis

Client:	ENTACT	Date Collected:	02/05/25
Project:	North Point - 4101 Arthur Kill Rd - E9306	Date Received:	02/05/25
Client Sample ID:	EX-8-TPH-1	SDG No.:	Q1308
Lab Sample ID:	Q1308-01	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	88.6
Sample Wt/Vol:	30.05 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	1 mL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :	PH :	Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015338.D	100	02/06/25 08:00	02/07/25 0:59	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	859000		20800	188000	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	02/05/25	
Project:	North Point - 4101 Arthur Kill Rd - E9306		Date Received:	02/05/25	
Client Sample ID:	EX-6-TPH-1		SDG No.:	Q1308	
Lab Sample ID:	Q1308-02		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	83.3	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015339.D	50	02/06/25 08:00	02/07/25 1:28	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	603000		11100	99800	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	02/05/25	
Project:	North Point - 4101 Arthur Kill Rd - E9306		Date Received:	02/05/25	
Client Sample ID:	EX-6-TPH-2		SDG No.:	Q1308	
Lab Sample ID:	Q1308-03		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	83.9	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015340.D	50	02/06/25 08:00	02/07/25 1:56	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	802000		11100	99300	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT	Date Collected:	02/05/25
Project:	North Point - 4101 Arthur Kill Rd - E9306	Date Received:	02/05/25
Client Sample ID:	EX-11-TPH-5	SDG No.:	Q1308
Lab Sample ID:	Q1308-04	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	85.3
Sample Wt/Vol:	30.1	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015320.D	1	02/06/25 09:15	02/06/25 15:00	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	1870	J	216	1950	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	12.1		37 - 130	61%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	02/05/25	
Project:	North Point - 4101 Arthur Kill Rd - E9306		Date Received:	02/05/25	
Client Sample ID:	EX-11-TPH-6		SDG No.:	Q1308	
Lab Sample ID:	Q1308-05		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	83.2	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015321.D	1	02/06/25 09:15	02/06/25 15:29	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	1550	J	222	2000	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	7.77		37 - 130	39%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT	Date Collected:	02/05/25
Project:	North Point - 4101 Arthur Kill Rd - E9306	Date Received:	02/05/25
Client Sample ID:	EX-11-TPH-7	SDG No.:	Q1308
Lab Sample ID:	Q1308-06	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	84.8
Sample Wt/Vol:	30.07	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	1
GPC Factor :		PH :	
Prep Method :	SW3541	Decanted:	
		Test:	Diesel Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015348.D	200	02/06/25 09:15	02/07/25 8:45	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	2650000		43500	392000	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	02/05/25	
Project:	North Point - 4101 Arthur Kill Rd - E9306		Date Received:	02/05/25	
Client Sample ID:	EX-11-TPH-8		SDG No.:	Q1308	
Lab Sample ID:	Q1308-07		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	93.4	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015349.D	50	02/06/25 09:15	02/07/25 9:14	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	770000		9890	89100	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT	Date Collected:	02/05/25
Project:	North Point - 4101 Arthur Kill Rd - E9306	Date Received:	02/05/25
Client Sample ID:	EX-11-TPH-9	SDG No.:	Q1308
Lab Sample ID:	Q1308-08	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	90.3
Sample Wt/Vol:	30.05	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :		Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015350.D	200	02/06/25 09:15	02/07/25 9:43	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	2540000		40900	369000	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT	Date Collected:	02/05/25
Project:	North Point - 4101 Arthur Kill Rd - E9306	Date Received:	02/05/25
Client Sample ID:	EX-11-TPH-10	SDG No.:	Q1308
Lab Sample ID:	Q1308-09	Matrix:	SOIL
Analytical Method:	8015D DRO	% Solid:	77.3
Sample Wt/Vol:	30.02 Units: g	Decanted:	
Soil Aliquot Vol:	uL	Final Vol:	1 mL
Extraction Type:		Test:	Diesel Range Organics
GPC Factor :	PH :	Injection Volume :	
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015351.D	50	02/06/25 09:15	02/07/25 10:11	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	937000		11900	108000	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	02/05/25	
Project:	North Point - 4101 Arthur Kill Rd - E9306		Date Received:	02/05/25	
Client Sample ID:	EX-11-TPH-11		SDG No.:	Q1308	
Lab Sample ID:	Q1308-10		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	88.1	Decanted:
Sample Wt/Vol:	30.08	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015352.D	50	02/06/25 09:15	02/07/25 10:40	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	832000		10500	94300	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	02/05/25	
Project:	North Point - 4101 Arthur Kill Rd - E9306		Date Received:	02/05/25	
Client Sample ID:	EX-11-TPH-12		SDG No.:	Q1308	
Lab Sample ID:	Q1308-11		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	88.8	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015353.D	50	02/06/25 09:15	02/07/25 11:08	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	660000		10400	93800	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	02/05/25	
Project:	North Point - 4101 Arthur Kill Rd - E9306		Date Received:	02/05/25	
Client Sample ID:	EX-11-TPH-13		SDG No.:	Q1308	
Lab Sample ID:	Q1308-12		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	86.3	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015354.D	100	02/06/25 09:15	02/07/25 11:37	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	1780000		21400	193000	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.00	*	37 - 130	0%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit

Report of Analysis

Client:	ENTACT		Date Collected:	02/05/25	
Project:	North Point - 4101 Arthur Kill Rd - E9306		Date Received:	02/05/25	
Client Sample ID:	EX-11-TPH-14		SDG No.:	Q1308	
Lab Sample ID:	Q1308-13		Matrix:	SOIL	
Analytical Method:	8015D DRO		% Solid:	82.1	Decanted:
Sample Wt/Vol:	30.06	Units: g	Final Vol:	1	mL
Soil Aliquot Vol:		uL	Test:	Diesel Range Organics	
Extraction Type:			Injection Volume :		
GPC Factor :		PH :			
Prep Method :	SW3541				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
FG015355.D	20	02/06/25 09:15	02/07/25 12:05	PB166587

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
DRO	DRO	284000		4490	40500	ug/kg
SURROGATES						
16416-32-3	Tetracosane-d50	0.59		37 - 130	59%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1308	OrderDate:	2/5/2025 2:42:00 PM
Client:	ENTACT	Project:	North Point - 4101 Arthur Kill Rd - E9306
Contact:	Wyatt Seel	Location:	N41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1308-01	EX-8-TPH-1	SOIL			02/05/25			02/05/25
			Diesel Range Organics	8015D		02/06/25	02/07/25	
			Gasoline Range Organics	8015D			02/06/25	
			EPH	NJEPH		02/06/25	02/07/25	
Q1308-01DL	EX-8-TPH-1DL	Solid			02/05/25			02/05/25
			EPH	NJEPH		02/06/25	02/07/25	
Q1308-02	EX-6-TPH-1	SOIL			02/05/25			02/05/25
			Diesel Range Organics	8015D		02/06/25	02/07/25	
			Gasoline Range Organics	8015D			02/06/25	
			EPH	NJEPH		02/06/25	02/07/25	
Q1308-02DL	EX-6-TPH-1DL	Solid			02/05/25			02/05/25
			EPH	NJEPH		02/06/25	02/07/25	
Q1308-03	EX-6-TPH-2	SOIL			02/05/25			02/05/25
			Diesel Range Organics	8015D		02/06/25	02/07/25	
			Gasoline Range Organics	8015D			02/06/25	
			EPH	NJEPH		02/06/25	02/07/25	
			EPH	NJEPH		02/06/25	02/08/25	
Q1308-03DL	EX-6-TPH-2DL	Solid			02/05/25			02/05/25
			EPH	NJEPH		02/06/25	02/07/25	
Q1308-03DL 2	EX-6-TPH-2DL2	Solid			02/05/25			02/05/25
			EPH	NJEPH		02/06/25	02/07/25	
Q1308-04	EX-11-TPH-5	SOIL			02/05/25			02/05/25
			Diesel Range Organics	8015D		02/06/25	02/06/25	
			Gasoline Range Organics	8015D			02/06/25	
			EPH	NJEPH		02/06/25	02/07/25	

LAB CHRONICLE

Q1308-05	EX-11-TPH-6	SOIL			02/05/25		02/05/25
			Diesel Range Organics	8015D	02/06/25	02/06/25	
			Gasoline Range Organics	8015D		02/06/25	
			EPH	NJEPH	02/06/25	02/07/25	
Q1308-06	EX-11-TPH-7	SOIL			02/05/25		02/05/25
			Diesel Range Organics	8015D	02/06/25	02/07/25	
			Gasoline Range Organics	8015D		02/06/25	
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/08/25	
Q1308-06DL	EX-11-TPH-7DL	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/08/25	
Q1308-06DL 2	EX-11-TPH-7DL2	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/08/25	
Q1308-07	EX-11-TPH-8	SOIL			02/05/25		02/05/25
			Diesel Range Organics	8015D	02/06/25	02/07/25	
			Gasoline Range Organics	8015D		02/07/25	
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/08/25	
Q1308-07DL	EX-11-TPH-8DL	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/08/25	
Q1308-08	EX-11-TPH-9	SOIL			02/05/25		02/05/25
			Diesel Range Organics	8015D	02/06/25	02/07/25	
			Gasoline Range Organics	8015D		02/07/25	
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/08/25	
Q1308-08DL	EX-11-TPH-9DL	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/08/25	

LAB CHRONICLE

Q1308-08DL 2	EX-11-TPH-9DL2	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/08/25	
Q1308-09	EX-11-TPH-10	SOIL			02/05/25		02/05/25
			Diesel Range Organics	8015D	02/06/25	02/07/25	
			Gasoline Range Organics	8015D		02/07/25	
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/08/25	
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-09DL	EX-11-TPH-10DL	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/08/25	
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-09DL 2	EX-11-TPH-10DL2	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/08/25	
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-10	EX-11-TPH-11	SOIL			02/05/25		02/05/25
			Diesel Range Organics	8015D	02/06/25	02/07/25	
			Gasoline Range Organics	8015D		02/07/25	
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-10DL	EX-11-TPH-11DL	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-11	EX-11-TPH-12	SOIL			02/05/25		02/05/25
			Diesel Range Organics	8015D	02/06/25	02/07/25	
			Gasoline Range Organics	8015D		02/07/25	
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-11DL	EX-11-TPH-12DL	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-12	EX-11-TPH-13	SOIL			02/05/25		02/05/25
			Diesel Range Organics	8015D	02/06/25	02/07/25	

LAB CHRONICLE

			Gasoline Range Organics	8015D		02/07/25	
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-12DL	EX-11-TPH-13DL	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-12DL 2	EX-11-TPH-13DL2	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-12DL 3	EX-11-TPH-13DL3	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-13	EX-11-TPH-14	SOIL			02/05/25		02/05/25
			Diesel Range Organics	8015D	02/06/25	02/07/25	
			Gasoline Range Organics	8015D		02/07/25	
			EPH	NJEPH	02/06/25	02/07/25	
			EPH	NJEPH	02/06/25	02/10/25	
Q1308-13DL	EX-11-TPH-14DL	Solid			02/05/25		02/05/25
			EPH	NJEPH	02/06/25	02/10/25	