

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB020725\
Data File : FB031484.D
Signal(s) : FID2B.CH
Acq On : 7 Feb 2025 11:12
Sample : BSF0207S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.723	4.565	4.924	BV	12081	940764	77.37%	13.445%
2	7.427	7.184	7.649	BV	11812	1096860	90.21%	15.675%
3	7.755	7.649	7.824	VV	6477	367936	30.26%	5.258%
4	7.893	7.824	8.161	VV	8005	447487	36.80%	6.395%
5	8.794	8.627	9.024	PV	9758	561547	46.18%	8.025%
6	10.623	10.455	10.950	BV	23224	1215948	100.00%	17.377%
7	13.059	12.837	13.120	BV	7391	346279	28.48%	4.949%
8	13.192	13.120	13.455	VV	14499	748620	61.57%	10.699%
9	13.920	13.686	14.282	PV	14107	721165	59.31%	10.306%
10	16.196	16.055	16.344	BV	12507	550691	45.29%	7.870%

Sum of corrected areas: 6997297

FB011525.M Sat Feb 08 01:46:16 2025