

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB020625\
Data File : FB031459.D
Signal(s) : FID2B.CH
Acq On : 6 Feb 2025 14:39
Sample : BSF0206S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.722	4.565	4.941	BV	14621	1089103	84.19%	14.468%
2	7.426	7.211	7.643	PV	13690	1235530	95.51%	16.413%
3	7.755	7.643	7.824	VV	7293	413966	32.00%	5.499%
4	7.894	7.824	8.136	VV	8514	472090	36.49%	6.271%
5	8.794	8.652	9.035	PV	8569	495709	38.32%	6.585%
6	10.623	10.507	10.964	VV	24660	1293630	100.00%	17.185%
7	13.060	12.941	13.120	PV	7798	367683	28.42%	4.884%
8	13.193	13.120	13.402	VV	15340	791080	61.15%	10.509%
9	13.921	13.647	14.056	BV	14594	739916	57.20%	9.829%
10	16.197	16.052	16.320	PV	14271	629101	48.63%	8.357%

Sum of corrected areas: 7527809

FB011525.M Fri Feb 07 08:02:08 2025