

NO

1.00

1 0

1

1.00

U

Ignitability

Paint Filter

oC

ml/100gm

02/07/25 14:45 1030

02/07/25 12:08 9095B

## **Report of Analysis**

Client:	PSEG					Date Collected:	02/05/25 0	9:00
Project:	PSEG Elizabeth - Roselle Parks					Date Received:	02/05/25	
Client Sample ID:	WC-4					SDG No.:	Q1309	
Lab Sample ID:	Q1309-09					Matrix:	SOIL	
						% Solid:	86.8	
Parameter	Conc. Qu	ıa. DF	MDL	LOQ / CRQL	Units(Dry Wei	ght) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.46 U	J 1	0.091	0.46	mg/Kg	02/10/25 13:40	02/11/25 09:35	7196A

0

1.00

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- \* = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits