

## Report of Analysis

Client:	Tully Environmental, Inc	Date Collected:	02/05/25 13:30
Project:	Transfer Station-SPDES	Date Received:	02/06/25
Client Sample ID:	001-WILLETS-PT-BLVD(FEB)	SDG No.:	Q1316
Lab Sample ID:	Q1316-01	Matrix:	WATER
		% Solid:	0

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Ammonia as N	7.40	OR	1	0.045	0.10	mg/L	02/07/25 09:10	02/07/25 12:33	SM 4500-NH3 B plus G-11
BOD5	32.1		1	0.17	2.00	mg/L		02/06/25 17:30	SM 5210 B-16
Oil and Grease	4.90	J	1	0.40	5.00	mg/L		02/07/25 10:25	1664A
TSS	48.3		1	1.00	4.00	mg/L		02/10/25 10:00	SM 2540 D-15

Comments: \_\_\_\_\_

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits