

Analytical Sequence

Client: Spectra East Inc.	SDG No.: Q1322
Project: Outfall 001 - Orangetown Dis Permit 2025	Instrument ID: ECD_L
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 01/21/2025 01/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	01/21/2025	10:16	PL093725.D	9.05	3.54
PEM	PEM	01/21/2025	10:30	PL093726.D	9.05	3.54
RESCHK	RESCHK	01/21/2025	10:43	PL093727.D	9.05	3.54
PSTDICC100	PSTDICC100	01/21/2025	10:57	PL093728.D	9.05	3.54
PSTDICC075	PSTDICC075	01/21/2025	11:10	PL093729.D	9.05	3.54
PSTDICC050	PSTDICC050	01/21/2025	11:24	PL093730.D	9.05	3.54
PSTDICC025	PSTDICC025	01/21/2025	11:38	PL093731.D	9.05	3.54
PSTDICC005	PSTDICC005	01/21/2025	11:51	PL093732.D	9.05	3.54
PCHLORICC500	PCHLORICC500	01/21/2025	12:32	PL093735.D	9.05	3.54
PTOXICC500	PTOXICC500	01/21/2025	13:39	PL093740.D	9.05	3.54
IBLK	IBLK	02/10/2025	10:28	PL094108.D	9.05	3.54
PEM	PEM	02/10/2025	10:41	PL094109.D	9.05	3.54
PSTDCCC050	PSTDCCC050	02/10/2025	10:55	PL094110.D	9.05	3.54
PB166620BL	PB166620BL	02/10/2025	11:18	PL094111.D	9.06	3.55
PB166620BS	PB166620BS	02/10/2025	13:18	PL094112.D	9.05	3.54
PB166620BSD	PB166620BSD	02/10/2025	14:24	PL094113.D	9.06	3.54
MANHOLE	Q1322-01	02/10/2025	14:43	PL094114.D	9.06	3.54
IBLK	IBLK	02/10/2025	15:53	PL094119.D	9.05	3.54
PSTDCCC050	PSTDCCC050	02/10/2025	16:07	PL094120.D	9.05	3.54

Analytical Sequence

Client: Spectra East Inc.	SDG No.: Q1322
Project: Outfall 001 - Orangetown Dis Permit 2025	Instrument ID: ECD_L
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 01/21/2025 01/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	01/21/2025	10:16	PL093725.D	7.91	2.78
PEM	PEM	01/21/2025	10:30	PL093726.D	7.91	2.78
RESCHK	RESCHK	01/21/2025	10:43	PL093727.D	7.91	2.77
PSTDICCC100	PSTDICCC100	01/21/2025	10:57	PL093728.D	7.91	2.78
PSTDICCC075	PSTDICCC075	01/21/2025	11:10	PL093729.D	7.91	2.77
PSTDICCC050	PSTDICCC050	01/21/2025	11:24	PL093730.D	7.91	2.77
PSTDICCC025	PSTDICCC025	01/21/2025	11:38	PL093731.D	7.91	2.77
PSTDICCC005	PSTDICCC005	01/21/2025	11:51	PL093732.D	7.91	2.77
PCHLORICC500	PCHLORICC500	01/21/2025	12:32	PL093735.D	7.91	2.77
PTOXICC500	PTOXICC500	01/21/2025	13:39	PL093740.D	7.91	2.77
LBLK	LBLK	02/10/2025	10:28	PL094108.D	7.91	2.77
PEM	PEM	02/10/2025	10:41	PL094109.D	7.91	2.77
PSTDCCC050	PSTDCCC050	02/10/2025	10:55	PL094110.D	7.91	2.77
PB166620BL	PB166620BL	02/10/2025	11:18	PL094111.D	7.91	2.77
PB166620BS	PB166620BS	02/10/2025	13:18	PL094112.D	7.91	2.77
PB166620BSD	PB166620BSD	02/10/2025	14:24	PL094113.D	7.91	2.77
MANHOLE	Q1322-01	02/10/2025	14:43	PL094114.D	7.91	2.77
LBLK	LBLK	02/10/2025	15:53	PL094119.D	7.91	2.77
PSTDCCC050	PSTDCCC050	02/10/2025	16:07	PL094120.D	7.91	2.77