

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: CHEM02
Lab Code: CHEM Case No.: Q1328 SAS No.: Q1328 SDG No.: Q1328
Instrument ID: BNA_P Calibration Date(s): 01/29/2025 01/29/2025
Calibration Time(s): 13:16 16:40

LAB FILE ID:		RRFAL1 = BP023784.D			RRFAL2 = BP023785.D		RRFAL3 = BP023786.D	
		RRFAL4 = BP023787.D			RRFAL5 = BP023788.D		RRFAL6 = BP023789.D	
COMPOUND	RRFAL1	RRFAL2	RRFAL3	RRFAL4	RRFAL5	RRFAL6	RRF	% RSD
1,4-Dioxane	0.505	0.496	0.563	0.489	0.478		0.506	6.6
Benzaldehyde		0.992	1.156	0.957	0.744	0.495	0.869	29.4
Hexachloroethane	0.534	0.540	0.618	0.588	0.551		0.566	6.3
Nitrobenzene	0.326	0.331	0.380	0.358	0.341		0.347	6.3
Isophorone	0.657	0.638	0.782	0.733	0.695		0.701	8.3
2-Nitrophenol	0.168	0.174	0.205	0.198	0.198		0.188	8.7
2,4-Dimethylphenol	0.328	0.326	0.387	0.359	0.343		0.349	7.3
Bis(2-Chloroethoxy)methane	0.418	0.407	0.482	0.450	0.426		0.437	6.8
2,4-Dichlorophenol	0.293	0.298	0.351	0.334	0.329		0.321	7.7
Naphthalene	1.043	1.027	1.173	1.086	1.025		1.071	5.8
4-Chloroaniline		0.412	0.494	0.471	0.445	0.413	0.447	8.0
Hexachlorobutadiene	0.190	0.190	0.206	0.199	0.188		0.194	4.0
Phenol		1.631	1.944	1.831	1.840	1.840	1.817	6.3
Caprolactam		0.105	0.137	0.135	0.124	0.121	0.124	10.3
4-Chloro-3-methylphenol	0.313	0.309	0.386	0.366	0.352		0.345	9.7
2-Methylnaphthalene	0.718	0.699	0.829	0.781	0.736		0.753	6.9
Hexachlorocyclopentadiene		0.305	0.343	0.340	0.345	0.333	0.333	4.9
2,4,6-Trichlorophenol	0.351	0.362	0.433	0.415	0.414		0.395	9.1
2,4,5-Trichlorophenol	0.378	0.390	0.462	0.450	0.449		0.426	9.1
1,1-Biphenyl	1.419	1.442	1.629	1.503	1.429		1.485	5.9
2-Chloronaphthalene	1.105	1.127	1.255	1.174	1.122		1.157	5.2
2-Nitroaniline	0.273	0.273	0.330	0.323	0.306		0.301	8.9
Bis(2-Chloroethyl)ether		1.281	1.505	1.419	1.377	1.335	1.383	6.2
Dimethylphthalate	1.461	1.405	1.605	1.568	1.382		1.484	6.6
2,6-Dinitrotoluene	0.247	0.259	0.318	0.320	0.307		0.290	11.9
Acenaphthylene	1.697	1.729	1.973	1.850	1.710		1.792	6.6
3-Nitroaniline		0.290	0.364	0.340	0.309	0.292	0.319	10.1
Acenaphthene	1.220	1.211	1.396	1.312	1.213		1.270	6.4
2,4-Dinitrophenol		0.120	0.158	0.185	0.191	0.210	0.173	20.2
4-Nitrophenol		0.193	0.226	0.228	0.204	0.197	0.210	7.7
Dibenzofuran	1.733	1.699	1.922	1.807	1.641		1.760	6.2
2,4-Dinitrotoluene	0.367	0.388	0.472	0.487	0.445		0.431	12.1
Diethylphthalate	1.435	1.434	1.570	1.640	1.356		1.487	7.7
2-Chlorophenol	1.327	1.327	1.567	1.482	1.456		1.432	7.3

All other compounds must meet a minimum RRF of 0.010.

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: CHEM02
Lab Code: CHEM Case No.: Q1328 SAS No.: Q1328 SDG No.: Q1328
Instrument ID: BNA_P Calibration Date(s): 01/29/2025 01/29/2025
Calibration Time(s): 13:16 16:40

LAB FILE ID:		RRFAL1 = BP023784.D			RRFAL2 = BP023785.D		RRFAL3 = BP023786.D	
		RRFAL4 = BP023787.D			RRFAL5 = BP023788.D		RRFAL6 = BP023789.D	
COMPOUND	RRFAL1	RRFAL2	RRFAL3	RRFAL4	RRFAL5	RRFAL6	RRF	% RSD
Fluorene	1.419	1.416	1.607	1.526	1.334		1.460	7.3
4-Chlorophenyl-phenylether	0.704	0.691	0.783	0.769	0.667		0.723	7.0
4-Nitroaniline		0.309	0.368	0.352	0.282	0.240	0.310	16.8
4,6-Dinitro-2-methylphenol		0.106	0.137	0.142	0.146	0.147	0.136	12.4
N-Nitrosodiphenylamine	0.580	0.584	0.668	0.614	0.607		0.610	5.8
1,2,4,5-Tetrachlorobenzene	0.540	0.575	0.639	0.606	0.596		0.591	6.2
4-Bromophenyl-phenylether	0.210	0.210	0.244	0.231	0.234		0.226	6.8
Hexachlorobenzene	0.258	0.258	0.292	0.280	0.278		0.273	5.4
Atrazine		0.225	0.253	0.253	0.238	0.212	0.236	7.7
Pentachlorophenol		0.135	0.169	0.175	0.182	0.180	0.168	11.4
2-Methylphenol		1.188	1.464	1.388	1.399	1.398	1.367	7.6
Phenanthrene	1.103	1.095	1.234	1.155	1.061		1.129	6.0
Anthracene	1.104	1.116	1.240	1.183	1.051		1.139	6.4
Carbazole		1.039	1.151	1.106	1.021	0.672	0.998	19.0
Di-n-butylphthalate	1.151	1.222	1.331	1.414	1.058		1.235	11.4
Fluoranthene	1.206	1.165	1.375	1.275	1.151		1.234	7.5
Pyrene	1.315	1.259	1.473	1.323	1.084		1.291	10.9
Butylbenzylphthalate	0.500	0.538	0.585	0.614	0.543		0.556	8.0
3,3-Dichlorobenzidine		0.424	0.454	0.478	0.431	0.377	0.433	8.7
2,2-oxybis(1-Chloropropane)		1.342	1.568	1.494	1.398	1.334	1.427	7.1
Benzo(a)anthracene	1.297	1.264	1.415	1.347	1.253		1.315	5.1
Chrysene	1.186	1.182	1.316	1.238	1.137		1.212	5.6
Bis(2-ethylhexyl)phthalate	0.730	0.800	0.831	0.924	0.770		0.811	9.1
Di-n-octyl phthalate		1.211	1.314	1.438	1.220	0.811	1.199	19.6
Benzo(b)fluoranthene	1.116	1.139	1.337	1.266	1.210		1.214	7.5
Benzo(k)fluoranthene	1.133	1.165	1.321	1.254	1.210		1.217	6.1
Benzo(a)pyrene	1.039	1.056	1.259	1.166	1.145		1.133	7.9
Indeno(1,2,3-cd)pyrene	1.367	1.366	1.610	1.487	1.515		1.469	7.1
Dibenzo(a,h)anthracene	1.109	1.110	1.313	1.202	1.223		1.192	7.2
Benzo(g,h,i)perylene	1.065	1.043	1.248	1.121	1.149		1.125	7.2
Acetophenone		1.977	2.470	2.302	2.231	2.072	2.210	8.8
2,3,4,6-Tetrachlorophenol	0.319	0.333	0.397	0.392	0.370		0.362	9.6
1,4-Dioxane-d8	0.471	0.475	0.531	0.469	0.461		0.481	5.9
Pyridine-d5		1.282	1.546	1.388	1.378	1.351	1.389	7.0
Phenol-d5		1.550	1.884	1.764	1.815	1.837	1.770	7.4

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1

6C

SEMIVOLATILE ORGANICS INITIAL CALIBRATION DATA

Lab Name: CHEMTECH Contract: CHEM02
Lab Code: CHEM Case No.: Q1328 SAS No.: Q1328 SDG No.: Q1328
Instrument ID: BNA_P Calibration Date(s): 01/29/2025 01/29/2025
Calibration Time(s): 13:16 16:40

LAB FILE ID:		RRFAL1 = BP023784.D			RRFAL2 = BP023785.D		RRFAL3 = BP023786.D	
		RRFAL4 = BP023787.D			RRFAL5 = BP023788.D		RRFAL6 = BP023789.D	
COMPOUND	RRFAL1	RRFAL2	RRFAL3	RRFAL4	RRFAL5	RRFAL6	RRF	% RSD
Bis-(2-Chloroethyl) ether-d8		0.882	1.019	0.962	0.924	0.898	0.937	5.9
2-Chlorophenol-d4	1.255	1.290	1.527	1.439	1.439		1.390	8.2
4-Methylphenol-d8		1.230	1.566	1.476	1.486	1.471	1.446	8.8
Nitrobenzene-d5	0.146	0.149	0.173	0.167	0.165		0.160	7.4
2-Nitrophenol-d4	0.147	0.156	0.189	0.184	0.188		0.173	11.4
2,4-Dichlorophenol-d3	0.279	0.291	0.346	0.335	0.332		0.317	9.3
4-Chloroaniline-d4		0.429	0.522	0.498	0.474	0.446	0.474	8.0
4-Methylphenol		1.305	1.647	1.556	1.557	1.521	1.517	8.4
Dimethylphthalate-d6	1.430	1.420	1.623	1.578	1.408		1.492	6.7
Acenaphthylene-d8	1.552	1.592	1.860	1.760	1.648		1.683	7.5
4-Nitrophenol-d4		0.250	0.312	0.327	0.297	0.296	0.296	9.8
Fluorene-d10	1.206	1.193	1.366	1.310	1.206		1.256	6.1
4,6-Dinitro-2-methylphenol		0.092	0.119	0.130	0.136	0.139	0.123	15.4
Anthracene-d10	0.938	0.936	1.076	1.017	0.943		0.982	6.4
Pyrene-d10	1.033	1.014	1.184	1.092	1.035		1.072	6.5
Benzo(a)pyrene-d12	0.942	0.976	1.150	1.076	1.074		1.044	8.1
N-Nitroso-di-n-propylamine	0.950	0.919	1.188	1.103	1.045		1.041	10.6

All other compounds must meet a minimum RRF of 0.010.

Form VI SV-1