


ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

42 OF 50

SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092



NJ 078 9-41




[Signature]
2-7-25
2.66
1030

UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 2569 4696

1



BILLING: P/P

Reference No.1: 108413.003,010,001,000

XOL 25.01.06

NV45 3.0A 01/2025*



ATTN: GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N. DIXIE HWY
MONROE MI 48162

15 LBS

43 OF 50


SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 78989900

ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1

MOUNTAINSIDE NJ 07092

J.C
2-7-2025
10:30 am
Temp 3.0 i




NJ 0789-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 2058 7301



BILLING: P/P

Reference No. 1: 108413.003.010.001.000

XOL 25.01.06

NV/IS 3.0A 01/2025P



TM

ATTN GUEST: JOHN FLOON
2153846932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONTROE MI 48162

45 LBS

45 OF 50


SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

2-7-25

10:30

2.6




NJ 078 9-41



UPS NEXT DAY AIR

1

TRACKING #: 1Z 939 47Y 01 3366 4122



BILLING: P/P

Reference No.1: 108413.003,010,001,000

XOL 25.01.06 NV45 3.0A 01/2025*



TM

ATTN: GUEST, JOHN ELOON
2153845932
TOWN PLACE SUITES,
1440 N DIXIE HWY
MONROE MI 48162

45 LBS

46 OF 50


SHIP TO:

ALLIANCE TECHNICAL GROUP LLC
908 7898900
ALLIANCE TECHNICAL GROUP LLC
284 SHEFFIELD ST #1
MOUNTAINSIDE NJ 07092

2-7-25

10:30

2.2




NJ 0789-41



UPS NEXT DAY AIR

TRACKING #: 1Z 939 47Y 01 3597 6336

1



BILLING: P/P

Reference No. 1: 108413.003.010.001.000

XOI 25.01.06 NV45 3.0A 01/2015*



Login Summary Report

Order ID :	Q1339	Order Date :	2/7/2025 10:30:00 AM	Project Mgr :	Deepak
Client :	USEPA CLP SMO	Project :	51900	Report Type :	USEPA CLP
Contact :	Anita Kapadia	Receive Date :	2/7/2025 10:30:00 AM	EDD Type :	EPA CLP
Date Sign Off :	2/11/2025 2:51:43 PM				

Sample ID	Client ID	Matrix	Sampling Date	Test	Test Group	Method	TAT Days	Fax Due Date	HC Due Date
Q1339-01	ME29C5	Water	02/04/2025						
				Cyanide		SFAM_CN	15	02/28/2025	02/28/2025
				Hardness, Total		SFAM_MS	15	02/28/2025	02/28/2025
				Mercury		SFAM_HG	15	02/28/2025	02/28/2025
				Metals CLP MS		SFAM_MS	15	02/28/2025	02/28/2025
Q1339-02	ME29C7	Water	02/04/2025						
				Hardness, Total		SFAM_MS	15	02/28/2025	02/28/2025
				Mercury		SFAM_HG	15	02/28/2025	02/28/2025
				Metals CLP MS		SFAM_MS	15	02/28/2025	02/28/2025
Q1339-03	ME29C6	Water	02/04/2025						
				Cyanide		SFAM_CN	15	02/28/2025	02/28/2025
				Hardness, Total		SFAM_MS	15	02/28/2025	02/28/2025
				Mercury		SFAM_HG	15	02/28/2025	02/28/2025
				Metals CLP MS		SFAM_MS	15	02/28/2025	02/28/2025
Q1339-04	ME29C9	Water	02/04/2025						
				Hardness, Total		SFAM_MS	15	02/28/2025	02/28/2025
				Mercury		SFAM_HG	15	02/28/2025	02/28/2025
				Metals CLP MS		SFAM_MS	15	02/28/2025	02/28/2025
Q1339-05	ME29D1	Water	02/05/2025						
				Cyanide		SFAM_CN	15	02/28/2025	02/28/2025
				Hardness, Total		SFAM_MS	15	02/28/2025	02/28/2025
				Mercury		SFAM_HG	15	02/28/2025	02/28/2025
				Metals CLP MS		SFAM_MS	15	02/28/2025	02/28/2025
Q1339-06	ME29D2	Water	02/05/2025						
				Cyanide		SFAM_CN	15	02/28/2025	02/28/2025
				Hardness, Total		SFAM_MS	15	02/28/2025	02/28/2025
				Mercury		SFAM_HG	15	02/28/2025	02/28/2025
				Metals CLP MS		SFAM_MS	15	02/28/2025	02/28/2025
Q1339-07	ME29D4	Water	02/05/2025						
				Hardness, Total		SFAM_MS	15	02/28/2025	02/28/2025

				Mercury	SFAM_HG	15	02/28/2025	02/28/2025
				Metals CLP MS	SFAM_MS	15	02/28/2025	02/28/2025
Q1339-08	ME29D2D	Water	02/05/2025					
				Cyanide	SFAM_CN	15	02/28/2025	02/28/2025
				Hardness, Total	SFAM_MS	15	02/28/2025	02/28/2025
				Mercury	SFAM_HG	15	02/28/2025	02/28/2025
				Metals CLP MS	SFAM_MS	15	02/28/2025	02/28/2025
Q1339-09	ME29D2S	Water	02/05/2025					
				Cyanide	SFAM_CN	15	02/28/2025	02/28/2025
				Hardness, Total	SFAM_MS	15	02/28/2025	02/28/2025
				Mercury	SFAM_HG	15	02/28/2025	02/28/2025
				Metals CLP MS	SFAM_MS	15	02/28/2025	02/28/2025

WORKLIST(Hardcopy Internal Chain)

Worklist Name : PB166703

Worklist ID : 187677

Department : Digestion

Date : 02-12-2025 13:07:03

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1339-01	ME29C5	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/04/2025	SFAM_MS
Q1339-02	ME29C7	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/04/2025	SFAM_MS
Q1339-03	ME29C6	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/04/2025	SFAM_MS
Q1339-04	ME29C9	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/04/2025	SFAM_MS
Q1339-05	ME29D1	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_MS
Q1339-06	ME29D2	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_MS
Q1339-07	ME29D4	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_MS
Q1339-08	ME29D2D	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_MS
Q1339-09	ME29D2S	Water	Metals CLP MS	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_MS

Date/Time 02/12/25 13:37

Raw Sample Received by: SPB.mcf.dob

Raw Sample Relinquished by: AS

Date/Time 02/12/25 14:37

Raw Sample Received by: AS

Raw Sample Relinquished by: SPB.mcf.dob

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q1245/1339_HgW

WorkList ID : 187758

Department : Digestion

Date : 02-18-2025 16:15:01

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1245-03	A6315	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/09/2025	SFAM_HG
Q1245-04	A6316	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/09/2025	SFAM_HG
Q1245-05	A6327	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-06	A6328	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-07	A6329	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-08	A6330	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-09	A6335	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-10	A6335D	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-11	A6335S	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-12	A6336	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-13	A6337	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-14	A6338	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/29/2025	SFAM_HG
Q1245-15	A6339	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG
Q1245-16	A6340	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG
Q1245-17	A6341	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	01/30/2025	SFAM_HG
Q1339-01	ME29C5	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/04/2025	SFAM_HG
Q1339-02	ME29C7	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/04/2025	SFAM_HG
Q1339-03	ME29C6	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/04/2025	SFAM_HG
Q1339-04	ME29C9	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/04/2025	SFAM_HG
Q1339-05	ME29D1	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_HG
Q1339-06	ME29D2	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_HG

Date/Time 2/19/25 @ 10:37

Raw Sample Received by: POG-Mig, Cas

Raw Sample Relinquished by: POG-Mig, Cas

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

2/19/25 @ 11:36
POG-Mig, Cas
POG-Mig, Cas

WORKLIST(Hardcopy Internal Chain)

WorkList Name : Q1245/1339_HgW

WorkList ID : 187758

Department : Digestion

Date : 02-18-2025 16:15:01

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1339-07	ME29D4	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_HG
Q1339-08	ME29D2D	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_HG
Q1339-09	ME29D2S	Water	Mercury	1:1 HNO3 to pH < 2	USEP01	C11	02/05/2025	SFAM_HG

Date/Time 2/19/25 @ 10:00
 Raw Sample Received by: MS - MSB-LLS
 Raw Sample Relinquished by: MS - MSB-LLS

Date/Time 2/19/25 @ 11:30
 Raw Sample Received by: MS - MSB-LLS
 Raw Sample Relinquished by: MS - MSB-LLS

WORKLIST(Hardcopy Internal Chain)

WorkList Name : cn q1339

WorkList ID : 187670

Department : Distillation

Date : 02-12-2025 10:19:23

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q1339-01	ME29C5	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	02/04/2025	SFAM_CN
Q1339-03	ME29C6	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	02/04/2025	SFAM_CN
Q1339-05	ME29D1	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	02/05/2025	SFAM_CN
Q1339-06	ME29D2	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	02/05/2025	SFAM_CN
Q1339-08	ME29D2D	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	02/05/2025	SFAM_CN
Q1339-09	ME29D2S	Water	Cyanide	1:1 NaOH to pH >12	USEP01	C11	02/05/2025	SFAM_CN

Date/Time 02.13.2025, 10:15

Raw Sample Received by: 787 wdcj

Raw Sample Relinquished by: AR sn

Date/Time 02.13.2025, 13:00

Raw Sample Received by: AR sn

Raw Sample Relinquished by: 787 wdcj