

NO

1.00

1 0

1

1.00

U

Ignitability

Paint Filter

oC

ml/100gm

02/10/25 14:17 1030

02/10/25 15:45 9095B

Report of Analysis

Client:	PSEG			Ι	Date Collected:	02/07/25 1	1:00
Project:	PSEG Eliz	abeth - Roselle Park	S	Ι	Date Received:	02/07/25	
Client Sample ID:	WC-13			S	SDG No.:	Q1343	
Lab Sample ID:	Q1343-13			Ν	Matrix:	SOIL	
				0	% Solid:	88.4	
Parameter	Conc. Qua.	DF MDL	LOQ / CRQL	Units(Dry Weig	ht) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.44	1 0.087	0.44	mg/Kg	02/10/25 13:40	02/11/25 09:44	7196A

0

1.00

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- * = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits