

ANALYTICAL RESULTS SUMMARY

VOLATILE ORGANICS
GENERAL CHEMISTRY
METALS
GC SEMI-VOLATILES
SEMI-VOLATILE ORGANICS

PROJECT NAME: FORT MEADE MD TIPTON AIRFIELD PARCEL RI - 0111169

WESTON SOLUTIONS

1400 Weston Way

PO Box 2653

West Chester, PA - 19380

Phone No: 610-701-7400

ORDER ID: Q1352

ATTENTION: Nathan Fretz







Table Of Contents for Q1352

1) Si	ignature Page	3
2) C	ase Narrative	4
	2.1) TCLP VOA- Case Narrative	4
	2.2) TCLP BNA- Case Narrative	6
	2.3) PCB- Case Narrative	8
	2.4) TCLP Pesticide- Case Narrative	10
	2.5) TCLP Herbicide- Case Narrative	12
	2.6) Metals-TCLP- Case Narrative	14
	2.7) Genchem- Case Narrative	16
3) Q	ualifier Page	17
4) Q	A Checklist	19
5) T	CLP VOA Data	20
6) T	CLP BNA Data	24
7) P	CB Data	31
B) T(CLP Pesticide Data	35
9) T	CLP Herbicide Data	40
10) I	Metals-TCLP Data	45
11) (Genchem Data	49
12) \$	Shipping Document	52
	12.1) CHAIN OF CUSTODY	53
	12.2) Lab Certificate	54

Q1352 **2 of 54**



Cover Page

Order ID: Q1352

Project ID: Fort Meade MD Tipton Airfield Parcel RI - 0111169

Client: Weston Solutions

Lab Sample Number Client Sample Number

Q1352-01 TAP-IDW-SOIL-021025 Q1352-02 TAP-IDW-SOIL-021025

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

By Nimisha Pandya, QA/QC Supervisor at 9:58 am, Feb 28, 2025

NYDOH CERTIFICATION NO - 11376 NJDEP CERTIFICATION NO - 20012

2/28/2025

Date:

Q1352 3 of 54



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # Q1352 Test Name: TCLP VOA

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 02/11/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, Ignitability, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA and TCLP ZHE Extraction. This data package contains results for TCLP VOA.

C. Analytical Techniques:

The analysis performed on instrument MSVOA_X were done using GC column DB-624UI 20m 0.18mm 1.0 um. Cat#121-1324UIThe analysis of TCLP VOA was based on method 8260D and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank Spike Duplicate met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

Samples for MS/MSD for VOC analysis were not provided with this set of samples. The Blank Spike Duplicate is reported with the data.

Trip Blank was not provided with this set of samples.

The not QT review data is reported in the Miscellaneous.

Q1352 4 of 54



Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <20% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 20% for the Initial Calibration curve for SW-846 analysis.

F. Calculation:

Water Calculation in ug/L

 $\frac{(A \times)(I \times)(Df)}{(Ais)(RRF)(V0)}$

Where,

Signature

Q1352

Ax = Area for the compound to be measured

Ais = Area for the specific internal standard

Is = Amount of internal standard added in nanograms (ng)

RRF = Relative response factor of the initial calibration curve standard.

Vo = Volume of water purged in milliliters (mL)

Df = Dilution factor.

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:58 am, Feb 28, 2025

5 of 54



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # Q1352 Test Name: TCLP BNA

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 02/11/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, Ignitability, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA and TCLP ZHE Extraction. This data package contains results for TCLP BNA.

C. Analytical Techniques:

The samples were analyzed on instrument BNA_F using GC Column DB-UI 8270D which is 20 meters, 0.18 mm ID, 0.36 um df The analysis of TCLP BNA was based on method 8270E and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Internal Standards Areas met the acceptable requirements.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the acceptable requirements.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

The Tuning criteria met requirements.

E. Additional Comments:

The Form 6 is not included in the data package because the Initial Calibration was performed using 7 points.

The not QT review data is reported in the Miscellaneous.

Q1352 6 of 54





Please use %D calculated based on Avg RF and CCRF for all compounds using Average Response Factor when the %RSD value for a compound is <15% for the Initial Calibration curve and use %D calculated based on Amount added and Calculated amount for all compounds using Linear Regression when the %RSD value for a compound is > 15% for the Initial Calibration curve for SW-846 analysis.

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:58 am, Feb 28, 2025

Q1352 **7 of 54**



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # Q1352

Test Name: PCB

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 02/11/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, Ignitability, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA and TCLP ZHE Extraction. This data package contains results for PCB.

C. Analytical Techniques:

The analyses were performed on instrument GCECD_P. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0.5 um df, Catalogue # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 μ m; Catalogue # 7HM-G017-11. The analysis of PCBs was based on method 8082A and extraction was done based on method 3541.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries for {Q1356-03MS} with File ID: PP069682.D met requirements for all samples except for AR1016[154%] and AR1260[213%] Due to matrix interference.

The MSD {Q1356-03MSD} with File ID: PP069683.D recoveries met requirements for all samples except for AR1016[153%] and AR1260[213%] Due to matrix interference.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

Q1352 **8 of 54**



E. Additional Comments:

The not QT review data is reported in the Miscellaneous. The soil samples results are based on a dry weight basis.

F. Calculation for Concentration in Soil samples:

Concentration ug/Kg (Dry weight basis) = $\frac{(Ax) (Vt) (DF) (GPC)}{(CF) (Vi) (Ws) (D)}$

Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vt = Volume of the concentrated extract in uL

Vi = Volume of extract injected (uL). (If a single injection is made on to two columns, use $\frac{1}{2}$ the volume in the syringe as the volume injected onto each column).

Ws = Weight of sample extracted (g).

 $D = \frac{\% \text{ dry weight or } 100 - \% \text{Moisture}}{}$

100

 $GPC = \underline{Vin} = GPC \text{ factor (If no GPC is performed, GPC=1)}$ Vout

Vin = Volume of extract loaded onto GPC column.

Vout = Volume of extract collected after GPC cleanup.

DF = Dilution Factor

Signature_

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:59 am, Feb 28, 2025

Q1352 9 of 54



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # Q1352 Test Name: TCLP Pesticide

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 02/11/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, Ignitability, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA and TCLP ZHE Extraction. This data package contains results for TCLP Pesticide.

C. Analytical Techniques:

The analysis was performed on instrument ECD_L. The front column is ZB-MR1 which is 30 meters, 0.32 mm ID, 0. 5 um df,: Catalog # 7HM-G016-17. The rear column is ZB-MR2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 7HMG017- 11. The analysis of TCLP Pesticides was based on method 8081B and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the acceptable requirements.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements .

E. Additional Comments:

The not QT review data is reported in the Miscellaneous.

F. Calculation for Concentration in Water Samples:

Concentration ug/L =
$$(Ax) (Vt) (DF) (GPC)$$

(CF) (Vo) (Vi)

Q1352 **10 of 54**





Where,

Ax = Response (peak area or height) of the compound to be measured.

CF = Mean Calibration Factor from the initial calibration (area/ng).

Vo = Volume of water extracted in mL.

Vi = Volume of extract injected in uL.

Vt = Volume of the concentrated extract in uL

GPC = $\underline{\text{Vin}}$ = GPC factor (If no GPC is performed, GPC=1) Vout

Vin = Volume of extract loaded onto GPC column.

Vout = Volume of extract collected after GPC cleanup.

DF = Dilution Factor.

G. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:59 am, Feb 28, 2025

Signature

Q1352 **11 of 54**



CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # Q1352 Test Name: TCLP Herbicide

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 02/11/2025.

B. Parameters

According to the Chain of Custody document, the following analyses were requested: Cyanide, Ignitability, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA and TCLP ZHE Extraction. This data package contains results for TCLP Herbicide.

C. Analytical Techniques:

The analysis was performed on instrument ECD_S. The front column is RTX-CLPesticides which is 30 meters, 0.32 mm ID, 0. 5 um df,: Catalog # 11139. The rear column is RTX-CLPesticides2 which is 30 meters, 0.32 mm ID, 0.25 um df, Catalog #: 11324The analysis of TCLP Herbicides was based on method 8151A and extraction was done based on method 3510 and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Surrogate recoveries met the acceptable criteria.

The Retention Times were acceptable for all samples.

The MS recoveries met the requirements for all compounds.

The MSD recoveries met the acceptable requirements.

The RPD met criteria.

The Blank Spike met requirements for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Initial Calibration met the requirements.

The Continuous Calibration met the requirements.

E. Additional Comments:

The not QT review data is reported in the Miscellaneous.

Q1352 **12 of 54**





F. Calculation for water sample

 $ug/l = \frac{(Ax) (Vt) (MW)}{(ICF) (Vi) (Vs)} X DF$

Where:

Signature_

Ax = Area for the parameter to be measured.

ICF = average calibration factor for the calibration standards.

Vt = Volume of total extract in uL (Take into account dilutions)

Is = Amount of standard injected in nanograms (ng)

Vi = Volume of extract injected.

Vs = Volume of Aqueous extracted (mL).

MW = molecular weight of the compound

F. Manual Integration Comments:

Please refer to the Manual integration Report included with the Run Logs for information on the manual integrations performed.

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 9:59 am, Feb 28, 2025

13 of 54

Q1352





284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions

Project Name: Fort Meade MD Tipton Airfield Parcel RI - 0111169

Project # N/A

Chemtech Project # Q1352

Test Name: TCLP Mercury, TCLP ICP Metals

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 02/11/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Anions Group1, Cyanide, Ignitability, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA and TCLP ZHE Extraction. This data package contains results for TCLP Mercury, TCLP ICP Metals.

C. Analytical Techniques:

The analysis of TCLP ICP Metals was based on method 6010D, digestion based on method 3010 (waters). The analysis and digestion of TCLP Mercury was based on method 7470A and TCLP extraction method was 1311.

D. QA/ QC Samples:

The Holding Times were met for all analysis.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike (SOIL-PILEMS) analysis met criteria for all samples except for Mercury due to matrix interference.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

E. Calculations:

Calculation for TCLP Metals:

Concentration or Result (
$$\mu$$
g/L) = C x $\frac{Vf}{Vi}$ x DF x 1000

Where,

C = Instrument value in ppm (The average of all replicate exposures)

Vf = Final digestion volume (mL)

Vi = Initial aliquot amount (mL) (Sample amount taken in prep)

DF = Dilution Factor

14 of 54 Q1352



Calculation for TCLP Hg:

Concentration or Result (μ g/L) = C x DF Where,

C = Instrument response in μ g/L from the calibration curve.

DF = Dilution Factor

F. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED

Signature By Nimisha Pandya, QA/QC Supervisor at 10:00 am, Feb 28, 2025

Q1352 **15 of 54**





284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

Weston Solutions

Project Name: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Project # N/A

Chemtech Project # Q1352

Test Name: pH,Cyanide,Sulfide,Ignitability

A. Number of Samples and Date of Receipt:

2 Solid samples were received on 02/11/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide, Ignitability, PCB, pH, Sulfide, TCLP BNA, TCLP Extraction, TCLP Herbicide, TCLP ICP Metals, TCLP Mercury, TCLP METALS, TCLP Pesticide, TCLP VOA and TCLP ZHE Extraction. This data package contains results for pH,Cyanide,Sulfide,Ignitability.

C. Analytical Techniques:

The analysis of Ignitability was based on method 1030, The analysis of Cyanide was based on method 9012B, The analysis of Sulfide was based on method 9034 and The analysis of pH was based on method 9045D.

D. QA/ QC Samples:

The Holding Times were met for all samples except for TAP-IDW-SOIL-021025 of pH as this sample received out of hold.

The Blank Spike met requirements for all samples.

The Duplicate analysis met criteria for all samples.

The Matrix Spike analysis met criteria for all samples.

The Matrix Spike Duplicate analysis met criteria for all samples.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

APPROVED Signature By Nimisha Pandya, QA/QC Supervisor at 10:00 am, Feb 28, 2025

16 of 54 Q1352



DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following "Results Qualifiers" are used:

- J Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
- U Indicates the analyte was analyzed for, but not detected.
- ND Indicates the analyte was analyzed for, but not detected
- E Indicates the reported value is estimated because of the presence of interference
- M Indicates Duplicate injection precision not met.
- N Indicates the spiked sample recovery is not within control limits.
- S Indicates the reported value was determined by the Method of Standard Addition (MSA).
- * Indicates that the duplicate analysis is not within control limits.
- + Indicates the correlation coefficient for the MSA is less than 0.995.
- D Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
- M Method qualifiers
 - **"P"** for ICP instrument
 - "PM" for ICP when Microwave Digestion is used
 - "CV" for Manual Cold Vapor AA
 - "AV" for automated Cold Vapor AA
 - "CA" for MIDI-Distillation Spectrophotometric "AS" for Semi –Automated Spectrophotometric
 - "C" for Manual Spectrophotometric
 - **"T"** for Titrimetric
 - "NR" for analyte not required to be analyzed
- OR Indicates the analyte's concentration exceeds the calibrated range of the
 - instrument for that specific analysis.
- Q Indicates the LCS did not meet the control limits requirements
- H Sample Analysis Out Of Hold Time



DATA REPORTING QUALIFIERS- ORGANIC

For reporting results, the following "Results Qualifiers" are used:

Value	If the result is a value greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. " $10\mathrm{U}$ ". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
ND	Indicates the analyte was analyzed for, but not detected
J	 Indicates an estimated value. This flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3 ug/L was calculated report as 3 J. This is flag is used when similar situation arise on any organic parameter i.e. Pest, PCB and others.
В	Indicates the analyte was found in the blank as well as the sample report as "12 B".
E	Indicates the analyte 's concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide/PCB target analyte when there is $>25\%$ difference for detected concentrations between the two GC columns. The lower of the two values is reported on Form 1 and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.
A	This flag indicates that a Tentatively Identified Compound is a suspected aldol-condensation product.
Q	Indicates the LCS did not meet the control limits requirements

Aliance

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q1352

	Completed
For thorough review, the report must have the following:	
GENERAL:	
Are all original paperwork present (chain of custody, record of communication, airbill, sample management lab chronicle, login page)	<u> </u>
Check chain-of-custody for proper relinquish/return of samples	<u> </u>
Is the chain of custody signed and complete	<u> ✓</u>
Check internal chain-of-custody for proper relinquish/return of samples /sample extracts	✓ ✓ ✓
Collect information for each project id from server. Were all requirements followed	<u> </u>
COVER PAGE:	
Do numbers of samples correspond to the number of samples in the Chain of Custody on login page	<u> </u>
Do lab numbers and client Ids on cover page agree with the Chain of Custody	<u> </u>
CHAIN OF CUSTODY:	
Do requested analyses on Chain of Custody agree with form I results	<u> </u>
Do requested analyses on Chain of Custody agree with the log-in page	' ' ' ' '
Were the correct method log-in for analysis according to the Analytical Request and Chain of Castody	<u> </u>
Were the samples received within hold time	<u> </u>
Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle	<u> </u>
ANALYTICAL:	
Was method requirement followed?	<u> </u>
Was client requirement followed?	<u> </u>
Does the case narrative summarize all QC failure?	<u> </u>
All runlogs and manual integration are reviewed for requirements	<u> </u>
All manual calculations and /or hand notations verified	<u> </u>

QA Review Signature: SOHIL JODHANI Date: 02/28/2025

Q1352 **19 of 54**




284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

Hit Summary Sheet

SDG No.: Q1352

Client: Weston Solutions





Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID:	TAP-IDW-SOIL	-021025							
Q1352-02	TAP-IDW-SOIL-	02 TCLP	2-Butanone	5.00	J	1.30	2.50	25.0	ug/L
			Total Voc:	5.00					
			Total Concentration:	5.00					

Q1352 20 of 54



SAMPLE DATA

5







Q1352 **21 of 54**

LOW



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900, Fax: 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 02/10/25 Date Received: Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 02/11/25TAP-IDW-SOIL-021025 SDG No.: Client Sample ID: Q1352 Lab Sample ID: Q1352-02 Matrix: **TCLP** Analytical Method: SW8260 % Solid: Final Vol: Sample Wt/Vol: 5 Units: mL5000 uL Soil Aliquot Vol: Test: TCLP VOA uL

ID: 0.18 Level: GC Column: DB-624UI

Prep Method: SW5035

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID VX044960.D 1 02/14/25 14:43 VX021425

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
75-01-4	Vinyl Chloride	0.75	U	0.34	0.75	5.00	ug/L
75-35-4	1,1-Dichloroethene	0.75	U	0.26	0.75	5.00	ug/L
78-93-3	2-Butanone	5.00	J	1.30	2.50	25.0	ug/L
56-23-5	Carbon Tetrachloride	0.50	U	0.25	0.50	5.00	ug/L
67-66-3	Chloroform	0.50	U	0.26	0.50	5.00	ug/L
71-43-2	Benzene	0.50	U	0.16	0.50	5.00	ug/L
107-06-2	1,2-Dichloroethane	0.75	U	0.24	0.75	5.00	ug/L
79-01-6	Trichloroethene	0.75	U	0.32	0.75	5.00	ug/L
127-18-4	Tetrachloroethene	0.50	U	0.25	0.50	5.00	ug/L
108-90-7	Chlorobenzene	0.50	U	0.13	0.50	5.00	ug/L
SURROGATES							
17060-07-0	1,2-Dichloroethane-d4	55.4		81 - 118		111%	SPK: 50
1868-53-7	Dibromofluoromethane	51.3		80 - 119		103%	SPK: 50
2037-26-5	Toluene-d8	50.7		89 - 112		101%	SPK: 50
460-00-4	4-Bromofluorobenzene	51.7		85 - 114		103%	SPK: 50
INTERNAL STA	ANDARDS						
363-72-4	Pentafluorobenzene	83300	5.544				
540-36-3	1,4-Difluorobenzene	170000	6.757				
3114-55-4	Chlorobenzene-d5	155000	10.049				
3855-82-1	1,4-Dichlorobenzene-d4	66500	12.018				

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Q1352 22 of 54



LAB CHRONICLE

OrderID: Q1352

Client: Weston Solutions

Contact: Nathan Fretz

OrderDate: 2/11/2025 11:32:00 AM

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Location: N51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1352-02	TAP-IDW-SOIL-02102	TCLP			02/10/25			02/11/25
	5		TCLP VOA	8260D			02/14/25	

Q1352 **23 of 54**



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Hit Summary Sheet SW-846

SDG No.: Q1352

Client: Weston Solutions

Sample ID Client ID Matrix Parameter Concentration C MDL LOD RDL Units

Client ID:

0.000

Total Svoc: 0.00
Total Concentration: 0.00

Q1352 **24 of 54**











6

Α

C

Е

SAMPLE DATA

25 of 54

Q1352

GPC Cleanup:

Ν

PH:





Report of Analysis

Client: Weston Solutions Date Collected: 02/13/25 Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/13/25 Client Sample ID: PB166700TB SDG No.: Q1352 PB166700TB Lab Sample ID: Matrix: TCLP SW8270 % Solid: 0 Analytical Method: Sample Wt/Vol: 100 Units: mL Final Vol: 1000 uL Soil Aliquot Vol: uL Test: TCLP BNA Level: LOW Extraction Type: Decanted: Ν

Prep Method: SW3541

Injection Volume:

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 BF141631.D
 1
 02/13/25 09:00
 02/14/25 11:21
 PB166711

GPC Factor:

DF141031.D	1	02/13/23 09	.00	02/14/23 1	1.21	PD100/11	
CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
110-86-1	Pyridine	40.0	U	15.5	40.0	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	40.0	U	8.40	40.0	50.0	ug/L
95-48-7	2-Methylphenol	40.0	U	11.3	40.0	50.0	ug/L
65794-96-9	3+4-Methylphenols	80.0	U	11.5	80.0	100	ug/L
67-72-1	Hexachloroethane	40.0	U	10.1	40.0	50.0	ug/L
98-95-3	Nitrobenzene	40.0	U	12.7	40.0	50.0	ug/L
87-68-3	Hexachlorobutadiene	40.0	U	12.7	40.0	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	40.0	U	8.90	40.0	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	40.0	U	10.1	40.0	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	40.0	U	15.2	40.0	50.0	ug/L
118-74-1	Hexachlorobenzene	40.0	U	11.4	40.0	50.0	ug/L
87-86-5	Pentachlorophenol	80.0	U	18.5	80.0	100	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	140		19 - 119		93%	SPK: 150
13127-88-3	Phenol-d6	137		10 - 130		91%	SPK: 150
4165-60-0	Nitrobenzene-d5	91.9		44 - 120		92%	SPK: 100
321-60-8	2-Fluorobiphenyl	93.1		44 - 119		93%	SPK: 100
118-79-6	2,4,6-Tribromophenol	139		43 - 140		93%	SPK: 150
1718-51-0	Terphenyl-d14	92.4		50 - 134		92%	SPK: 100
INTERNAL STA	NDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	90400	6.787				
1146-65-2	Naphthalene-d8	375000	8.069				
15067-26-2	Acenaphthene-d10	209000	9.822				
1517-22-2	Phenanthrene-d10	381000	11.304				
1719-03-5	Chrysene-d12	295000	13.951				
1520-96-3	Perylene-d12	216000	15.433				

Q1352 **26 of 54**



Client:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Date Collected:

02/13/25

Report of Analysis

Weston Solutions

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/13/25

Client Sample ID: PB166700TB SDG No.: Q1352

Lab Sample ID: PB166700TB Matrix: TCLP

Analytical Method: SW8270 % Solid: 0

Sample Wt/Vol: 100 Units: mL Final Vol: 1000 uL

Soil Aliquot Vol: uL Test: TCLP BNA

Extraction Type: Decanted: N Level: LOW

Injection Volume: GPC Factor: 1.0 GPC Cleanup: N PH:

Prep Method: SW3541

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID

BF141631.D 1 02/13/25 09:00 02/14/25 11:21 PB166711

CAS Number Parameter Conc. Qualifier MDL LOQ / CRQL Units

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Q1352 **27**

GPC Cleanup:

Ν

PH:





Report of Analysis

Client: Weston Solutions Date Collected: 02/10/25 Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/11/25 Client Sample ID: TAP-IDW-SOIL-021025 SDG No.: Q1352 Lab Sample ID: Q1352-02 Matrix: TCLP SW8270 % Solid: 0 Analytical Method: Sample Wt/Vol: 100 Units: mL Final Vol: 1000 uL Soil Aliquot Vol: uL Test: TCLP BNA Level: LOW Extraction Type: Decanted: Ν

Prep Method: SW3541

Injection Volume:

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 BF141633.D
 1
 02/13/25 09:00
 02/14/25 12:18
 PB166711

GPC Factor: 1.0

DF141033.D	1	02/13/23 09	.00	02/14/23 1	2.10	PD100/11	
CAS Number	Parameter	Conc.	Qualifier	MDL	LOD	LOQ / CRQL	Units
TARGETS							
110-86-1	Pyridine	40.0	U	15.5	40.0	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	40.0	U	8.40	40.0	50.0	ug/L
95-48-7	2-Methylphenol	40.0	U	11.3	40.0	50.0	ug/L
65794-96-9	3+4-Methylphenols	80.0	U	11.5	80.0	100	ug/L
67-72-1	Hexachloroethane	40.0	U	10.1	40.0	50.0	ug/L
98-95-3	Nitrobenzene	40.0	U	12.7	40.0	50.0	ug/L
87-68-3	Hexachlorobutadiene	40.0	U	12.7	40.0	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	40.0	U	8.90	40.0	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	40.0	U	10.1	40.0	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	40.0	U	15.2	40.0	50.0	ug/L
118-74-1	Hexachlorobenzene	40.0	U	11.4	40.0	50.0	ug/L
87-86-5	Pentachlorophenol	80.0	U	18.5	80.0	100	ug/L
SURROGATES							
367-12-4	2-Fluorophenol	133		19 - 119		89%	SPK: 150
13127-88-3	Phenol-d6	121		10 - 130		81%	SPK: 150
4165-60-0	Nitrobenzene-d5	92.6		44 - 120		93%	SPK: 100
321-60-8	2-Fluorobiphenyl	92.0		44 - 119		92%	SPK: 100
118-79-6	2,4,6-Tribromophenol	141		43 - 140		94%	SPK: 150
1718-51-0	Terphenyl-d14	103		50 - 134		103%	SPK: 100
INTERNAL STA	NDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	86800	6.787				
1146-65-2	Naphthalene-d8	357000	8.069				
15067-26-2	Acenaphthene-d10	195000	9.822				
1517-22-2	Phenanthrene-d10	336000	11.304				
1719-03-5	Chrysene-d12	214000	13.951				
1520-96-3	Perylene-d12	169000	15.421				

Q1352 **28 of 54**

uL



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 02/10/25

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/11/25

Client Sample ID: TAP-IDW-SOIL-021025 SDG No.: Q1352

Lab Sample ID: Q1352-02 Matrix: TCLP

Analytical Method: SW8270 % Solid: 0

Sample Wt/Vol: 100 Units: mL Final Vol: 1000

Soil Aliquot Vol: uL Test: TCLP BNA

Extraction Type: Decanted: N Level: LOW

Injection Volume: GPC Factor: 1.0 GPC Cleanup: N PH:

Prep Method: SW3541

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID

BF141633.D 1 02/13/25 09:00 02/14/25 12:18 PB166711

CAS Number Parameter Conc. Qualifier MDL LOQ / CRQL Units

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

29 of 54



LAB CHRONICLE

OrderID: Q1352

Client: Weston Solutions

Contact: Nathan Fretz

OrderDate: 2/11/2025 11:32:00 AM

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Location: N51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1352-02	TAP-IDW-SOIL-02102	TCLP			02/10/25			02/11/25
	5		TCLP BNA	8270E		02/13/25	02/14/25	

Q1352 **30 of 54**



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Hit Summary Sheet SW-846

SDG No.: Q1352 Order ID: Q1352

Client: Weston Solutions Project ID: Ft Meade Tipton Airfield Parcel RI - P

Sample ID Client ID Matrix Parameter Concentration C MDL LOD RDL Units

Client ID:

Total Concentration: 0.000

Q1352 **31 of 54**



C

SAMPLE DATA

Q1352 **32 of 54**



Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Matrix:

SOIL

Report of Analysis

Client: Weston Solutions Date Collected: 02/10/25

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/11/25

Client Sample ID: TAP-IDW-SOIL-021025 SDG No.: Q1352

Analytical Method: SW8082A % Solid: 74.7 Decanted:

Sample Wt/Vol: 30.07 Units: g Final Vol: 10000 uL

Soil Aliquot Vol: uL Test: PCB

Extraction Type: Injection Volume :

GPC Factor: 1.0 PH:

Q1352-01

Prep Method: SW3541B

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PP069677.D
 1
 02/12/25 08:30
 02/12/25 13:45
 PB166696

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD LO	Q / CRQL	Units(Dry Weight)
TARGETS							
12674-11-2	Aroclor-1016	11.1	U	4.50	11.1	22.7	ug/kg
11104-28-2	Aroclor-1221	17.4	U	8.60	17.4	22.7	ug/kg
11141-16-5	Aroclor-1232	17.4	U	4.50	17.4	22.7	ug/kg
53469-21-9	Aroclor-1242	11.1	U	4.50	11.1	22.7	ug/kg
12672-29-6	Aroclor-1248	17.4	U	10.5	17.4	22.7	ug/kg
11097-69-1	Aroclor-1254	17.4	U	3.60	17.4	22.7	ug/kg
37324-23-5	Aroclor-1262	11.1	U	6.10	11.1	22.7	ug/kg
11100-14-4	Aroclor-1268	17.4	U	4.60	17.4	22.7	ug/kg
11096-82-5	Aroclor-1260	11.1	U	3.90	11.1	22.7	ug/kg
SURROGATES							
877-09-8	Tetrachloro-m-xylene	24.9		44 - 130		125%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.8		60 - 125		94%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Q1352 33 of 54



LAB CHRONICLE

Q1352 OrderID:

Weston Solutions

Client: Contact: Nathan Fretz

2/11/2025 11:32:00 AM OrderDate:

Ft Meade Tipton Airfield Parcel RI - PO 0111169 Project:

Location: N51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1352-01	TAP-IDW-SOIL-02102	SOIL			02/10/25			02/11/25
	5		PCB	8082A		02/12/25	02/12/25	

Q1352 34 of 54



Q1352

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Hit Summary Sheet SW-846

Order ID: Q1352

Client: Weston Solutions Project ID: Ft Meade Tipton Airfield Parcel RI - P

Sample ID Client ID Matrix Parameter Concentration C MDL LOD RDL Units

Client ID:

SDG No.:

Total Concentration: 0.000

Q1352 **35 of 54**



SAMPLE DATA

8

Α

С

1



Client: Weston Solutions Date Collected:

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/13/25

Client Sample ID: PB166700TB SDG No.: Q1352
Lab Sample ID: PB166700TB Matrix: TCLP

Analytical Method: SW8081 % Solid: 0 Decanted:

Sample Wt/Vol: 100 Units: mL Final Vol: 10000 uL

Soil Aliquot Vol: uL Test: TCLP Pesticide

Extraction Type: Injection Volume:

GPC Factor: 1.0 PH:

Prep Method: SW3541B

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PL094192.D
 1
 02/13/25 09:45
 02/14/25 13:32
 PB166712

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD LO	Units	
TARGETS							_
58-89-9	gamma-BHC (Lindane)	0.25	U	0.049	0.25	0.50	ug/L
76-44-8	Heptachlor	0.25	U	0.054	0.25	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.25	U	0.090	0.25	0.50	ug/L
72-20-8	Endrin	0.10	U	0.043	0.10	0.50	ug/L
72-43-5	Methoxychlor	0.25	U	0.11	0.25	0.50	ug/L
8001-35-2	Toxaphene	5.00	U	1.50	5.00	10.0	ug/L
57-74-9	Chlordane	2.50	U	0.82	2.50	5.00	ug/L
SURROGATES							
2051-24-3	Decachlorobiphenyl	21.2		30 - 135		106%	SPK: 20
877-09-8	Tetrachloro-m-xylene	18.6		44 - 124		93%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Q1352 **37 of 54**



Date Collected: Client: Weston Solutions 02/10/25

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/11/25

TAP-IDW-SOIL-021025 Client Sample ID: SDG No.: Q1352 Lab Sample ID: Q1352-02 Matrix: **TCLP**

% Solid: Decanted: Analytical Method: SW8081

Sample Wt/Vol: 100 Units: Final Vol: 10000 иL

Soil Aliquot Vol: uL Test: TCLP Pesticide

Extraction Type: Injection Volume:

PH: GPC Factor: 1.0

SW3541B

Prep Method:

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID PL094224.D 02/13/25 09:45 02/17/25 11:41 PB166712

CAS Number	Parameter	Conc.	Qualifier	MDL	LOD LO	Q / CRQL	Units
TARGETS							
58-89-9	gamma-BHC (Lindane)	0.25	U	0.049	0.25	0.50	ug/L
76-44-8	Heptachlor	0.25	U	0.054	0.25	0.50	ug/L
1024-57-3	Heptachlor epoxide	0.25	U	0.090	0.25	0.50	ug/L
72-20-8	Endrin	0.10	U	0.043	0.10	0.50	ug/L
72-43-5	Methoxychlor	0.25	U	0.11	0.25	0.50	ug/L
8001-35-2	Toxaphene	5.00	U	1.50	5.00	10.0	ug/L
57-74-9	Chlordane	2.50	U	0.82	2.50	5.00	ug/L
SURROGATES							
2051-24-3	Decachlorobiphenyl	24.2		30 - 135		121%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.4		44 - 124		107%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Q1352

38 of 54



LAB CHRONICLE

OrderID: Q1352

Client: Weston Solutions

Contact: Nathan Fretz

OrderDate: 2/11/2025 11:32:00 AM

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169

Location: N51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1352-01	TAP-IDW-SOIL-02102 5	SOIL			02/10/25			02/11/25
	J		PCB	8082A		02/12/25	02/12/25	
Q1352-02	TAP-IDW-SOIL-02102 5	TCLP			02/10/25			02/11/25
			TCLP Herbicide TCLP Pesticide	8151A 8081B		02/13/25 02/13/25	02/13/25 02/17/25	

Q1352 **39 of 54**



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Hit Summary Sheet SW-846

SDG No.: Q1352 Order ID: Q1352

Client: Weston Solutions Project ID: Ft Meade Tipton Airfield Parcel RI - P

Sample ID Client ID Matrix Parameter Concentration C MDL LOD RDL Units

Client ID:

Total Concentration: 0.000

Q1352 **40 of 54**



9





SAMPLE DATA

Q1352 **41 of 54**



Client: Weston Solutions Date Collected:

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/13/25

Client Sample ID: PB166700TB SDG No.: Q1352

Lab Sample ID: PB166700TB Matrix: TCLP

Analytical Method: SW8151A % Solid: 0 Decanted:

Sample Wt/Vol: 100 Units: mL Final Vol: 10000 uL

Soil Aliquot Vol: uL Test: TCLP Herbicide

Extraction Type: Injection Volume :

GPC Factor: 1.0 PH:

Prep Method: 8151A

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PS029163.D
 1
 02/13/25 10:15
 02/13/25 20:12
 PB166713

CAS Number	Parameter	Conc.	Qualif	ier MDL	LOD LO	Q / CRQL	Units
TARGETS							
94-75-7	2,4-D	15.0	U	4.90	15.0	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	15.0	U	4.50	15.0	20.0	ug/L
SURROGATES							
19719-28-9	2,4-DCAA	504		32 - 138		101%	SPK: 500

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Q1352 **42 of 54**



Client: Weston Solutions Date Collected: 02/10/25

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/11/25

Client Sample ID: TAP-IDW-SOIL-021025 SDG No.: Q1352

Lab Sample ID: Q1352-02 Matrix: TCLP

Analytical Method: SW8151A % Solid: 0 Decanted:

Sample Wt/Vol: 100 Units: mL Final Vol: 10000 uL

Soil Aliquot Vol: uL Test: TCLP Herbicide

Extraction Type: Injection Volume :

PH:

Prep Method: 8151A

GPC Factor:

1.0

 File ID/Qc Batch:
 Dilution:
 Prep Date
 Date Analyzed
 Prep Batch ID

 PS029165.D
 1
 02/13/25 10:15
 02/13/25 21:00
 PB166713

CAS Number	Parameter	Conc.	Qualif	ier MDL	LOD LO	Units	
TARGETS				4.00	45.0		
94-75-7	2,4-D	15.0	U	4.90	15.0	20.0	ug/L
93-72-1	2,4,5-TP (Silvex)	15.0	U	4.50	15.0	20.0	ug/L
SURROGATES							
19719-28-9	2,4-DCAA	521		32 - 138		104%	SPK: 500

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Q1352 **43 of 54**



LAB CHRONICLE

OrderDate:

Project:

2/11/2025 11:32:00 AM

Ft Meade Tipton Airfield Parcel RI - PO 0111169

Q1352 OrderID:

Weston Solutions Client:

Contact:

Nathan Fretz Location: N51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1352-01	TAP-IDW-SOIL-02102 5	SOIL			02/10/25			02/11/25
	3		РСВ	8082A		02/12/25	02/12/25	
Q1352-02	TAP-IDW-SOIL-02102 5	TCLP			02/10/25			02/11/25
			TCLP Herbicide	8151A		02/13/25	02/13/25	

Q1352 44 of 54





SDG No.:

Q1352

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Hit Summary Sheet SW-846

Order ID: Q1352

Client: Weston Solutions Project ID: Fort Meade MD Tipton Airfield Parcel RI -

				110,00012	•						
Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL U	Units		
Client ID:	TAP-IDW-SOIL-021025										
Q1352-02	TAP-IDW-SOIL-021025	TCLP	Barium	812		62.8	125	500	ug/L		
Q1352-02	TAP-IDW-SOIL-021025	TCLP	Chromium	24.9	J	6.60	25.0	50.0	ug/L		











10

Α



SAMPLE DATA



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: Weston Solutions Date Collected: 02/10/25 Project: Fort Meade MD Tipton Airfield Parcel RI - 0111169 Date Received: 02/11/25 Client Sample ID: TAP-IDW-SOIL-021025 SDG No.: Q1352 Lab Sample ID: Q1352-02 Matrix: **TCLP** Level (low/med): % Solid: 0 low

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-38-2	Arsenic	80.0	U	1	34.8	80.0	100	ug/L	02/13/25 12:05	02/17/25 13:15	SW6010	SW3050
7440-39-3	Barium	812		1	62.8	125	500	ug/L	02/13/25 12:05	02/17/25 13:15	SW6010	SW3050
7440-43-9	Cadmium	7.50	U	1	0.94	7.50	30.0	ug/L	02/13/25 12:05	02/17/25 13:15	SW6010	SW3050
7440-47-3	Chromium	24.9	J	1	6.60	25.0	50.0	ug/L	02/13/25 12:05	02/17/25 13:15	SW6010	SW3050
7439-92-1	Lead	48.0	U	1	35.1	48.0	60.0	ug/L	02/13/25 12:05	02/17/25 13:15	SW6010	SW3050
7439-97-6	Mercury	1.60	UN	1	0.81	1.60	2.00	ug/L	02/13/25 11:25	02/14/25 11:24	SW7470A	L
7782-49-2	Selenium	80.0	U	1	58.8	80.0	100	ug/L	02/13/25 12:05	02/17/25 13:15	SW6010	SW3050
7440-22-4	Silver	25.0	U	1	5.80	25.0	50.0	ug/L	02/13/25 12:05	02/17/25 13:15	SW6010	SW3050

Color Before: Colorless Clarity Before: Clear Texture:

Color After: Colorless Clarity After: Clear Artifacts:

Comments: TCLP METALS

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence

of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

Q1352



Contact:

LAB CHRONICLE

OrderID: Q1352

2/11/2025 11:32:00 AM OrderDate:

Weston Solutions Client: Fort Meade MD Tipton Airfield Parcel RI - 0111169 Project: Nathan Fretz

Location: N51

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1352-02	TAP-IDW-SOIL-02102 5	TCLP			02/10/25			02/11/25
	-		TCLP ICP Metals TCLP Mercury	6010D 7470A		02/13/25 02/13/25	02/17/25 02/14/25	

Q1352 48 of 54



SAMPLE DATA







Q1352 **49 of 54**



Q1352-01

Lab Sample ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Matrix:

SOIL

Report of Analysis

Client: Weston Solutions Date Collected: 02/10/25 13:40

Project: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Date Received: 02/11/25

Client Sample ID: TAP-IDW-SOIL-021025 SDG No.: Q1352

% Solid: 74.7

Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units(Dry Weig	ht) Prep Date	Date Ana.	Ana Met.
Cyanide	0.25	U	1	0.056	0.25	0.32	mg/Kg	02/11/25 14:40	02/11/25 16:51	9012B
Ignitability	NO		1	0	0	0	oC		02/12/25 10:15	1030
pН	10.1	Н	1	0	0	0	рН		02/12/25 08:45	9045D
Sulfide	4.27	J	1	2.48	6.67	13.3	mg/Kg	02/12/25 09:10	02/12/25 12:36	9034

Comments: pH result reported at temperature 20.4 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits

50 of 54



LAB CHRONICLE

OrderID: Q1352

2/11/2025 11:32:00 AM OrderDate:

Weston Solutions Client: Ft Meade Tipton Airfield Parcel RI - PO 0111169 Project: N51

Nathan Fretz Location: Contact:

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1352-01	TAP-IDW-SOIL-02102 5	SOIL			02/10/25 13:40			02/11/25
	-		Cyanide	9012B		02/11/25	02/11/25	
							16:51	
			Ignitability	1030			02/12/25	
							10:15	
			рН	9045D			02/12/25	
							08:45	
			Sulfide	9034		02/12/25	02/12/25	
							12:36	

Q1352 51 of 54



SHIPPING DOCUMENTS

Q1352 **52 of 54**

																						91002
	Weston COC ID				hain	of Cus	stody Reco	ord/Lab Wo	rk R	eque	est					Page	1	of	1			WESTER
	Weston_20250210_1440			•	Jiiaiii	OI Ous	stody reco			1	2 20 0											Matrix Codes
Г	Client:	W	eston S	olutions, Inc).		Project Name:	Fort	Meade F	!!		Pr	oject P	DC:				n Fretz				SS - Soil
	Project Manager:		David	Sembrot			PO Number	01	11169				Phone					24-5665				
	Street Address:	1400 Weston	Way	City:	West C	hester	W.O. #:					POC	e-mail:		natha	n.fretz@		solution	s.com			SE - Sediment
	Phone:	610-314-54	56	ST, ZIP:	PA, 19	9038	Lab:	CHE	MTECH			'	ab PO	D:				Hedvat				SO - Solid
	e-mail:	david.semb	rot@w	estonsol	utions.c	<u>om</u>	TAT (days):		21			L	ab Pho	10:			908-72	28-3144				SL - Sludge
	Sampled By:			Hamington			Lab Address:		2	84 She	ffield Str	eet Mou	intainsid	e, NJ 07	7092							GW - Groundwater
									Q09	<	4	PA	EPA	₩ 80	∢	_	30					W - Water
	Lat	b Use Only]			A 82	y EPA 1)	EP/	by E	>	PA 9	y EP	082	A 10	045D				SB - Soil Boring
Ten	nperature of cooler when received (°C)				1			TCLP VOCs by EPA 8260D (1311)	TCLP SVOCs by E 8270E (1311)	TCLP Metals by EPA 6010D/7470A	TCLP Pesticides by EPA 8081B	TCLP Herbicides t 8151A	Total Sulfide by EPA 9034	Total Cyanide by EPA 9012B	PCB by EPA 8082A	Ignitability by EPA 1030	EPA 9045D				A - Air
-	C Tape was present and unbroken of			Y	N	1	Analyses	Requested:	(1311)	SVO 70E	Met:	estic 806	lerbid 81	lfide	Cyar 90	by E) ility	by El				DS - Drum Solids
-	mples received in good condition?			Y	N	1			N N	CLP 82	CLP 60	LP F	LP.	S le	otal	PCB	mitat	H				DL - Drum Liquids
\vdash	pels indicate property preserved?			Y	N				7CL	-	_	12	5	Tol	Ĺ		3					L - EP/TCLP Leachate
-	ceived within holding times?			Y	N			Container Type:	Encore	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass	Glass				WI - Wipe
_	crepancies between sample labels a	and COC record?		Y	N	1		Container Size:	25g	8 oz	8 oz	8 oz	8 oz	8 oz	8 oz	8 oz	8 oz	8 oz				X - Other
						1		Preservative	Ice to 0-6	Ice to 0-6	Ice to 0-6	Ice to	Ice to	Ice to 0-6	Ice to 0-6	Ice to 0-6	Ice to 0-6	Ice to 0-6				F - Fish
#	Sample ID		G/C	Matrix	# Cont	MS/MSD	Date Collected	Time Collected	0-6	0-0	10-0	10-0	0-0	0 0							Sp	ecial instructions/Comments
1		OW-SOIL-021025	С	DS	£	no	2/10/2025	13:40	×	×	×	Х	Х	Х	х	х	×	Х				
2	CH	5W-001E-021025		1	16	1200	2.10.2020															
3	<i></i>				17/	19																
4					10	10																
\vdash		_		+	<u> </u>																	
5			-	-		-			-													
6				-		-																
7				-					-													
8				-								-		-			-					
1 - 1						1						-	-	_	-	├	-	-				
9				-							(1		ı	ı	ı					
10											-						_	-				
10																						
10																						
10	FedEx Shipping Airbill Number:	77199	675	409	14										Coo	ler Nun	nber:	1	of	1		
10	FedEx Shipping Airbill Number: Relimpyished By	77199 Date		H()	[y	Receive	ad By	Date		Time					Coo	ler Nun		1 ditional				
10	Relinguished By		1		[y	Receive	ed By 3.1	Date 2/11/202 9:10	25	Time		QSM 6	.0 Com	pliant	Coo	ler Nun		1 ditional				





Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-0844
Texas	T104704488

QA Control Code: A2070148

Q1352 54 of 54