

SOP ID : N/A

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Block ID : MC-1, MC-2

Weigh By : JP

Start Digest Date: 02/11/2025 Time : 14:40 Temp : 124 °C

End Digest Date: 02/11/2025 Time : 16:10 Temp : 126 °C

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : WC CYANIDE

Prep Technician Signature:

Supervisor Signature:

Standardized Name	MLS USED	STD REF. # FROM LOG
LCSS	1ML	WP111296
MS/MSD SPIKE SOL.	0.40ML	WP111295
PBS003	50ML	W3112
LOD	1.25ML	WP111886
LOD	2.00ML	WP111886

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50ML	WP111294
50% v/v H2SO4	5ML	WP110391
51% w/v MgCL2	2ML	WP110390
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
S0	S0	N/A	N/A
S5.0	S5.0	N/A	N/A
S10.0	S10.0	N/A	N/A
S100.0	S100.0	N/A	N/A
S250.0	S250.0	N/A	N/A
S500.0	S500.0	N/A	N/A
ICV	ICV	0.5ML	AS PER PB166677
ICB	ICB	N/A	N/A
CCV	CCV	N/A	N/A
CCB	CCB	N/A	N/A
Midrange	Midrange	N/A	N/A
HIGHSTD	HIGHSTD	5.0ML	AS PER PB166677
LOWSTD	LOWSTD	0.1ML	AS PER PB166677

Extraction Conformance/Non-Conformance Comments:

LOQ WP111886 2.5ML

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
02.11.2025 , 16:20	JP / WC	NF(WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB166687BL	PB166687BL	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
PB166687BS	LCS687	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1168-01	LOD-MDL-SOIL-01-QT1-2025	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1168-02	LOQ-SOIL-02-QT1-2025	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1352-01	TAP-IDW-SOIL-021025	1.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1352-01DUP	TAP-IDW-SOIL-021025DUP	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1352-01MS	TAP-IDW-SOIL-021025MS	1.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1352-01MSD	TAP-IDW-SOIL-021025MSD	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A

IDOC-01

IDOC-02

IDOC-03

IDOC-04

NF
02.11.2025