

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021425\
 Data File : BF141630.D
 Acq On : 14 Feb 2025 10:55
 Operator : RC/JU
 Sample : PB166711BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB166711BS

Quant Time: Feb 14 11:26:51 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.787	152	90964	20.000	ng	0.00
21) Naphthalene-d8	8.069	136	371902	20.000	ng	0.00
39) Acenaphthene-d10	9.822	164	212243	20.000	ng	-0.01
64) Phenanthrene-d10	11.310	188	368683	20.000	ng	0.00
76) Chrysene-d12	13.963	240	270184	20.000	ng	0.00
86) Perylene-d12	15.433	264	194810	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	784834	135.264	ng	0.01
7) Phenol-d6	6.434	99	981348	133.817	ng	0.00
23) Nitrobenzene-d5	7.351	82	652882	91.565	ng	-0.01
42) 2,4,6-Tribromophenol	10.616	330	293116	137.479	ng	-0.01
45) 2-Fluorobiphenyl	9.145	172	1253581	90.996	ng	0.00
79) Terphenyl-d14	12.898	244	1523434	95.188	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.587	88	94831	40.608	ng	98
3) Pyridine	3.322	79	210182	37.823	ng	95
4) n-Nitrosodimethylamine	3.269	42	144743	39.337	ng	92
6) Aniline	6.451	93	243539	35.402	ng	# 71
8) 2-Chlorophenol	6.575	128	279313	44.551	ng	99
9) Benzaldehyde	6.340	77	137197	35.205	ng	97
10) Phenol	6.445	94	323723	42.412	ng	96
11) bis(2-Chloroethyl)ether	6.522	93	268517	46.837	ng	100
12) 1,3-Dichlorobenzene	6.728	146	286308	43.256	ng	98
13) 1,4-Dichlorobenzene	6.804	146	291707	43.135	ng	99
14) 1,2-Dichlorobenzene	6.957	146	276739	44.091	ng	99
15) Benzyl Alcohol	6.934	79	237860	42.296	ng	96
16) 2,2'-oxybis(1-Chloropr...	7.063	45	413377	42.122	ng	75
17) 2-Methylphenol	7.051	107	213128	43.440	ng	96
18) Hexachloroethane	7.298	117	109475	43.742	ng	96
19) n-Nitroso-di-n-propyla...	7.204	70	190828	43.502	ng	97
20) 3+4-Methylphenols	7.204	107	277335	44.479	ng	95
22) Acetophenone	7.198	105	421831	45.597	ng	95
24) Nitrobenzene	7.375	77	287726	41.382	ng	97
25) Isophorone	7.610	82	513476	45.165	ng	99
26) 2-Nitrophenol	7.686	139	147327	42.590	ng	95
27) 2,4-Dimethylphenol	7.728	122	222598	55.084	ng	98
28) bis(2-Chloroethoxy)met...	7.822	93	323428	44.396	ng	99
29) 2,4-Dichlorophenol	7.939	162	235576	43.145	ng	99
30) 1,2,4-Trichlorobenzene	8.010	180	246032	41.379	ng	99
31) Naphthalene	8.092	128	803179	41.489	ng	100
32) Benzoic acid	7.869	122	177189	42.213	ng	96
33) 4-Chloroaniline	8.151	127	98890	14.631	ng	98
34) Hexachlorobutadiene	8.204	225	154911	43.398	ng	99
35) Caprolactam	8.516	113	51379	30.906	ng	94
36) 4-Chloro-3-methylphenol	8.639	107	257123	42.512	ng	100
37) 2-Methylnaphthalene	8.781	142	513246	40.742	ng	99
38) 1-Methylnaphthalene	8.881	142	498933	40.893	ng	99
40) 1,2,4,5-Tetrachloroben...	8.951	216	278963	45.430	ng	98
41) Hexachlorocyclopentadiene	8.933	237	291755	142.852	ng	99
43) 2,4,6-Trichlorophenol	9.069	196	168826	42.540	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021425\
 Data File : BF141630.D
 Acq On : 14 Feb 2025 10:55
 Operator : RC/JU
 Sample : PB166711BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB166711BS

Quant Time: Feb 14 11:26:51 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.116	196	179056	41.630	ng	98
46) 1,1'-Biphenyl	9.245	154	745855	45.328	ng	99
47) 2-Chloronaphthalene	9.269	162	508835	41.818	ng	99
48) 2-Nitroaniline	9.375	65	166155	40.689	ng	95
49) Acenaphthylene	9.686	152	784782	43.362	ng	100
50) Dimethylphthalate	9.551	163	621981	43.167	ng	100
51) 2,6-Dinitrotoluene	9.616	165	134931	42.838	ng	96
52) Acenaphthene	9.857	154	495714	40.742	ng	99
53) 3-Nitroaniline	9.786	138	91850	27.093	ng	95
54) 2,4-Dinitrophenol	9.898	184	164078	87.647	ng	94
55) Dibenzofuran	10.033	168	713832	39.970	ng	99
56) 4-Nitrophenol	9.963	139	210075	83.475	ng	97
57) 2,4-Dinitrotoluene	10.022	165	186028	44.364	ng	98
58) Fluorene	10.375	166	577543	41.824	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.151	232	157267	42.470	ng	95
60) Diethylphthalate	10.251	149	604022	42.608	ng	99
61) 4-Chlorophenyl-phenyle...	10.363	204	280535	42.229	ng	100
62) 4-Nitroaniline	10.404	138	142107	41.281	ng	97
63) Azobenzene	10.528	77	575345	40.824	ng	96
65) 4,6-Dinitro-2-methylph...	10.433	198	108077	42.200	ng	93
66) n-Nitrosodiphenylamine	10.486	169	511215	43.316	ng	99
67) 4-Bromophenyl-phenylether	10.857	248	178050	43.211	ng	99
68) Hexachlorobenzene	10.922	284	185558	43.733	ng	99
69) Atrazine	11.016	200	196997	55.640	ng	99
70) Pentachlorophenol	11.122	266	212252	78.233	ng	98
71) Phenanthrene	11.333	178	880466	43.385	ng	100
72) Anthracene	11.386	178	904106	44.317	ng	100
73) Carbazole	11.545	167	783953	42.707	ng	100
74) Di-n-butylphthalate	11.869	149	954420	45.029	ng	100
75) Fluoranthene	12.521	202	928025	43.132	ng	100
77) Benzidine	12.651	184	271228	45.518	ng	99
78) Pyrene	12.751	202	941150	40.920	ng	100
80) Butylbenzylphthalate	13.368	149	371547	46.639	ng	99
81) Benzo(a)anthracene	13.951	228	772840	43.031	ng	100
82) 3,3'-Dichlorobenzidine	13.910	252	162575	31.600	ng	97
83) Chrysene	13.986	228	712862	42.987	ng	100
84) Bis(2-ethylhexyl)phtha...	13.939	149	469530	52.257	ng	99
85) Di-n-octyl phthalate	14.574	149	679262	52.993	ng	98
87) Indeno(1,2,3-cd)pyrene	16.886	276	528877	43.937	ng	99
88) Benzo(b)fluoranthene	15.015	252	622615	47.599	ng	99
89) Benzo(k)fluoranthene	15.045	252	482488	43.196	ng	99
90) Benzo(a)pyrene	15.374	252	493463	46.622	ng	99
91) Dibenzo(a,h)anthracene	16.898	278	423612	43.432	ng	99
92) Benzo(g,h,i)perylene	17.321	276	421022	41.250	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Feb 14 11:26:51 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 16:58:59 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.787 min Scan# 79
 Delta R.T. -0.005 min
 Lab File: BF141630.D
 Acq: 14 Feb 2025 10:55




Instrument :
 BNA_F
 ClientSampleId :
 PB166711BS


Tgt Ion:152 Resp: 90964
 Ion Ratio Lower Upper
 152 100
 150 157.6 125.0 187.4
 115 63.4 53.6 80.4



#2
 1,4-Dioxane
 Concen: 40.608 ng
 RT: 2.587 min Scan# 84
 Delta R.T. 0.106 min
 Lab File: BF141630.D
 Acq: 14 Feb 2025 10:55

Tgt Ion: 88 Resp: 94831
 Ion Ratio Lower Upper
 88 100
 58 87.3 71.1 106.7
 43 36.3 30.6 46.0





#3

Pyridine

Concen: 37.823 ng

RT: 3.322 min Scan# 200

Delta R.T. 0.106 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS

Tgt Ion: 79 Resp: 210182

Ion Ratio Lower Upper





79 100

52 87.1

51 43.9

73.7 110.5

37.5 56.3



#4

n-Nitrosodimethylamine

Concen: 39.337 ng

RT: 3.269 min Scan# 200

Delta R.T. 0.082 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Tgt Ion: 42 Resp: 144743

Ion Ratio Lower Upper




42 100

74 105.8

44 6.9

78.0 117.0

5.4 8.2









#5
2-Fluorophenol
Concen: 135.264 ng
RT: 5.422 min Scan# 50
Delta R.T. 0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion:112 Resp: 784834
Ion Ratio Lower Upper
112 100
64 61.6 51.1 76.7
63 33.5 28.4 42.6



#6
Aniline
Concen: 35.402 ng
RT: 6.451 min Scan# 741
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion: 93 Resp: 243539
Ion Ratio Lower Upper
93 100
66 104.7 62.6 94.0#
65 65.7 38.3 57.5#








#7
Phenol-d6
Concen: 133.817 ng
RT: 6.434 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion: 99 Resp: 981348
Ion Ratio Lower Upper
99 100
42 21.6 19.1 28.7
71 36.8 31.1 46.7



#8
2-Chlorophenol
Concen: 44.551 ng
RT: 6.575 min Scan# 762
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:128 Resp: 279313
Ion Ratio Lower Upper
128 100
130 32.0 12.7 52.7
64 48.3 28.3 68.3





#9
Benzaldehyde

Concen: 35.205 ng

RT: 6.340 min Scan# 71

Delta R.T. 0.000 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion: 77 Resp: 137197

Ion Ratio Lower Upper

77 100

105 101.9 79.4 119.4

106 97.8 75.1 115.1



#10

Phenol

Concen: 42.412 ng

RT: 6.445 min Scan# 740

Delta R.T. -0.012 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion: 94 Resp: 323723

Ion Ratio Lower Upper

94 100

65 41.0 23.7 63.7

66 66.2 49.3 89.3








#11
bis(2-Chloroethyl)ether
Concen: 46.837 ng
RT: 6.522 min Scan# 754
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion: 93 Resp: 268517
Ion Ratio Lower Upper
93 100
63 82.2 62.0 102.0
95 32.1 12.6 52.6



#12
1,3-Dichlorobenzene
Concen: 43.256 ng
RT: 6.728 min Scan# 788
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:146 Resp: 286308
Ion Ratio Lower Upper
146 100
148 64.6 51.9 77.9
75 32.2 28.2 42.2





#13

1,4-Dichlorobenzene

Concen: 43.135 ng

RT: 6.804 min Scan# 801

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion:146 Resp: 291707

Ion Ratio Lower Upper

146 100

148 63.8 50.9 76.3

111 43.1 35.9 53.9



#14

1,2-Dichlorobenzene

Concen: 44.091 ng

RT: 6.957 min Scan# 827

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion:146 Resp: 276739

Ion Ratio Lower Upper

146 100

148 64.6 51.8 77.6

111 45.1 37.0 55.4









#15
Benzyl Alcohol
Concen: 42.296 ng
RT: 6.934 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion: 79 Resp: 237860
Ion Ratio Lower Upper
79 100
108 76.2 57.4 86.2
77 62.0 50.9 76.3



#16
2,2'-oxybis(1-Chloropropane)
Concen: 42.122 ng
RT: 7.063 min Scan# 845
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion: 45 Resp: 413377
Ion Ratio Lower Upper
45 100
77 26.1 0.0 35.8
79 22.6 0.0 32.7








#17
2-Methylphenol
Concen: 43.440 ng
RT: 7.051 min Scan# 843
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion:107 Resp: 213128
Ion Ratio Lower Upper
107 100
108 114.1 90.6 136.0
77 60.5 44.4 66.6
79 57.9 42.3 63.5



#18
Hexachloroethane
Concen: 43.742 ng
RT: 7.298 min Scan# 885
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:117 Resp: 109475
Ion Ratio Lower Upper
117 100
119 95.5 76.5 114.7
201 103.7 76.7 115.1









#19
n-Nitroso-di-n-propylamine
Concen: 43.502 ng
RT: 7.204 min Scan# 869
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion: 70 Resp: 190828




Ion	Ratio	Lower	Upper
70	100		
42	69.2	57.4	86.2
101	9.6	8.0	12.0
130	22.1	16.9	25.3




#20
3+4-Methylphenols
Concen: 44.479 ng
RT: 7.204 min Scan# 869
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion: 107 Resp: 277335

Ion	Ratio	Lower	Upper
107	100		
108	89.0	68.5	108.5
77	127.0	116.5	156.5
79	30.6	12.0	52.0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.069 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion:136 Resp: 371902
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 9.1 7.2 10.8
68 4.9 3.7 5.5



#22
Acetophenone
Concen: 45.597 ng
RT: 7.198 min Scan# 868
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:105 Resp: 421831
Ion Ratio Lower Upper
105 100
71 6.0 5.7 8.5
51 37.7 33.7 50.5
120 21.8 17.0 25.6





#23

Nitrobenzene-d5

Concen: 91.565 ng

RT: 7.351 min Scan# 895

Delta R.T. -0.012 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion: 82 Resp: 652882

Ion Ratio Lower Upper

82 100

128 43.4 34.8 52.2

54 58.4 48.2 72.4



#24

Nitrobenzene

Concen: 41.382 ng

RT: 7.375 min Scan# 898

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion: 77 Resp: 287726


Ion Ratio Lower Upper

77 100

123 48.2 36.9 55.3

65 14.5 11.9 17.9









#25
Isophorone
Concen: 45.165 ng
RT: 7.610 min Scan# 910
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion: 82 Resp: 513476
Ion Ratio Lower Upper
82 100
95 7.7 6.4 9.6
138 17.9 13.9 20.9



#26
2-Nitrophenol
Concen: 42.590 ng
RT: 7.686 min Scan# 951
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:139 Resp: 147327
Ion Ratio Lower Upper
139 100
109 32.4 27.0 40.6
65 53.8 47.1 70.7









#27
2,4-Dimethylphenol
Concen: 55.084 ng
RT: 7.728 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion:122 Resp: 222598
Ion Ratio Lower Upper
122 100
107 115.5 94.3 141.5
121 59.3 46.0 69.0



#28
bis(2-Chloroethoxy)methane
Concen: 44.396 ng
RT: 7.822 min Scan# 974
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion: 93 Resp: 323428
Ion Ratio Lower Upper
93 100
95 32.2 26.1 39.1
123 11.8 9.5 14.3





#29

2,4-Dichlorophenol

Concen: 43.145 ng

RT: 7.939 min Scan# 994

Delta R.T. 0.000 min

Lab File: BF141630.D


Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion:162 Resp: 235576

Ion Ratio Lower Upper

162 100

164 63.8 44.6 84.6

98 36.4 17.2 57.2



#30

1,2,4-Trichlorobenzene

Concen: 41.379 ng

RT: 8.010 min Scan# 1006

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion:180 Resp: 246032


Ion Ratio Lower Upper

180 100

182 96.5 76.8 115.2

145 31.5 24.2 36.4









#31
Naphthalene
Concen: 41.489 ng
RT: 8.092 min Scan# 1020
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:128 Resp: 803179
Ion Ratio Lower Upper
128 100
129 11.2 8.9 13.3
127 13.3 10.7 16.1



#32
Benzoic acid
Concen: 42.213 ng
RT: 7.869 min Scan# 982
Delta R.T. -0.023 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:122 Resp: 177189
Ion Ratio Lower Upper
122 100
105 121.3 106.5 146.5
77 93.7 76.3 116.3









#33
4-Chloroaniline
Concen: 14.631 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:	127	Resp:	98890
Ion	Ratio	Lower	Upper
127	100		
129	30.9	26.5	39.7
65	31.9	26.4	39.6
92	19.3	15.3	22.9



#34
Hexachlorobutadiene
Concen: 43.398 ng
RT: 8.204 min Scan# 1039
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:	225	Resp:	154911
Ion	Ratio	Lower	Upper
225	100		
223	63.0	50.1	75.1
227	64.4	51.0	76.6









#35
 Caprolactam
 Concen: 30.906 ng
 RT: 8.516 min Scan# 1109
 Delta R.T. -0.029 min
 Lab File: BF141630.D
 Acq: 14 Feb 2025 10:55




Instrument :
 BNA_F
 ClientSampleId :
 PB166711BS


Tgt Ion:113 Resp: 51379
 Ion Ratio Lower Upper
 113 100
 55 190.9 180.8 220.8
 56 147.6 133.6 173.6



#36
 4-Chloro-3-methylphenol
 Concen: 42.512 ng
 RT: 8.639 min Scan# 1113
 Delta R.T. 0.000 min
 Lab File: BF141630.D
 Acq: 14 Feb 2025 10:55

Tgt Ion:107 Resp: 257123
 Ion Ratio Lower Upper
 107 100
 144 24.4 19.7 29.5
 142 76.3 60.8 91.2









#37
2-Methylnaphthalene
Concen: 40.742 ng
RT: 8.781 min Scan# 1138
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:142 Resp: 513246
Ion Ratio Lower Upper
142 100
141 88.2 71.2 106.8



#38
1-Methylnaphthalene
Concen: 40.893 ng
RT: 8.881 min Scan# 1154
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:142 Resp: 498933
Ion Ratio Lower Upper
142 100
141 91.3 72.1 108.1








#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.822 min Scan# 1166
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:164 Resp: 212243
Ion Ratio Lower Upper
164 100
162 99.8 81.3 121.9
160 44.9 35.9 53.9



#40
1,2,4,5-Tetrachlorobenzene
Concen: 45.430 ng
RT: 8.951 min Scan# 1166
Delta R.T. 0.000 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:216 Resp: 278963
Ion Ratio Lower Upper
216 100
214 79.3 62.3 93.5
179 21.9 18.0 27.0
108 20.9 15.0 22.6





#41

Hexachlorocyclopentadiene

Concen: 142.852 ng

RT: 8.933 min Scan# 1164

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion:237 Resp: 291755

Ion Ratio Lower Upper

237 100

235 62.3 41.4 81.4

272 12.3 0.0 32.4



#42

2,4,6-Tribromophenol

Concen: 137.479 ng

RT: 10.616 min Scan# 1449

Delta R.T. -0.012 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion:330 Resp: 293116


Ion Ratio Lower Upper

330 100

332 96.6 78.5 117.7

141 35.5 31.0 46.4









#43
2,4,6-Trichlorophenol
Concen: 42.540 ng
RT: 9.069 min Scan# 1185
Delta R.T. 0.000 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:196 Resp: 168826
Ion Ratio Lower Upper
196 100
198 100.5 80.6 121.0
200 32.2 25.5 38.3



#44
2,4,5-Trichlorophenol
Concen: 41.630 ng
RT: 9.116 min Scan# 1194
Delta R.T. 0.000 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:196 Resp: 179056
Ion Ratio Lower Upper
196 100
198 101.5 79.8 119.8
97 53.0 44.8 67.2
132 29.0 23.9 35.9









#45
2-Fluorobiphenyl
Concen: 90.996 ng
RT: 9.145 min Scan# 1199
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:172 Resp: 1253581
Ion Ratio Lower Upper
172 100
171 35.6 28.7 43.1
170 23.6 18.9 28.3



#46
1,1'-Biphenyl
Concen: 45.328 ng
RT: 9.245 min Scan# 1216
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:154 Resp: 745855
Ion Ratio Lower Upper
154 100
153 40.5 20.4 60.4
76 11.6 0.0 30.8









#47
2-Chloronaphthalene
Concen: 41.818 ng
RT: 9.269 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:162 Resp: 508835
Ion Ratio Lower Upper
162 100
127 42.2 34.1 51.1
164 32.3 26.3 39.5



#48
2-Nitroaniline
Concen: 40.689 ng
RT: 9.375 min Scan# 1238
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion: 65 Resp: 166155
Ion Ratio Lower Upper
65 100
92 67.2 52.2 78.2
138 106.0 79.5 119.3









#49
Acenaphthylene
Concen: 43.362 ng
RT: 9.686 min Scan# 1291
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion:152 Resp: 784782
Ion Ratio Lower Upper
152 100
151 20.4 16.4 24.6
153 13.8 10.9 16.3



#50
Dimethylphthalate
Concen: 43.167 ng
RT: 9.551 min Scan# 1268
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:163 Resp: 621981
Ion Ratio Lower Upper
163 100
194 3.9 3.0 4.4
164 9.8 7.9 11.9









#51
2,6-Dinitrotoluene
Concen: 42.838 ng
RT: 9.616 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:165 Resp: 134931
Ion Ratio Lower Upper
165 100
63 58.9 49.4 74.0
89 55.2 46.5 69.7



#52
Acenaphthene
Concen: 40.742 ng
RT: 9.857 min Scan# 1320
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55


Tgt Ion:154 Resp: 495714
Ion Ratio Lower Upper
154 100
153 112.9 89.2 133.8
152 50.7 39.8 59.8







#53
3-Nitroaniline
Concen: 27.093 ng
RT: 9.786 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Instrument :
BNA_F
ClientSampleId :
PB166711BS






Tgt Ion:138 Resp: 91850
Ion Ratio Lower Upper
138 100
108 11.7 9.0 13.4
92 111.6 93.7 140.5



#54
2,4-Dinitrophenol
Concen: 87.647 ng
RT: 9.898 min Scan# 1327
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:184 Resp: 164078
Ion Ratio Lower Upper
184 100
63 71.6 61.0 91.6
154 69.3 59.9 89.9









#55
Dibenzenofuran
Concen: 39.970 ng
RT: 10.033 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:168 Resp: 713832
Ion Ratio Lower Upper
168 100
139 39.9 32.7 49.1
169 13.4 10.8 16.2



#56
4-Nitrophenol
Concen: 83.475 ng
RT: 9.963 min Scan# 1338
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55


Tgt Ion:139 Resp: 210075
Ion Ratio Lower Upper
139 100
109 79.0 62.0 102.0
65 107.5 91.2 131.2








#57
2,4-Dinitrotoluene
Concen: 44.364 ng
RT: 10.022 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55


Instrument :
BNA_F
ClientSampleId :
PB166711BS





Tgt Ion:165 Resp: 186028
Ion Ratio Lower Upper
165 100
63 59.8 46.4 69.6
89 76.1 61.8 92.6
182 2.7 2.2 3.2



#58
Fluorene
Concen: 41.824 ng
RT: 10.375 min Scan# 1408
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55



Tgt Ion:166 Resp: 577543
Ion Ratio Lower Upper
166 100
165 97.7 78.2 117.2
167 13.5 10.7 16.1









#59
2,3,4,6-Tetrachlorophenol
Concen: 42.470 ng
RT: 10.151 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:232 Resp: 157267
Ion Ratio Lower Upper
232 100
131 45.2 39.2 58.8
130 2.4 2.1 3.1
166 29.0 25.1 37.7



#60
Diethylphthalate
Concen: 42.608 ng
RT: 10.251 min Scan# 1387
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:149 Resp: 604022
Ion Ratio Lower Upper
149 100
177 22.6 17.8 26.6
150 12.5 10.1 15.1








#61
4-Chlorophenyl-phenylether
Concen: 42.229 ng
RT: 10.363 min Scan# 1407
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:204 Resp: 280535
Ion Ratio Lower Upper
204 100
206 32.6 26.6 40.0
141 64.9 51.9 77.9



#62
4-Nitroaniline
Concen: 41.281 ng
RT: 10.404 min Scan# 1413
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55


Tgt Ion:138 Resp: 142107
Ion Ratio Lower Upper
138 100
92 50.7 31.3 71.3
108 79.5 63.7 103.7








#63
Azobenzene
Concen: 40.824 ng
RT: 10.528 min Scan# 1434
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55


Instrument :
BNA_F
ClientSampleId :
PB166711BS





Tgt Ion: 77 Resp: 575345
Ion Ratio Lower Upper
77 100
182 27.7 4.7 44.7
105 21.4 0.4 40.4
51 34.2 16.5 56.5



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.310 min Scan# 1567
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55



Tgt Ion: 188 Resp: 368683
Ion Ratio Lower Upper
188 100
94 8.3 6.6 10.0
80 9.5 7.3 10.9









#65
4,6-Dinitro-2-methylphenol
Concen: 42.200 ng
RT: 10.433 min Scan# 1417
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:198 Resp: 108077
Ion Ratio Lower Upper
198 100
51 49.7 37.4 77.4
105 43.3 25.2 65.2



#66
n-Nitrosodiphenylamine
Concen: 43.316 ng
RT: 10.486 min Scan# 1427
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55


Tgt Ion:169 Resp: 511215
Ion Ratio Lower Upper
169 100
168 66.4 53.3 79.9
167 35.5 29.4 44.2







#67
4-Bromophenyl-phenylether
Concen: 43.211 ng
RT: 10.857 min Scan# 1490
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55


Instrument :
BNA_F
ClientSampleId :
PB166711BS





Tgt Ion:248 Resp: 178050
Ion Ratio Lower Upper
248 100
250 98.4 77.8 116.6
141 75.2 60.6 90.8




#68
Hexachlorobenzene
Concen: 43.733 ng
RT: 10.922 min Scan# 1501
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55



Tgt Ion:284 Resp: 185558
Ion Ratio Lower Upper
284 100
142 35.3 28.0 42.0
249 32.6 25.8 38.8





#69

Atrazine

Concen: 55.640 ng

RT: 11.016 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS




Tgt Ion:200 Resp: 196997

Ion Ratio Lower Upper

200 100

173 25.0 5.9 45.9

215 45.7 25.9 65.9



#70

Pentachlorophenol

Concen: 78.233 ng

RT: 11.122 min Scan# 1535

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion:266 Resp: 212252


Ion Ratio Lower Upper

266 100

268 63.9 50.1 75.1

264 63.8 50.1 75.1









#71
Phenanthrene
Concen: 43.385 ng
RT: 11.333 min Scan# 1571
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:178 Resp: 880466
Ion Ratio Lower Upper
178 100
176 19.1 15.4 23.0
179 15.7 12.4 18.6



#72
Anthracene
Concen: 44.317 ng
RT: 11.386 min Scan# 1580
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:178 Resp: 904106
Ion Ratio Lower Upper
178 100
176 18.6 14.8 22.2
179 15.6 12.4 18.6





#73

Carbazole

Concen: 42.707 ng

RT: 11.545 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion:167 Resp: 783953

Ion Ratio Lower Upper

167 100

166 21.6 17.4 26.2

139 13.8 10.9 16.3



#74

Di-n-butylphthalate

Concen: 45.029 ng

RT: 11.869 min Scan# 1662

Delta R.T. -0.012 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion:149 Resp: 954420


Ion Ratio Lower Upper

149 100

150 9.2 7.4 11.0

104 5.2 4.2 6.2








#75
Fluoranthene
Concen: 43.132 ng
RT: 12.521 min Scan# 1
Delta R.T. -0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion	Ratio	Lower	Upper
202	100		
101	10.3	0.0	30.2
203	17.9	0.0	37.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.963 min Scan# 2018
Delta R.T. 0.000 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion	Ratio	Lower	Upper
240	100		
120	10.0	8.0	12.0
236	25.6	19.8	29.8





#77

Benzidine

Concen: 45.518 ng

RT: 12.651 min Scan# 1795

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion:184 Resp: 271228

Ion Ratio Lower Upper

184 100

185 13.8 11.3 16.9

183 11.8 9.3 13.9



#78

Pyrene

Concen: 40.920 ng

RT: 12.751 min Scan# 1812

Delta R.T. -0.012 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion:202 Resp: 941150

Ion Ratio Lower Upper

202 100

200 21.2 17.0 25.4


203 17.8 14.3 21.5








#79
 Terphenyl-d14
 Concen: 95.188 ng
 RT: 12.898 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF141630.D
 Acq: 14 Feb 2025 10:55

Instrument :
 BNA_F
 ClientSampleId :
 PB166711BS







Tgt Ion:244 Resp: 1523434
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.6 8.4
 122 10.4 8.4 12.6



#80
 Butylbenzylphthalate
 Concen: 46.639 ng
 RT: 13.368 min Scan# 1917
 Delta R.T. -0.012 min
 Lab File: BF141630.D
 Acq: 14 Feb 2025 10:55

Tgt Ion:149 Resp: 371547
 Ion Ratio Lower Upper
 149 100
 91 73.7 57.8 86.8
 206 20.5 16.7 25.1





#81

Benzo(a)anthracene

Concen: 43.031 ng

RT: 13.951 min Scan# 2015

Delta R.T. 0.000 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion:228 Resp: 772840

Ion Ratio Lower Upper

228 100

226 27.4 21.8 32.8

229 20.0 15.8 23.6



#82

3,3'-Dichlorobenzidine

Concen: 31.600 ng

RT: 13.910 min Scan# 2009

Delta R.T. -0.006 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion:252 Resp: 162575


Ion Ratio Lower Upper

252 100

254 65.9 50.6 76.0

126 11.2 9.3 13.9









#83
Chrysene
Concen: 42.987 ng
RT: 13.986 min Scan# 2014
Delta R.T. -0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55




Instrument :
BNA_F
ClientSampleId :
PB166711BS


Tgt Ion:228 Resp: 712862
Ion Ratio Lower Upper
228 100
226 30.1 24.0 36.0
229 19.7 15.7 23.5



#84
Bis(2-ethylhexyl)phthalate
Concen: 52.257 ng
RT: 13.939 min Scan# 2014
Delta R.T. 0.000 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:149 Resp: 469530
Ion Ratio Lower Upper
149 100
167 27.2 21.4 32.0
279 4.3 3.1 4.7





#85

Di-n-octyl phthalate

Concen: 52.993 ng

RT: 14.574 min Scan# 21

Delta R.T. 0.012 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion:149 Resp: 679262

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 11.1 9.5 14.3



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.433 min Scan# 2268

Delta R.T. 0.018 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion:264 Resp: 194810

Ion Ratio Lower Upper

264 100

260 22.6 18.6 28.0

265 20.7 17.0 25.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 43.937 ng

RT: 16.886 min Scan# 2115

Delta R.T. 0.012 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55

Instrument :

BNA_F

ClientSampleId :

PB166711BS





Tgt Ion:276 Resp: 528877

Ion Ratio Lower Upper

276 100

138 23.3 18.0 27.0

277 25.6 20.4 30.6



#88

Benzo(b)fluoranthene

Concen: 47.599 ng

RT: 15.015 min Scan# 2197

Delta R.T. 0.012 min

Lab File: BF141630.D

Acq: 14 Feb 2025 10:55




Tgt Ion:252 Resp: 622615


Ion Ratio Lower Upper

252 100

253 22.0 17.5 26.3


125 9.4 7.0 10.6








#89
Benzo(k)fluoranthene
Concen: 43.196 ng
RT: 15.045 min Scan# 2198
Delta R.T. 0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Instrument :
BNA_F
ClientSampleId :
PB166711BS






Tgt Ion:252 Resp: 482488
Ion Ratio Lower Upper
252 100
253 21.9 18.0 27.0
125 9.3 7.4 11.0



#90
Benzo(a)pyrene
Concen: 46.622 ng
RT: 15.374 min Scan# 2258
Delta R.T. 0.012 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:252 Resp: 493463
Ion Ratio Lower Upper
252 100
253 21.8 17.1 25.7
125 10.2 7.4 11.2








#91
Dibenzo(a,h)anthracene
Concen: 43.432 ng
RT: 16.898 min Scan# 2517
Delta R.T. 0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Instrument :
BNA_F
ClientSampleId :
PB166711BS

Tgt Ion:278 Resp: 423612
Ion Ratio Lower Upper
278 100
139 15.3 11.8 17.6
279 24.1 19.1 28.7



#92
Benzo(g,h,i)perylene
Concen: 41.250 ng
RT: 17.321 min Scan# 2589
Delta R.T. 0.006 min
Lab File: BF141630.D
Acq: 14 Feb 2025 10:55

Tgt Ion:276 Resp: 421022
Ion Ratio Lower Upper
276 100
277 23.0 18.6 28.0
138 20.1 15.9 23.9

