

## Report of Analysis

|                    |                 |           |                 |              |    |
|--------------------|-----------------|-----------|-----------------|--------------|----|
| Client:            | G Environmental |           | Date Collected: | 02/11/25     |    |
| Project:           | Amsterdam       |           | Date Received:  | 02/11/25     |    |
| Client Sample ID:  | RW1             |           | SDG No.:        | Q1355        |    |
| Lab Sample ID:     | Q1355-01        |           | Matrix:         | Water        |    |
| Analytical Method: | SW8260          |           | % Solid:        | 0            |    |
| Sample Wt/Vol:     | 5               | Units: mL | Final Vol:      | 5000         | uL |
| Soil Aliquot Vol:  |                 | uL        | Test:           | VOCMS Group1 |    |
| GC Column:         | DB-624UI        | ID : 0.18 | Level :         | LOW          |    |
| Prep Method :      |                 |           |                 |              |    |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX044937.D        | 1         |           | 02/12/25 16:44 | VX021225      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 0.21  | U         | 0.21 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 0.35  | U         | 0.35 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 1.40  | U         | 1.40 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 0.56  | U         | 0.56 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 0.34  | U         | 0.34 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 75-65-0        | Tert butyl alcohol             | 5.60  | U         | 5.60 | 25.0       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 5.50  |           | 1.40 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 0.60  | U         | 0.60 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 0.23  | U         | 0.23 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 1.60  | U         | 1.60 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 1.30  | U         | 1.30 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 0.25  | U         | 0.25 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 0.18  | U         | 0.18 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 0.26  | U         | 0.26 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 0.16  | U         | 0.16 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 0.24  | U         | 0.24 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 0.32  | U         | 0.32 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 0.19  | U         | 0.19 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 0.24  | U         | 0.24 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 0.75  | U         | 0.75 | 5.00       | ug/L  |



|                    |                 |        |      |                 |              |    |
|--------------------|-----------------|--------|------|-----------------|--------------|----|
| Client:            | G Environmental |        |      | Date Collected: | 02/11/25     |    |
| Project:           | Amsterdam       |        |      | Date Received:  | 02/11/25     |    |
| Client Sample ID:  | RW1             |        |      | SDG No.:        | Q1355        |    |
| Lab Sample ID:     | Q1355-01        |        |      | Matrix:         | Water        |    |
| Analytical Method: | SW8260          |        |      | % Solid:        | 0            |    |
| Sample Wt/Vol:     | 5               | Units: | mL   | Final Vol:      | 5000         | uL |
| Soil Aliquot Vol:  |                 |        | uL   | Test:           | VOCMS Group1 |    |
| GC Column:         | DB-624UI        | ID :   | 0.18 | Level :         | LOW          |    |
| Prep Method :      |                 |        |      |                 |              |    |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX044937.D        | 1         |           | 02/12/25 16:44 | VX021225      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL                 | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|---------------------|------------|---------|
| 108-88-3                  | Toluene                     | 0.18   | U         | 0.18                | 1.00       | ug/L    |
| 10061-02-6                | t-1,3-Dichloropropene       | 0.21   | U         | 0.21                | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 0.18   | U         | 0.18                | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 0.21   | U         | 0.21                | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 1.10   | U         | 1.10                | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 0.18   | U         | 0.18                | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 0.16   | U         | 0.16                | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 0.25   | U         | 0.25                | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 1.70   |           | 0.13                | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 0.16   | U         | 0.16                | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 0.31   | U         | 0.31                | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 0.14   | U         | 0.14                | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 0.16   | U         | 0.16                | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 0.21   | U         | 0.21                | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 0.13   | U         | 0.13                | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 0.27   | U         | 0.27                | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 0.24   | U         | 0.24                | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 0.27   | U         | 0.27                | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 0.19   | U         | 0.19                | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 0.46   | U         | 0.46                | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 0.42   | U         | 0.42                | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 0.51   | U         | 0.51                | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |                     |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 55.7   |           | 70 (74) - 130 (125) | 111%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 50.4   |           | 70 (75) - 130 (124) | 101%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 50.1   |           | 70 (86) - 130 (113) | 100%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 54.3   |           | 70 (77) - 130 (121) | 109%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |                     |            |         |
| 363-72-4                  | Pentafluorobenzene          | 83300  | 5.544     |                     |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 170000 | 6.757     |                     |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 156000 | 10.049    |                     |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 67600  | 12.018    |                     |            |         |

## Report of Analysis

|                    |                 |                 |          |
|--------------------|-----------------|-----------------|----------|
| Client:            | G Environmental | Date Collected: | 02/11/25 |
| Project:           | Amsterdam       | Date Received:  | 02/11/25 |
| Client Sample ID:  | RW1             | SDG No.:        | Q1355    |
| Lab Sample ID:     | Q1355-01        | Matrix:         | Water    |
| Analytical Method: | SW8260          | % Solid:        | 0        |
| Sample Wt/Vol:     | 5               | Units:          | mL       |
| Soil Aliquot Vol:  |                 |                 | uL       |
| GC Column:         | DB-624UI        | ID :            | 0.18     |
| Prep Method :      |                 | Level :         | LOW      |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX044937.D        | 1         |           | 02/12/25 16:44 | VX021225      |

| CAS Number                            | Parameter                               | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|---------------------------------------|-----------------------------------------|-------|-----------|-----|------------|-------|
| <b>TENTATIVE IDENTIFIED COMPOUNDS</b> |                                         |       |           |     |            |       |
| 98-06-6                               | tert-Butylbenzene                       | 0.62  | J         |     | 11.7       | ug/L  |
| 135-98-8                              | sec-Butylbenzene                        | 0.56  | J         |     | 11.9       | ug/L  |
| 104-51-8                              | n-Butylbenzene                          | 0.25  | J         |     | 12.3       | ug/L  |
| 004218-48-8                           | Benzene, 1-ethyl-4-(1-methylethyl)      | 6.00  | J         |     | 13.6       | ug/L  |
| 91-20-3                               | Naphthalene                             | 47.4  | J         |     | 13.8       | ug/L  |
| 003877-19-8                           | Naphthalene, 1,2,3,4-tetrahydro-2-      | 6.00  | J         |     | 13.9       | ug/L  |
| 004489-84-3                           | Benzene, (3-methyl-2-butenyl)-          | 6.20  | J         |     | 13.9       | ug/L  |
| 017057-82-8                           | 1H-Indene, 2,3-dihydro-1,2-dimethy      | 7.60  | J         |     | 14.2       | ug/L  |
| 014679-13-1                           | Benzene, 1,3,5-trimethyl-2-(1-meth      | 5.50  | J         |     | 14.4       | ug/L  |
| 002809-64-5                           | Naphthalene, 1,2,3,4-tetrahydro-5-      | 6.80  | J         |     | 14.5       | ug/L  |
| 004175-54-6                           | Naphthalene, 1,2,3,4-tetrahydro-1,      | 11.0  | J         |     | 14.6       | ug/L  |
| 005557-93-7                           | Benzene, 1-(1-methylethenyl)-2-(1-      | 5.40  | J         |     | 14.7       | ug/L  |
| 020027-77-4                           | Naphthalene, 1,2,3,4-tetrahydro-5,6-din | 8.70  | J         |     | 15.2       | ug/L  |

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products