

## Report of Analysis

Client:	Chemtech Consulting Group		Date Collected:	02/14/25	
Project:	Weekly Storage Blanks		Date Received:	02/14/25	
Client Sample ID:	PCB-GPC2-BLANK		SDG No.:	Q1370	
Lab Sample ID:	Q1370-13		Matrix:	SOIL	
Analytical Method:	SFAM_PCB		% Solid:	100	Decanted:
Sample Wt/Vol:	10	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	2.0	PH :			
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PR070350.D	1	02/17/25 10:32	02/24/25 20:43	PB166744

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	7.20	U	7.20	100	ug/kg
11104-28-2	Aroclor-1221	7.50	U	7.50	100	ug/kg
11141-16-5	Aroclor-1232	7.50	U	7.50	100	ug/kg
53469-21-9	Aroclor-1242	7.50	U	7.50	100	ug/kg
12672-29-6	Aroclor-1248	7.50	U	7.50	100	ug/kg
11097-69-1	Aroclor-1254	7.50	U	7.50	100	ug/kg
11096-82-5	Aroclor-1260	7.50	U	7.50	100	ug/kg
37324-23-5	Aroclor-1262	7.50	U	7.50	100	ug/kg
11100-14-4	Aroclor-1268	7.50	U	7.50	100	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	0	*	30 - 150	%	SPK: 20
2051-24-3	Decachlorobiphenyl	0	*	30 - 150	%	SPK: 40

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit