

## Report of Analysis

|                    |                                  |                 |               |
|--------------------|----------------------------------|-----------------|---------------|
| Client:            | GFE LLC                          | Date Collected: |               |
| Project:           | 1267 Forest Ave Staten Island NY | Date Received:  |               |
| Client Sample ID:  | VX0219WBS01                      | SDG No.:        | Q1376         |
| Lab Sample ID:     | VX0219WBS01                      | Matrix:         | Water         |
| Analytical Method: | SW8260                           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5 Units: mL                      | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  | uL                               | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI ID : 0.18               | Level :         | LOW           |
| Prep Method :      |                                  |                 |               |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX044999.D        | 1         |           | 02/19/25 12:06 | VX021925      |

| CAS Number     | Parameter                      | Conc. | Qualifier | MDL  | LOQ / CRQL | Units |
|----------------|--------------------------------|-------|-----------|------|------------|-------|
| <b>TARGETS</b> |                                |       |           |      |            |       |
| 75-71-8        | Dichlorodifluoromethane        | 17.1  |           | 0.21 | 1.00       | ug/L  |
| 74-87-3        | Chloromethane                  | 15.9  |           | 0.35 | 1.00       | ug/L  |
| 75-01-4        | Vinyl Chloride                 | 16.1  |           | 0.34 | 1.00       | ug/L  |
| 74-83-9        | Bromomethane                   | 18.3  |           | 1.40 | 5.00       | ug/L  |
| 75-00-3        | Chloroethane                   | 29.2  |           | 0.56 | 1.00       | ug/L  |
| 75-69-4        | Trichlorofluoromethane         | 17.8  |           | 0.34 | 1.00       | ug/L  |
| 76-13-1        | 1,1,2-Trichlorotrifluoroethane | 17.7  |           | 0.25 | 1.00       | ug/L  |
| 75-35-4        | 1,1-Dichloroethene             | 17.1  |           | 0.26 | 1.00       | ug/L  |
| 67-64-1        | Acetone                        | 89.3  |           | 1.40 | 5.00       | ug/L  |
| 75-15-0        | Carbon Disulfide               | 14.7  |           | 0.32 | 1.00       | ug/L  |
| 1634-04-4      | Methyl tert-butyl Ether        | 17.0  |           | 0.16 | 1.00       | ug/L  |
| 79-20-9        | Methyl Acetate                 | 18.0  |           | 0.60 | 1.00       | ug/L  |
| 75-09-2        | Methylene Chloride             | 17.0  |           | 0.32 | 1.00       | ug/L  |
| 156-60-5       | trans-1,2-Dichloroethene       | 16.9  |           | 0.25 | 1.00       | ug/L  |
| 75-34-3        | 1,1-Dichloroethane             | 17.5  |           | 0.23 | 1.00       | ug/L  |
| 110-82-7       | Cyclohexane                    | 17.0  |           | 1.60 | 5.00       | ug/L  |
| 78-93-3        | 2-Butanone                     | 88.0  |           | 1.30 | 5.00       | ug/L  |
| 56-23-5        | Carbon Tetrachloride           | 17.6  |           | 0.25 | 1.00       | ug/L  |
| 156-59-2       | cis-1,2-Dichloroethene         | 17.3  |           | 0.25 | 1.00       | ug/L  |
| 74-97-5        | Bromochloromethane             | 19.4  |           | 0.18 | 1.00       | ug/L  |
| 67-66-3        | Chloroform                     | 18.2  |           | 0.26 | 1.00       | ug/L  |
| 71-55-6        | 1,1,1-Trichloroethane          | 17.7  |           | 0.19 | 1.00       | ug/L  |
| 108-87-2       | Methylcyclohexane              | 16.9  |           | 0.19 | 1.00       | ug/L  |
| 71-43-2        | Benzene                        | 17.3  |           | 0.16 | 1.00       | ug/L  |
| 107-06-2       | 1,2-Dichloroethane             | 19.0  |           | 0.24 | 1.00       | ug/L  |
| 79-01-6        | Trichloroethene                | 17.4  |           | 0.32 | 1.00       | ug/L  |
| 78-87-5        | 1,2-Dichloropropane            | 17.8  |           | 0.19 | 1.00       | ug/L  |
| 75-27-4        | Bromodichloromethane           | 18.3  |           | 0.24 | 1.00       | ug/L  |
| 108-10-1       | 4-Methyl-2-Pentanone           | 91.8  |           | 0.75 | 5.00       | ug/L  |
| 108-88-3       | Toluene                        | 17.7  |           | 0.18 | 1.00       | ug/L  |

## Report of Analysis

|                    |                                  |                 |               |
|--------------------|----------------------------------|-----------------|---------------|
| Client:            | GFE LLC                          | Date Collected: |               |
| Project:           | 1267 Forest Ave Staten Island NY | Date Received:  |               |
| Client Sample ID:  | VX0219WBS01                      | SDG No.:        | Q1376         |
| Lab Sample ID:     | VX0219WBS01                      | Matrix:         | Water         |
| Analytical Method: | SW8260                           | % Solid:        | 0             |
| Sample Wt/Vol:     | 5 Units: mL                      | Final Vol:      | 5000 uL       |
| Soil Aliquot Vol:  | uL                               | Test:           | VOC-TCLVOA-10 |
| GC Column:         | DB-624UI ID : 0.18               | Level :         | LOW           |
| Prep Method :      |                                  |                 |               |

|                   |           |           |                |               |
|-------------------|-----------|-----------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
| VX044999.D        | 1         |           | 02/19/25 12:06 | VX021925      |

| CAS Number                | Parameter                   | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|---------------------------|-----------------------------|--------|-----------|----------|------------|---------|
| 10061-02-6                | t-1,3-Dichloropropene       | 16.1   |           | 0.21     | 1.00       | ug/L    |
| 10061-01-5                | cis-1,3-Dichloropropene     | 17.4   |           | 0.18     | 1.00       | ug/L    |
| 79-00-5                   | 1,1,2-Trichloroethane       | 17.9   |           | 0.21     | 1.00       | ug/L    |
| 591-78-6                  | 2-Hexanone                  | 91.9   |           | 1.10     | 5.00       | ug/L    |
| 124-48-1                  | Dibromochloromethane        | 17.7   |           | 0.18     | 1.00       | ug/L    |
| 106-93-4                  | 1,2-Dibromoethane           | 17.1   |           | 0.16     | 1.00       | ug/L    |
| 127-18-4                  | Tetrachloroethene           | 18.0   |           | 0.25     | 1.00       | ug/L    |
| 108-90-7                  | Chlorobenzene               | 18.4   |           | 0.13     | 1.00       | ug/L    |
| 100-41-4                  | Ethyl Benzene               | 17.9   |           | 0.16     | 1.00       | ug/L    |
| 179601-23-1               | m/p-Xylenes                 | 36.5   |           | 0.31     | 2.00       | ug/L    |
| 95-47-6                   | o-Xylene                    | 18.1   |           | 0.14     | 1.00       | ug/L    |
| 100-42-5                  | Styrene                     | 18.4   |           | 0.16     | 1.00       | ug/L    |
| 75-25-2                   | Bromoform                   | 17.4   |           | 0.21     | 1.00       | ug/L    |
| 98-82-8                   | Isopropylbenzene            | 17.7   |           | 0.13     | 1.00       | ug/L    |
| 79-34-5                   | 1,1,2,2-Tetrachloroethane   | 17.3   |           | 0.27     | 1.00       | ug/L    |
| 541-73-1                  | 1,3-Dichlorobenzene         | 17.9   |           | 0.24     | 1.00       | ug/L    |
| 106-46-7                  | 1,4-Dichlorobenzene         | 18.3   |           | 0.27     | 1.00       | ug/L    |
| 95-50-1                   | 1,2-Dichlorobenzene         | 18.7   |           | 0.19     | 1.00       | ug/L    |
| 96-12-8                   | 1,2-Dibromo-3-Chloropropane | 17.1   |           | 0.46     | 1.00       | ug/L    |
| 120-82-1                  | 1,2,4-Trichlorobenzene      | 17.9   |           | 0.42     | 1.00       | ug/L    |
| 87-61-6                   | 1,2,3-Trichlorobenzene      | 18.0   |           | 0.51     | 1.00       | ug/L    |
| <b>SURROGATES</b>         |                             |        |           |          |            |         |
| 17060-07-0                | 1,2-Dichloroethane-d4       | 52.4   |           | 74 - 125 | 105%       | SPK: 50 |
| 1868-53-7                 | Dibromofluoromethane        | 51.6   |           | 75 - 124 | 103%       | SPK: 50 |
| 2037-26-5                 | Toluene-d8                  | 49.9   |           | 86 - 113 | 100%       | SPK: 50 |
| 460-00-4                  | 4-Bromofluorobenzene        | 50.2   |           | 77 - 121 | 100%       | SPK: 50 |
| <b>INTERNAL STANDARDS</b> |                             |        |           |          |            |         |
| 363-72-4                  | Pentafluorobenzene          | 108000 | 5.55      |          |            |         |
| 540-36-3                  | 1,4-Difluorobenzene         | 198000 | 6.751     |          |            |         |
| 3114-55-4                 | Chlorobenzene-d5            | 168000 | 10.049    |          |            |         |
| 3855-82-1                 | 1,4-Dichlorobenzene-d4      | 77000  | 12.018    |          |            |         |

## Report of Analysis

|                    |                                  |                 |       |
|--------------------|----------------------------------|-----------------|-------|
| Client:            | GFE LLC                          | Date Collected: |       |
| Project:           | 1267 Forest Ave Staten Island NY | Date Received:  |       |
| Client Sample ID:  | VX0219WBS01                      | SDG No.:        | Q1376 |
| Lab Sample ID:     | VX0219WBS01                      | Matrix:         | Water |
| Analytical Method: | SW8260                           | % Solid:        | 0     |
| Sample Wt/Vol:     | 5                                | Units:          | mL    |
| Soil Aliquot Vol:  |                                  |                 | uL    |
| GC Column:         | DB-624UI                         | ID :            | 0.18  |
| Prep Method :      |                                  | Level :         | LOW   |

| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed  | Prep Batch ID |
|-------------------|-----------|-----------|----------------|---------------|
| VX044999.D        | 1         |           | 02/19/25 12:06 | VX021925      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

U = Not Detected  
LOQ = Limit of Quantitation  
MDL = Method Detection Limit  
LOD = Limit of Detection  
E = Value Exceeds Calibration Range  
Q = indicates LCS control criteria did not meet requirements  
M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
B = Analyte Found in Associated Method Blank  
N = Presumptive Evidence of a Compound  
\* = Values outside of QC limits  
D = Dilution  
( ) = Laboratory InHouse Limit  
A = Aldol-Condensation Reaction Products