

Hit Summary Sheet
SW-846

SDG No.: Q1376
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	MW32							
Q1376-01	MW32	Water	Acetone	10.0		1.40	5.00	ug/L
Q1376-01	MW32	Water	Carbon Disulfide	0.63	J	0.32	1.00	ug/L
Q1376-01	MW32	Water	Methyl tert-butyl Ether	2.30		0.16	1.00	ug/L
Q1376-01	MW32	Water	Cyclohexane	170	E	1.60	5.00	ug/L
Q1376-01	MW32	Water	2-Butanone	3.80	J	1.30	5.00	ug/L
Q1376-01	MW32	Water	Methylcyclohexane	47.4		0.19	1.00	ug/L
Q1376-01	MW32	Water	Benzene	300	E	0.16	1.00	ug/L
Q1376-01	MW32	Water	4-Methyl-2-Pentanone	11.4	Q	0.75	5.00	ug/L
Q1376-01	MW32	Water	Toluene	35.6		0.18	1.00	ug/L
Q1376-01	MW32	Water	Ethyl Benzene	3.90		0.16	1.00	ug/L
Q1376-01	MW32	Water	m/p-Xylenes	37.4		0.31	2.00	ug/L
Q1376-01	MW32	Water	o-Xylene	3.60		0.14	1.00	ug/L
Q1376-01	MW32	Water	Isopropylbenzene	30.0		0.13	1.00	ug/L
			Total Voc :		656			
Q1376-01	MW32	Water	Isobutane	* 150	J	0	0	ug/L
Q1376-01	MW32	Water	Butane, 2-methyl-	* 610	J	0	0	ug/L
Q1376-01	MW32	Water	Butane, 2,3-dimethyl-	* 69.5	J	0	0	ug/L
Q1376-01	MW32	Water	Cyclopentane, methyl-	* 310	J	0	0	ug/L
Q1376-01	MW32	Water	Butane	* 510	J	0	0	ug/L
Q1376-01	MW32	Water	Pentane	* 72.5	J	0	0	ug/L
Q1376-01	MW32	Water	Cyclopentane	* 400	J	0	0	ug/L
Q1376-01	MW32	Water	Indane	* 190	J	0	0	ug/L
Q1376-01	MW32	Water	Cyclopentene, 1-methyl-	* 62.6	J	0	0	ug/L
Q1376-01	MW32	Water	Cyclopropane, 1,2-dimethyl-, c	* 150	J	0	0	ug/L
Q1376-01	MW32	Water	Tert butyl alcohol	* 87.9	J	5.60	25.0	ug/L
Q1376-01	MW32	Water	n-propylbenzene	* 57.1	J	0.14	1.00	ug/L
Q1376-01	MW32	Water	1,3,5-Trimethylbenzene	* 3.40	J	0.18	1.00	ug/L
Q1376-01	MW32	Water	tert-Butylbenzene	* 0.45	J	0.17	1.00	ug/L
Q1376-01	MW32	Water	1,2,4-Trimethylbenzene	* 0.55	J	0.18	1.00	ug/L
Q1376-01	MW32	Water	sec-Butylbenzene	* 2.30	J	0.17	1.00	ug/L
Q1376-01	MW32	Water	p-Isopropyltoluene	* 1.10	J	0.15	1.00	ug/L
Q1376-01	MW32	Water	n-Butylbenzene	* 2.60	J	0.22	1.00	ug/L
Q1376-01	MW32	Water	Naphthalene	* 17.5	J	0.59	1.00	ug/L
			Total Tics :		2700			
			Total Concentration:		3350			
Client ID:	MW32DL							

A
B
C
D

Hit Summary Sheet
SW-846

SDG No.: Q1376

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration		C	MDL	RDL	Units
Q1376-01DL	MW32DL	Water	Acetone		17.8	JD	13.9	50.0	ug/L
Q1376-01DL	MW32DL	Water	Cyclohexane		140	D	16.2	50.0	ug/L
Q1376-01DL	MW32DL	Water	Methylcyclohexane		33.9	D	1.90	10.0	ug/L
Q1376-01DL	MW32DL	Water	Benzene		260	D	1.60	10.0	ug/L
Q1376-01DL	MW32DL	Water	Toluene		28.2	D	1.80	10.0	ug/L
Q1376-01DL	MW32DL	Water	Ethyl Benzene		3.30	JD	1.60	10.0	ug/L
Q1376-01DL	MW32DL	Water	m/p-Xylenes		28.7	D	3.10	20.0	ug/L
Q1376-01DL	MW32DL	Water	o-Xylene		3.40	JD	1.40	10.0	ug/L
Q1376-01DL	MW32DL	Water	Isopropylbenzene		22.9	D	1.30	10.0	ug/L
Total Voc :					538				
Total Concentration:					538				
Client ID:	MW33								
Q1376-02	MW33	Water	Acetone		4.20	J	1.40	5.00	ug/L
Q1376-02	MW33	Water	2-Butanone		3.50	J	1.30	5.00	ug/L
Q1376-02	MW33	Water	Benzene		0.28	J	0.16	1.00	ug/L
Q1376-02	MW33	Water	4-Methyl-2-Pentanone		1.00	JQ	0.75	5.00	ug/L
Q1376-02	MW33	Water	Toluene		0.61	J	0.18	1.00	ug/L
Q1376-02	MW33	Water	m/p-Xylenes		0.66	J	0.31	2.00	ug/L
Q1376-02	MW33	Water	o-Xylene		0.33	J	0.14	1.00	ug/L
Total Voc :					10.6				
Q1376-02	MW33	Water	Sulfur dioxide	*	10.7	J	0	0	ug/L
Total Tics :					10.7				
Total Concentration:					21.3				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	GFE LLC	Date Collected:	02/17/25
Project:	1267 Forest Ave Staten Island NY	Date Received:	02/17/25
Client Sample ID:	MW32	SDG No.:	Q1376
Lab Sample ID:	Q1376-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044992.D	1		02/18/25 16:54	VX021825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
74-83-9	Bromomethane	1.40	UQ	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	UQ	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
67-64-1	Acetone	10.0		1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.63	J	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	2.30		0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	170	E	1.60	5.00	ug/L
78-93-3	2-Butanone	3.80	J	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	47.4		0.19	1.00	ug/L
71-43-2	Benzene	300	E	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	11.4	Q	0.75	5.00	ug/L
108-88-3	Toluene	35.6		0.18	1.00	ug/L

Report of Analysis

Client:	GFE LLC	Date Collected:	02/17/25
Project:	1267 Forest Ave Staten Island NY	Date Received:	02/17/25
Client Sample ID:	MW32	SDG No.:	Q1376
Lab Sample ID:	Q1376-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044992.D	1		02/18/25 16:54	VX021825

[illegible]

Report of Analysis

Client:	GFE LLC	Date Collected:	02/17/25
Project:	1267 Forest Ave Staten Island NY	Date Received:	02/17/25
Client Sample ID:	MW32	SDG No.:	Q1376
Lab Sample ID:	Q1376-01	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044992.D	1		02/18/25 16:54	VX021825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
000075-28-5	Isobutane	150	J		1.26	ug/L
000106-97-8	Butane	510	J		1.37	ug/L
000078-78-4	Butane, 2-methyl-	610	J		1.73	ug/L
000109-66-0	Pentane	72.5	J		1.95	ug/L
000930-18-7	Cyclopropane, 1,2-dimethyl-, cis-	150	J		2.21	ug/L
000079-29-8	Butane, 2,3-dimethyl-	69.5	J		2.78	ug/L
000287-92-3	Cyclopentane	400	J		2.86	ug/L
75-65-0	Tert butyl alcohol	87.9	J		2.96	ug/L
000096-37-7	Cyclopentane, methyl-	310	J		4.29	ug/L
000693-89-0	Cyclopentene, 1-methyl-	62.6	J		5.18	ug/L
103-65-1	n-propylbenzene	57.1	J		11.3	ug/L
108-67-8	1,3,5-Trimethylbenzene	3.40	J		11.5	ug/L
98-06-6	tert-Butylbenzene	0.45	J		11.7	ug/L
95-63-6	1,2,4-Trimethylbenzene	0.55	J		11.8	ug/L
135-98-8	sec-Butylbenzene	2.30	J		11.9	ug/L
99-87-6	p-Isopropyltoluene	1.10	J		12.0	ug/L
000496-11-7	Indane	190	J		12.2	ug/L
104-51-8	n-Butylbenzene	2.60	J		12.3	ug/L
91-20-3	Naphthalene	17.5	J		13.8	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	GFE LLC	Date Collected:	02/17/25
Project:	1267 Forest Ave Staten Island NY	Date Received:	02/17/25
Client Sample ID:	MW32DL	SDG No.:	Q1376
Lab Sample ID:	Q1376-01DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX045004.D	10		02/19/25 14:04	VX021925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	2.10	UD	2.10	10.0	ug/L
74-87-3	Chloromethane	3.50	UD	3.50	10.0	ug/L
75-01-4	Vinyl Chloride	3.40	UD	3.40	10.0	ug/L
74-83-9	Bromomethane	13.6	UD	13.6	50.0	ug/L
75-00-3	Chloroethane	5.60	UDQ	5.60	10.0	ug/L
75-69-4	Trichlorofluoromethane	3.40	UD	3.40	10.0	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	2.50	UD	2.50	10.0	ug/L
75-35-4	1,1-Dichloroethene	2.60	UD	2.60	10.0	ug/L
67-64-1	Acetone	17.8	JD	13.9	50.0	ug/L
75-15-0	Carbon Disulfide	3.20	UD	3.20	10.0	ug/L
1634-04-4	Methyl tert-butyl Ether	1.60	UD	1.60	10.0	ug/L
79-20-9	Methyl Acetate	6.00	UD	6.00	10.0	ug/L
75-09-2	Methylene Chloride	3.20	UD	3.20	10.0	ug/L
156-60-5	trans-1,2-Dichloroethene	2.50	UD	2.50	10.0	ug/L
75-34-3	1,1-Dichloroethane	2.30	UD	2.30	10.0	ug/L
110-82-7	Cyclohexane	140	D	16.2	50.0	ug/L
78-93-3	2-Butanone	13.0	UD	13.0	50.0	ug/L
56-23-5	Carbon Tetrachloride	2.50	UD	2.50	10.0	ug/L
156-59-2	cis-1,2-Dichloroethene	2.50	UD	2.50	10.0	ug/L
74-97-5	Bromochloromethane	1.80	UD	1.80	10.0	ug/L
67-66-3	Chloroform	2.60	UD	2.60	10.0	ug/L
71-55-6	1,1,1-Trichloroethane	1.90	UD	1.90	10.0	ug/L
108-87-2	Methylcyclohexane	33.9	D	1.90	10.0	ug/L
71-43-2	Benzene	260	D	1.60	10.0	ug/L
107-06-2	1,2-Dichloroethane	2.40	UD	2.40	10.0	ug/L
79-01-6	Trichloroethene	3.20	UD	3.20	10.0	ug/L
78-87-5	1,2-Dichloropropane	1.90	UD	1.90	10.0	ug/L
75-27-4	Bromodichloromethane	2.40	UD	2.40	10.0	ug/L
108-10-1	4-Methyl-2-Pentanone	7.50	UD	7.50	50.0	ug/L
108-88-3	Toluene	28.2	D	1.80	10.0	ug/L

Report of Analysis

Client:	GFE LLC	Date Collected:	02/17/25
Project:	1267 Forest Ave Staten Island NY	Date Received:	02/17/25
Client Sample ID:	MW32DL	SDG No.:	Q1376
Lab Sample ID:	Q1376-01DL	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX045004.D	10		02/19/25 14:04	VX021925

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
10061-02-6	t-1,3-Dichloropropene	2.10	UD	2.10	10.0	ug/L
10061-01-5	cis-1,3-Dichloropropene	1.80	UD	1.80	10.0	ug/L
79-00-5	1,1,2-Trichloroethane	2.10	UD	2.10	10.0	ug/L
591-78-6	2-Hexanone	11.3	UD	11.3	50.0	ug/L
124-48-1	Dibromochloromethane	1.80	UD	1.80	10.0	ug/L
106-93-4	1,2-Dibromoethane	1.60	UD	1.60	10.0	ug/L
127-18-4	Tetrachloroethene	2.50	UD	2.50	10.0	ug/L
108-90-7	Chlorobenzene	1.30	UD	1.30	10.0	ug/L
100-41-4	Ethyl Benzene	3.30	JD	1.60	10.0	ug/L
179601-23-1	m/p-Xylenes	28.7	D	3.10	20.0	ug/L
95-47-6	o-Xylene	3.40	JD	1.40	10.0	ug/L
100-42-5	Styrene	1.60	UD	1.60	10.0	ug/L
75-25-2	Bromoform	2.10	UD	2.10	10.0	ug/L
98-82-8	Isopropylbenzene	22.9	D	1.30	10.0	ug/L
79-34-5	1,1,2,2-Tetrachloroethane	2.70	UD	2.70	10.0	ug/L
541-73-1	1,3-Dichlorobenzene	2.40	UD	2.40	10.0	ug/L
106-46-7	1,4-Dichlorobenzene	2.70	UD	2.70	10.0	ug/L
95-50-1	1,2-Dichlorobenzene	1.90	UD	1.90	10.0	ug/L
96-12-8	1,2-Dibromo-3-Chloropropane	4.60	UD	4.60	10.0	ug/L
120-82-1	1,2,4-Trichlorobenzene	4.20	UD	4.20	10.0	ug/L
87-61-6	1,2,3-Trichlorobenzene	5.10	UD	5.10	10.0	ug/L
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.6		74 - 125	111%	SPK: 50
1868-53-7	Dibromofluoromethane	51.1		75 - 124	102%	SPK: 50
2037-26-5	Toluene-d8	49.8		86 - 113	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	53.3		77 - 121	107%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	87500	5.544			
540-36-3	1,4-Difluorobenzene	178000	6.757			
3114-55-4	Chlorobenzene-d5	162000	10.049			
3855-82-1	1,4-Dichlorobenzene-d4	74000	12.018			

Report of Analysis

Client:	GFE LLC	Date Collected:	02/17/25
Project:	1267 Forest Ave Staten Island NY	Date Received:	02/17/25
Client Sample ID:	MW33	SDG No.:	Q1376
Lab Sample ID:	Q1376-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044993.D	1		02/18/25 17:17	VX021825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
75-71-8	Dichlorodifluoromethane	0.21	U	0.21	1.00	ug/L
74-87-3	Chloromethane	0.35	U	0.35	1.00	ug/L
75-01-4	Vinyl Chloride	0.34	U	0.34	1.00	ug/L
74-83-9	Bromomethane	1.40	UQ	1.40	5.00	ug/L
75-00-3	Chloroethane	0.56	UQ	0.56	1.00	ug/L
75-69-4	Trichlorofluoromethane	0.34	U	0.34	1.00	ug/L
76-13-1	1,1,2-Trichlorotrifluoroethane	0.25	U	0.25	1.00	ug/L
75-35-4	1,1-Dichloroethene	0.26	U	0.26	1.00	ug/L
67-64-1	Acetone	4.20	J	1.40	5.00	ug/L
75-15-0	Carbon Disulfide	0.32	U	0.32	1.00	ug/L
1634-04-4	Methyl tert-butyl Ether	0.16	U	0.16	1.00	ug/L
79-20-9	Methyl Acetate	0.60	U	0.60	1.00	ug/L
75-09-2	Methylene Chloride	0.32	U	0.32	1.00	ug/L
156-60-5	trans-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
75-34-3	1,1-Dichloroethane	0.23	U	0.23	1.00	ug/L
110-82-7	Cyclohexane	1.60	U	1.60	5.00	ug/L
78-93-3	2-Butanone	3.50	J	1.30	5.00	ug/L
56-23-5	Carbon Tetrachloride	0.25	U	0.25	1.00	ug/L
156-59-2	cis-1,2-Dichloroethene	0.25	U	0.25	1.00	ug/L
74-97-5	Bromochloromethane	0.18	U	0.18	1.00	ug/L
67-66-3	Chloroform	0.26	U	0.26	1.00	ug/L
71-55-6	1,1,1-Trichloroethane	0.19	U	0.19	1.00	ug/L
108-87-2	Methylcyclohexane	0.19	U	0.19	1.00	ug/L
71-43-2	Benzene	0.28	J	0.16	1.00	ug/L
107-06-2	1,2-Dichloroethane	0.24	U	0.24	1.00	ug/L
79-01-6	Trichloroethene	0.32	U	0.32	1.00	ug/L
78-87-5	1,2-Dichloropropane	0.19	U	0.19	1.00	ug/L
75-27-4	Bromodichloromethane	0.24	U	0.24	1.00	ug/L
108-10-1	4-Methyl-2-Pentanone	1.00	JQ	0.75	5.00	ug/L
108-88-3	Toluene	0.61	J	0.18	1.00	ug/L

Report of Analysis

Client:	GFE LLC	Date Collected:	02/17/25
Project:	1267 Forest Ave Staten Island NY	Date Received:	02/17/25
Client Sample ID:	MW33	SDG No.:	Q1376
Lab Sample ID:	Q1376-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5	Units:	mL
Soil Aliquot Vol:			uL
GC Column:	DB-624UI	ID :	0.18
Prep Method :		Level :	LOW

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044993.D	1		02/18/25 17:17	VX021825

[illegible]

Report of Analysis

Client:	GFE LLC	Date Collected:	02/17/25
Project:	1267 Forest Ave Staten Island NY	Date Received:	02/17/25
Client Sample ID:	MW33	SDG No.:	Q1376
Lab Sample ID:	Q1376-02	Matrix:	Water
Analytical Method:	SW8260	% Solid:	0
Sample Wt/Vol:	5 Units: mL	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	DB-624UI ID : 0.18	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VX044993.D	1		02/18/25 17:17	VX021825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
007446-09-5	Sulfur dioxide	10.7	J		1.24	ug/L

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q1376	OrderDate:	2/17/2025 10:28:54 AM
Client:	GFE LLC	Project:	1267 Forest Ave Staten Island NY
Contact:	Frank Galdun	Location:	VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1376-01	MW32	Water	VOC-TCLVOA-10	8260-Low	02/17/25		02/18/25	02/17/25
Q1376-01DL	MW32DL	Water	VOC-TCLVOA-10	8260-Low	02/17/25		02/19/25	02/17/25
Q1376-02	MW33	Water	VOC-TCLVOA-10	8260-Low	02/17/25		02/18/25	02/17/25