

SOP ID : N/A
 SDG No : N/A
 Matrix : SOIL
 Pipette ID : WC
 Balance ID : WC SC-7
 Hood ID : HOOD#1
 Block ID : MC-1, MC-2
 Weigh By : JP

Start Digest Date: 02/19/2025 Time : 08:15 Temp : 124 °C
 End Digest Date: 02/19/2025 Time : 09:45 Temp : 126 °C

Digestion tube ID : M5595
 Filter paper ID : N/A
 pH Meter ID : N/A
 Block Thermometer ID : WC CYANIDE
 Prep Technician Signature: *JP*
 Supervisor Signature: *12*

Standardized Name	MLS USED	STD REF. # FROM LOG
LCSS	1ML	WP111296
MS/MSD SPIKE SOL.	0.40ML	WP111295
PBS003	50ML	W3112
MDL	1.25ML	WP111985
MDL	2.00ML	WP111985

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50ML	WP111294
50% v/v H2SO4	5ML	WP110391
51% w/v MgCL2	2ML	WP110390
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Wt(g)/Vol(ml)	Comment
S0	S0	N/A	N/A
S5.0	S5.0	N/A	N/A
S10.0	S10.0	N/A	N/A
S100.0	S100.0	N/A	N/A
S250.0	S250.0	N/A	N/A
S500.0	S500.0	N/A	N/A
ICV	ICV	0.5ML	W3012
ICB	ICB	N/A	N/A
CCV	CCV	N/A	N/A
CCB	CCB	N/A	N/A
Midrange	Midrange	N/A	N/A
HIGHSTD	HIGHSTD	5.0ML	WP111295
LOWSTD	LOWSTD	0.1ML	WP111295

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
02-19-2025, 10:00	<i>JP</i> <i>WC</i>	<i>NF(WC)</i>
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB166756BL	PBS756	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
PB166756BS	LCS756	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1168-03	MDL-SOIL-03-QT1-2025	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-01	OU4-PCS-TC-01-021725	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-03	OU4-PCS-TC-02-021725	1.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-05	OU4-PCS-TC-03-021725	1.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-07	OU4-PCS-TC-04-021725	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-09	OU4-PCS-TC-05-021725	1.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-11	OU4-PCS-TC-06-021725	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-13	OU4-PCS-TC-07-021725	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-15	OU4-PCS-TC-08-021725	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-17	OU4-PCS-TC-09-021725	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-19	OU4-PCS-TC-10-021725	1.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-19DUP	OU4-PCS-TC-10-021725DUP	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-19MS	OU4-PCS-TC-10-021725MS	1.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1382-19MSD	OU4-PCS-TC-10-021725MSD	1.05	50	N/A	N/A	N/A	N/A	N/A	N/A