

Hit Summary Sheet SW-846

SDG No.: Q1382

Order ID: Q1382

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-PCS-TC-01-021725									
Q1382-02	OU4-PCS-TC-01-021725	Water	Arsenic	2.10	JD	0.45	1.25	5.00	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Barium	125	D	1.50	6.25	50.0	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Beryllium	1.00	JD	0.80	1.25	5.00	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Chromium	5.30	JD	2.00	3.75	10.0	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Copper	95.8	D	2.00	7.50	10.0	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Lead	1.45	JD	0.55	3.75	5.00	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Nickel	27.2	D	0.90	1.25	5.00	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Vanadium	92.4	D	0.36	1.25	25.0	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Zinc	698	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-02-021725									
Q1382-04	OU4-PCS-TC-02-021725	Water	Arsenic	2.10	JD	0.45	1.25	5.00	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Barium	111	D	1.50	6.25	50.0	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Beryllium	1.05	JD	0.80	1.25	5.00	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Chromium	8.05	JD	2.00	3.75	10.0	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Copper	104	D	2.00	7.50	10.0	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Lead	1.55	JD	0.55	3.75	5.00	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Nickel	31.7	D	0.90	1.25	5.00	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Vanadium	169	D	0.36	1.25	25.0	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Zinc	817	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-03-021725									
Q1382-06	OU4-PCS-TC-03-021725	Water	Antimony	1.45	JD	0.55	1.25	10.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Arsenic	2.60	JD	0.45	1.25	5.00	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Barium	121	D	1.50	6.25	50.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Beryllium	1.05	JD	0.80	1.25	5.00	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Chromium	10.1	D	2.00	3.75	10.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Copper	101	D	2.00	7.50	10.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Lead	2.00	JD	0.55	3.75	5.00	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Nickel	32.3	D	0.90	1.25	5.00	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Vanadium	190	D	0.36	1.25	25.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Zinc	770	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-04-021725									
Q1382-08	OU4-PCS-TC-04-021725	Water	Arsenic	2.00	JD	0.45	1.25	5.00	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Barium	117	D	1.50	6.25	50.0	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Beryllium	0.95	JD	0.80	1.25	5.00	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Chromium	8.10	JD	2.00	3.75	10.0	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1382

Order ID: Q1382

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1382-08	OU4-PCS-TC-04-021725	Water	Copper	150	D	2.00	7.50	10.0	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Lead	1.35	JD	0.55	3.75	5.00	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Nickel	33.1	D	0.90	1.25	5.00	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Vanadium	103	D	0.36	1.25	25.0	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Zinc	732	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-05-021725									
Q1382-10	OU4-PCS-TC-05-021725	Water	Arsenic	2.50	JD	0.45	1.25	5.00	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Barium	122	D	1.50	6.25	50.0	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Beryllium	0.95	JD	0.80	1.25	5.00	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Chromium	7.80	JD	2.00	3.75	10.0	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Copper	100	D	2.00	7.50	10.0	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Lead	1.55	JD	0.55	3.75	5.00	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Nickel	31.2	D	0.90	1.25	5.00	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Vanadium	156	D	0.36	1.25	25.0	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Zinc	788	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-06-021725									
Q1382-12	OU4-PCS-TC-06-021725	Water	Arsenic	2.90	JD	0.45	1.25	5.00	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Barium	113	D	1.50	6.25	50.0	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Beryllium	1.00	JD	0.80	1.25	5.00	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Chromium	16.8	D	2.00	3.75	10.0	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Copper	109	D	2.00	7.50	10.0	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Lead	2.10	JD	0.55	3.75	5.00	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Nickel	40.2	D	0.90	1.25	5.00	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Mercury	0.096	J	0.081	0.16	0.20	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Vanadium	237	D	0.36	1.25	25.0	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Zinc	819	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-07-021725									
Q1382-14	OU4-PCS-TC-07-021725	Water	Arsenic	2.55	JD	0.45	1.25	5.00	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Barium	122	D	1.50	6.25	50.0	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Beryllium	1.15	JD	0.80	1.25	5.00	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Chromium	10.8	D	2.00	3.75	10.0	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Copper	118	D	2.00	7.50	10.0	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Lead	2.20	JD	0.55	3.75	5.00	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Nickel	36.7	D	0.90	1.25	5.00	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Vanadium	224	D	0.36	1.25	25.0	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Zinc	865	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-08-021725									
Q1382-16	OU4-PCS-TC-08-021725	Water	Arsenic	2.85	JD	0.45	1.25	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1382

Order ID: Q1382

Client: Nobis Group

Project ID: Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1382-16	OU4-PCS-TC-08-021725	Water	Barium	118	D	1.50	6.25	50.0	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Beryllium	1.10	JD	0.80	1.25	5.00	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Chromium	10.3	D	2.00	3.75	10.0	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Copper	102	D	2.00	7.50	10.0	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Lead	1.80	JD	0.55	3.75	5.00	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Nickel	33.9	D	0.90	1.25	5.00	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Vanadium	188	D	0.36	1.25	25.0	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Zinc	726	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-09-021725									
Q1382-18	OU4-PCS-TC-09-021725	Water	Arsenic	2.80	JD	0.45	1.25	5.00	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Barium	105	D	1.50	6.25	50.0	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Beryllium	1.10	JD	0.80	1.25	5.00	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Chromium	12.9	D	2.00	3.75	10.0	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Copper	115	D	2.00	7.50	10.0	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Lead	2.00	JD	0.55	3.75	5.00	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Nickel	38.9	D	0.90	1.25	5.00	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Vanadium	233	D	0.36	1.25	25.0	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Zinc	767	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-10-021725									
Q1382-20	OU4-PCS-TC-10-021725	Water	Arsenic	2.80	JD	0.45	1.25	5.00	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Barium	116	D	1.50	6.25	50.0	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Beryllium	1.30	JD	0.80	1.25	5.00	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Chromium	11.2	D	2.00	3.75	10.0	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Copper	117	D	2.00	7.50	10.0	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Lead	2.15	JD	0.55	3.75	5.00	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Nickel	37.5	D	0.90	1.25	5.00	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Vanadium	231	D	0.36	1.25	25.0	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Zinc	769	D	2.80	7.50	25.0	ug/L