

Hit Summary Sheet SW-846

SDG No.: Q1382 **Order ID:** Q1382
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-PCS-TC-01-021725									
Q1382-02	OU4-PCS-TC-01-021725	Water	Arsenic	2.10	JD	0.45	1.25	5.00	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Barium	125	D	1.50	6.25	50.0	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Beryllium	1.00	JD	0.80	1.25	5.00	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Chromium	5.30	JD	2.00	3.75	10.0	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Copper	95.8	D	2.00	7.50	10.0	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Lead	1.45	JD	0.55	3.75	5.00	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Nickel	27.2	D	0.90	1.25	5.00	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Vanadium	92.4	D	0.36	1.25	25.0	ug/L
Q1382-02	OU4-PCS-TC-01-021725	Water	Zinc	698	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-02-021725									
Q1382-04	OU4-PCS-TC-02-021725	Water	Arsenic	2.10	JD	0.45	1.25	5.00	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Barium	111	D	1.50	6.25	50.0	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Beryllium	1.05	JD	0.80	1.25	5.00	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Chromium	8.05	JD	2.00	3.75	10.0	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Copper	104	D	2.00	7.50	10.0	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Lead	1.55	JD	0.55	3.75	5.00	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Nickel	31.7	D	0.90	1.25	5.00	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Vanadium	169	D	0.36	1.25	25.0	ug/L
Q1382-04	OU4-PCS-TC-02-021725	Water	Zinc	817	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-03-021725									
Q1382-06	OU4-PCS-TC-03-021725	Water	Antimony	1.45	JD	0.55	1.25	10.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Arsenic	2.60	JD	0.45	1.25	5.00	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Barium	121	D	1.50	6.25	50.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Beryllium	1.05	JD	0.80	1.25	5.00	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Chromium	10.1	D	2.00	3.75	10.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Copper	101	D	2.00	7.50	10.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Lead	2.00	JD	0.55	3.75	5.00	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Nickel	32.3	D	0.90	1.25	5.00	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Vanadium	190	D	0.36	1.25	25.0	ug/L
Q1382-06	OU4-PCS-TC-03-021725	Water	Zinc	770	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-04-021725									
Q1382-08	OU4-PCS-TC-04-021725	Water	Arsenic	2.00	JD	0.45	1.25	5.00	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Barium	117	D	1.50	6.25	50.0	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Beryllium	0.95	JD	0.80	1.25	5.00	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Chromium	8.10	JD	2.00	3.75	10.0	ug/L

Hit Summary Sheet
SW-846

SDG No.:	Q1382	Order ID:	Q1382
Client:	Nobis Group	Project ID:	Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1382-08	OU4-PCS-TC-04-021725	Water	Copper	150	D	2.00	7.50	10.0	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Lead	1.35	JD	0.55	3.75	5.00	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Nickel	33.1	D	0.90	1.25	5.00	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Vanadium	103	D	0.36	1.25	25.0	ug/L
Q1382-08	OU4-PCS-TC-04-021725	Water	Zinc	732	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-05-021725									
Q1382-10	OU4-PCS-TC-05-021725	Water	Arsenic	2.50	JD	0.45	1.25	5.00	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Barium	122	D	1.50	6.25	50.0	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Beryllium	0.95	JD	0.80	1.25	5.00	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Chromium	7.80	JD	2.00	3.75	10.0	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Copper	100	D	2.00	7.50	10.0	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Lead	1.55	JD	0.55	3.75	5.00	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Nickel	31.2	D	0.90	1.25	5.00	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Vanadium	156	D	0.36	1.25	25.0	ug/L
Q1382-10	OU4-PCS-TC-05-021725	Water	Zinc	788	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-06-021725									
Q1382-12	OU4-PCS-TC-06-021725	Water	Arsenic	2.90	JD	0.45	1.25	5.00	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Barium	113	D	1.50	6.25	50.0	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Beryllium	1.00	JD	0.80	1.25	5.00	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Chromium	16.8	D	2.00	3.75	10.0	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Copper	109	D	2.00	7.50	10.0	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Lead	2.10	JD	0.55	3.75	5.00	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Nickel	40.2	D	0.90	1.25	5.00	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Mercury	0.096	J	0.081	0.16	0.20	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Vanadium	237	D	0.36	1.25	25.0	ug/L
Q1382-12	OU4-PCS-TC-06-021725	Water	Zinc	819	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-07-021725									
Q1382-14	OU4-PCS-TC-07-021725	Water	Arsenic	2.55	JD	0.45	1.25	5.00	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Barium	122	D	1.50	6.25	50.0	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Beryllium	1.15	JD	0.80	1.25	5.00	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Chromium	10.8	D	2.00	3.75	10.0	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Copper	118	D	2.00	7.50	10.0	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Lead	2.20	JD	0.55	3.75	5.00	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Nickel	36.7	D	0.90	1.25	5.00	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Vanadium	224	D	0.36	1.25	25.0	ug/L
Q1382-14	OU4-PCS-TC-07-021725	Water	Zinc	865	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-08-021725									
Q1382-16	OU4-PCS-TC-08-021725	Water	Arsenic	2.85	JD	0.45	1.25	5.00	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1382 **Order ID:** Q1382
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1382-16	OU4-PCS-TC-08-021725	Water	Barium	118	D	1.50	6.25	50.0	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Beryllium	1.10	JD	0.80	1.25	5.00	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Chromium	10.3	D	2.00	3.75	10.0	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Copper	102	D	2.00	7.50	10.0	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Lead	1.80	JD	0.55	3.75	5.00	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Nickel	33.9	D	0.90	1.25	5.00	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Vanadium	188	D	0.36	1.25	25.0	ug/L
Q1382-16	OU4-PCS-TC-08-021725	Water	Zinc	726	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-09-021725									
Q1382-18	OU4-PCS-TC-09-021725	Water	Arsenic	2.80	JD	0.45	1.25	5.00	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Barium	105	D	1.50	6.25	50.0	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Beryllium	1.10	JD	0.80	1.25	5.00	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Chromium	12.9	D	2.00	3.75	10.0	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Copper	115	D	2.00	7.50	10.0	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Lead	2.00	JD	0.55	3.75	5.00	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Nickel	38.9	D	0.90	1.25	5.00	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Vanadium	233	D	0.36	1.25	25.0	ug/L
Q1382-18	OU4-PCS-TC-09-021725	Water	Zinc	767	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-10-021725									
Q1382-20	OU4-PCS-TC-10-021725	Water	Arsenic	2.80	JD	0.45	1.25	5.00	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Barium	116	D	1.50	6.25	50.0	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Beryllium	1.30	JD	0.80	1.25	5.00	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Chromium	11.2	D	2.00	3.75	10.0	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Copper	117	D	2.00	7.50	10.0	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Lead	2.15	JD	0.55	3.75	5.00	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Nickel	37.5	D	0.90	1.25	5.00	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Vanadium	231	D	0.36	1.25	25.0	ug/L
Q1382-20	OU4-PCS-TC-10-021725	Water	Zinc	769	D	2.80	7.50	25.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-01-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-38-2	Arsenic	2.10	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-39-3	Barium	125	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-41-7	Beryllium	1.00	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-47-3	Chromium	5.30	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-50-8	Copper	95.8	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7439-92-1	Lead	1.45	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:06	SW7470A	
7440-02-0	Nickel	27.2	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-62-2	Vanadium	92.4	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A
7440-66-6	Zinc	698	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:15	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-02-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-38-2	Arsenic	2.10	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-39-3	Barium	111	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-41-7	Beryllium	1.05	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-47-3	Chromium	8.05	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-50-8	Copper	104	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7439-92-1	Lead	1.55	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 10:56	SW7470A	
7440-02-0	Nickel	31.7	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-62-2	Vanadium	169	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A
7440-66-6	Zinc	817	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:18	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-03-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.45	JD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-38-2	Arsenic	2.60	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-39-3	Barium	121	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-41-7	Beryllium	1.05	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-47-3	Chromium	10.1	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-50-8	Copper	101	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7439-92-1	Lead	2.00	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 10:59	SW7470A	
7440-02-0	Nickel	32.3	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-62-2	Vanadium	190	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A
7440-66-6	Zinc	770	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:22	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-04-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-38-2	Arsenic	2.00	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-39-3	Barium	117	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-41-7	Beryllium	0.95	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-47-3	Chromium	8.10	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-50-8	Copper	150	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7439-92-1	Lead	1.35	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:01	SW7470A	
7440-02-0	Nickel	33.1	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-62-2	Vanadium	103	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A
7440-66-6	Zinc	732	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:25	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-05-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-38-2	Arsenic	2.50	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-39-3	Barium	122	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-41-7	Beryllium	0.95	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-47-3	Chromium	7.80	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-50-8	Copper	100	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7439-92-1	Lead	1.55	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:03	SW7470A	
7440-02-0	Nickel	31.2	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-62-2	Vanadium	156	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A
7440-66-6	Zinc	788	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:28	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-06-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-38-2	Arsenic	2.90	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-39-3	Barium	113	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-41-7	Beryllium	1.00	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-47-3	Chromium	16.8	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-50-8	Copper	109	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7439-92-1	Lead	2.10	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7439-97-6	Mercury	0.096	J	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:13	SW7470A	
7440-02-0	Nickel	40.2	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-62-2	Vanadium	237	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A
7440-66-6	Zinc	819	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:31	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-07-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-38-2	Arsenic	2.55	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-39-3	Barium	122	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-41-7	Beryllium	1.15	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-47-3	Chromium	10.8	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-50-8	Copper	118	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7439-92-1	Lead	2.20	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:15	SW7470A	
7440-02-0	Nickel	36.7	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-62-2	Vanadium	224	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A
7440-66-6	Zinc	865	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:44	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-08-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-38-2	Arsenic	2.85	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-39-3	Barium	118	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-41-7	Beryllium	1.10	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-47-3	Chromium	10.3	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-50-8	Copper	102	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7439-92-1	Lead	1.80	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:18	SW7470A	
7440-02-0	Nickel	33.9	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-62-2	Vanadium	188	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A
7440-66-6	Zinc	726	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:48	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-09-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-18	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-38-2	Arsenic	2.80	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-39-3	Barium	105	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-41-7	Beryllium	1.10	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-47-3	Chromium	12.9	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-50-8	Copper	115	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7439-92-1	Lead	2.00	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:20	SW7470A	
7440-02-0	Nickel	38.9	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-62-2	Vanadium	233	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A
7440-66-6	Zinc	767	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:51	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-10-021725	SDG No.:	Q1382
Lab Sample ID:	Q1382-20	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-38-2	Arsenic	2.80	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-39-3	Barium	116	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-41-7	Beryllium	1.30	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-47-3	Chromium	11.2	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-50-8	Copper	117	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7439-92-1	Lead	2.15	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:22	SW7470A	
7440-02-0	Nickel	37.5	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.39	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-62-2	Vanadium	231	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A
7440-66-6	Zinc	769	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:30	02/25/25 12:54	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1382	OrderDate:	2/18/2025 10:57:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	H31,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1382-01	OU4-PCS-TC-01-0217 25	SOIL			02/17/25			02/18/25
			Mercury	7471B		02/21/25	02/21/25	
			Metals ICP-TAL	6010D		02/18/25	02/19/25	
Q1382-02	OU4-PCS-TC-01-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/25/25	
Q1382-03	OU4-PCS-TC-02-0217 25	SOIL			02/17/25			02/18/25
			Mercury	7471B		02/21/25	02/21/25	
			Metals ICP-TAL	6010D		02/18/25	02/19/25	
Q1382-04	OU4-PCS-TC-02-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/25/25	
Q1382-05	OU4-PCS-TC-03-0217 25	SOIL			02/17/25			02/18/25
			Mercury	7471B		02/21/25	02/21/25	
			Metals ICP-TAL	6010D		02/18/25	02/19/25	
Q1382-06	OU4-PCS-TC-03-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/25/25	
Q1382-07	OU4-PCS-TC-04-0217 25	SOIL			02/17/25			02/18/25
			Mercury	7471B		02/21/25	02/21/25	
			Metals ICP-TAL	6010D		02/18/25	02/19/25	

LAB CHRONICLE

Q1382-08	OU4-PCS-TC-04-0217 25	Water			02/17/25		02/18/25
			SPLP Mercury	7470A	02/24/25	02/24/25	
			SPLP MetalGroup3	6020B	02/19/25	02/25/25	
Q1382-09	OU4-PCS-TC-05-0217 25	SOIL			02/17/25		02/18/25
			Mercury	7471B	02/21/25	02/21/25	
			Metals ICP-TAL	6010D	02/18/25	02/19/25	
Q1382-10	OU4-PCS-TC-05-0217 25	Water			02/17/25		02/18/25
			SPLP Mercury	7470A	02/24/25	02/24/25	
			SPLP MetalGroup3	6020B	02/19/25	02/25/25	
Q1382-11	OU4-PCS-TC-06-0217 25	SOIL			02/17/25		02/18/25
			Mercury	7471B	02/21/25	02/21/25	
			Metals ICP-TAL	6010D	02/18/25	02/19/25	
Q1382-12	OU4-PCS-TC-06-0217 25	Water			02/17/25		02/18/25
			SPLP Mercury	7470A	02/24/25	02/24/25	
			SPLP MetalGroup3	6020B	02/19/25	02/25/25	
Q1382-13	OU4-PCS-TC-07-0217 25	SOIL			02/17/25		02/18/25
			Mercury	7471B	02/21/25	02/21/25	
			Metals ICP-TAL	6010D	02/18/25	02/19/25	
Q1382-14	OU4-PCS-TC-07-0217 25	Water			02/17/25		02/18/25
			SPLP Mercury	7470A	02/24/25	02/24/25	
			SPLP MetalGroup3	6020B	02/19/25	02/25/25	
Q1382-15	OU4-PCS-TC-08-0217 25	SOIL			02/17/25		02/18/25
			Mercury	7471B	02/21/25	02/21/25	
			Metals ICP-TAL	6010D	02/18/25	02/19/25	
Q1382-16	OU4-PCS-TC-08-0217 25	Water			02/17/25		02/18/25

LAB CHRONICLE

Q1382-17	OU4-PCS-TC-09-0217 25	SOIL	SPLP Mercury	7470A	02/24/25	02/24/25	02/17/25	02/18/25
			SPLP MetalGroup3	6020B	02/19/25	02/25/25		
Q1382-18	OU4-PCS-TC-09-0217 25	Water	Mercury	7471B	02/21/25	02/21/25	02/17/25	02/18/25
			Metals ICP-TAL	6010D	02/18/25	02/19/25		
Q1382-19	OU4-PCS-TC-10-0217 25	SOIL	SPLP Mercury	7470A	02/24/25	02/24/25	02/17/25	02/18/25
			SPLP MetalGroup3	6020B	02/19/25	02/25/25		
Q1382-20	OU4-PCS-TC-10-0217 25	Water	Mercury	7471B	02/21/25	02/21/25	02/17/25	02/18/25
			Metals ICP-TAL	6010D	02/18/25	02/19/25		
			SPLP Mercury	7470A	02/24/25	02/24/25		
			SPLP MetalGroup3	6020B	02/19/25	02/25/25		