

Hit Summary Sheet SW-846

SDG No.: Q1383 **Order ID:** Q1383
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Client ID : OU4-PCS-TC-11-021725									
Q1383-02	OU4-PCS-TC-11-021725	Water	Arsenic	2.50	JD	0.45	1.25	5.00	ug/L
Q1383-02	OU4-PCS-TC-11-021725	Water	Barium	114	D	1.50	6.25	50.0	ug/L
Q1383-02	OU4-PCS-TC-11-021725	Water	Beryllium	1.20	JD	0.80	1.25	5.00	ug/L
Q1383-02	OU4-PCS-TC-11-021725	Water	Chromium	10.2	D	2.00	3.75	10.0	ug/L
Q1383-02	OU4-PCS-TC-11-021725	Water	Copper	105	D	2.00	7.50	10.0	ug/L
Q1383-02	OU4-PCS-TC-11-021725	Water	Lead	7.05	D	0.55	3.75	5.00	ug/L
Q1383-02	OU4-PCS-TC-11-021725	Water	Nickel	37.9	D	0.90	1.25	5.00	ug/L
Q1383-02	OU4-PCS-TC-11-021725	Water	Mercury	0.084	J	0.081	0.16	0.20	ug/L
Q1383-02	OU4-PCS-TC-11-021725	Water	Vanadium	220	D	0.36	1.25	25.0	ug/L
Q1383-02	OU4-PCS-TC-11-021725	Water	Zinc	849	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-12-021725									
Q1383-04	OU4-PCS-TC-12-021725	Water	Arsenic	2.85	JD	0.45	1.25	5.00	ug/L
Q1383-04	OU4-PCS-TC-12-021725	Water	Barium	114	D	1.50	6.25	50.0	ug/L
Q1383-04	OU4-PCS-TC-12-021725	Water	Beryllium	1.20	JD	0.80	1.25	5.00	ug/L
Q1383-04	OU4-PCS-TC-12-021725	Water	Chromium	8.95	JD	2.00	3.75	10.0	ug/L
Q1383-04	OU4-PCS-TC-12-021725	Water	Copper	108	D	2.00	7.50	10.0	ug/L
Q1383-04	OU4-PCS-TC-12-021725	Water	Lead	2.00	JD	0.55	3.75	5.00	ug/L
Q1383-04	OU4-PCS-TC-12-021725	Water	Nickel	33.8	D	0.90	1.25	5.00	ug/L
Q1383-04	OU4-PCS-TC-12-021725	Water	Vanadium	170	D	0.36	1.25	25.0	ug/L
Q1383-04	OU4-PCS-TC-12-021725	Water	Zinc	697	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-13-021725									
Q1383-06	OU4-PCS-TC-13-021725	Water	Arsenic	2.40	JD	0.45	1.25	5.00	ug/L
Q1383-06	OU4-PCS-TC-13-021725	Water	Barium	128	D	1.50	6.25	50.0	ug/L
Q1383-06	OU4-PCS-TC-13-021725	Water	Beryllium	1.30	JD	0.80	1.25	5.00	ug/L
Q1383-06	OU4-PCS-TC-13-021725	Water	Chromium	8.75	JD	2.00	3.75	10.0	ug/L
Q1383-06	OU4-PCS-TC-13-021725	Water	Copper	127	D	2.00	7.50	10.0	ug/L
Q1383-06	OU4-PCS-TC-13-021725	Water	Lead	1.85	JD	0.55	3.75	5.00	ug/L
Q1383-06	OU4-PCS-TC-13-021725	Water	Nickel	37.0	D	0.90	1.25	5.00	ug/L
Q1383-06	OU4-PCS-TC-13-021725	Water	Vanadium	174	D	0.36	1.25	25.0	ug/L
Q1383-06	OU4-PCS-TC-13-021725	Water	Zinc	823	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-14-021725									
Q1383-08	OU4-PCS-TC-14-021725	Water	Arsenic	1.95	JD	0.45	1.25	5.00	ug/L
Q1383-08	OU4-PCS-TC-14-021725	Water	Barium	111	D	1.50	6.25	50.0	ug/L
Q1383-08	OU4-PCS-TC-14-021725	Water	Beryllium	1.00	JD	0.80	1.25	5.00	ug/L
Q1383-08	OU4-PCS-TC-14-021725	Water	Chromium	7.60	JD	2.00	3.75	10.0	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1383 **Order ID:** Q1383
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1383-08	OU4-PCS-TC-14-021725	Water	Copper	104	D	2.00	7.50	10.0	ug/L
Q1383-08	OU4-PCS-TC-14-021725	Water	Lead	1.45	JD	0.55	3.75	5.00	ug/L
Q1383-08	OU4-PCS-TC-14-021725	Water	Nickel	33.9	D	0.90	1.25	5.00	ug/L
Q1383-08	OU4-PCS-TC-14-021725	Water	Vanadium	162	D	0.36	1.25	25.0	ug/L
Q1383-08	OU4-PCS-TC-14-021725	Water	Zinc	731	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-15-021725									
Q1383-10	OU4-PCS-TC-15-021725	Water	Arsenic	2.75	JD	0.45	1.25	5.00	ug/L
Q1383-10	OU4-PCS-TC-15-021725	Water	Barium	110	D	1.50	6.25	50.0	ug/L
Q1383-10	OU4-PCS-TC-15-021725	Water	Beryllium	0.95	JD	0.80	1.25	5.00	ug/L
Q1383-10	OU4-PCS-TC-15-021725	Water	Chromium	7.30	JD	2.00	3.75	10.0	ug/L
Q1383-10	OU4-PCS-TC-15-021725	Water	Copper	87.5	D	2.00	7.50	10.0	ug/L
Q1383-10	OU4-PCS-TC-15-021725	Water	Lead	1.40	JD	0.55	3.75	5.00	ug/L
Q1383-10	OU4-PCS-TC-15-021725	Water	Nickel	32.0	D	0.90	1.25	5.00	ug/L
Q1383-10	OU4-PCS-TC-15-021725	Water	Vanadium	136	D	0.36	1.25	25.0	ug/L
Q1383-10	OU4-PCS-TC-15-021725	Water	Zinc	747	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-16-021725									
Q1383-12	OU4-PCS-TC-16-021725	Water	Arsenic	2.55	JD	0.45	1.25	5.00	ug/L
Q1383-12	OU4-PCS-TC-16-021725	Water	Barium	114	D	1.50	6.25	50.0	ug/L
Q1383-12	OU4-PCS-TC-16-021725	Water	Beryllium	1.10	JD	0.80	1.25	5.00	ug/L
Q1383-12	OU4-PCS-TC-16-021725	Water	Chromium	10.7	D	2.00	3.75	10.0	ug/L
Q1383-12	OU4-PCS-TC-16-021725	Water	Copper	110	D	2.00	7.50	10.0	ug/L
Q1383-12	OU4-PCS-TC-16-021725	Water	Lead	1.85	JD	0.55	3.75	5.00	ug/L
Q1383-12	OU4-PCS-TC-16-021725	Water	Nickel	37.8	D	0.90	1.25	5.00	ug/L
Q1383-12	OU4-PCS-TC-16-021725	Water	Vanadium	189	D	0.36	1.25	25.0	ug/L
Q1383-12	OU4-PCS-TC-16-021725	Water	Zinc	845	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-17-021725									
Q1383-14	OU4-PCS-TC-17-021725	Water	Arsenic	3.00	JD	0.45	1.25	5.00	ug/L
Q1383-14	OU4-PCS-TC-17-021725	Water	Barium	110	D	1.50	6.25	50.0	ug/L
Q1383-14	OU4-PCS-TC-17-021725	Water	Beryllium	1.05	JD	0.80	1.25	5.00	ug/L
Q1383-14	OU4-PCS-TC-17-021725	Water	Chromium	11.6	D	2.00	3.75	10.0	ug/L
Q1383-14	OU4-PCS-TC-17-021725	Water	Copper	116	D	2.00	7.50	10.0	ug/L
Q1383-14	OU4-PCS-TC-17-021725	Water	Lead	2.40	JD	0.55	3.75	5.00	ug/L
Q1383-14	OU4-PCS-TC-17-021725	Water	Nickel	38.9	D	0.90	1.25	5.00	ug/L
Q1383-14	OU4-PCS-TC-17-021725	Water	Vanadium	249	D	0.36	1.25	25.0	ug/L
Q1383-14	OU4-PCS-TC-17-021725	Water	Zinc	909	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-18-021725									
Q1383-16	OU4-PCS-TC-18-021725	Water	Arsenic	2.20	JD	0.45	1.25	5.00	ug/L
Q1383-16	OU4-PCS-TC-18-021725	Water	Barium	116	D	1.50	6.25	50.0	ug/L

Hit Summary Sheet
SW-846

SDG No.: Q1383 **Order ID:** Q1383
Client: Nobis Group **Project ID:** Raymark Superfund Site

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	LOD	RDL	Units
Q1383-16	OU4-PCS-TC-18-021725	Water	Beryllium	1.10	JD	0.80	1.25	5.00	ug/L
Q1383-16	OU4-PCS-TC-18-021725	Water	Chromium	8.40	JD	2.00	3.75	10.0	ug/L
Q1383-16	OU4-PCS-TC-18-021725	Water	Copper	103	D	2.00	7.50	10.0	ug/L
Q1383-16	OU4-PCS-TC-18-021725	Water	Lead	1.45	JD	0.55	3.75	5.00	ug/L
Q1383-16	OU4-PCS-TC-18-021725	Water	Nickel	35.9	D	0.90	1.25	5.00	ug/L
Q1383-16	OU4-PCS-TC-18-021725	Water	Vanadium	175	D	0.36	1.25	25.0	ug/L
Q1383-16	OU4-PCS-TC-18-021725	Water	Zinc	711	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-19-021725									
Q1383-18	OU4-PCS-TC-19-021725	Water	Arsenic	3.75	JD	0.45	1.25	5.00	ug/L
Q1383-18	OU4-PCS-TC-19-021725	Water	Barium	109	D	1.50	6.25	50.0	ug/L
Q1383-18	OU4-PCS-TC-19-021725	Water	Beryllium	1.20	JD	0.80	1.25	5.00	ug/L
Q1383-18	OU4-PCS-TC-19-021725	Water	Chromium	10.5	D	2.00	3.75	10.0	ug/L
Q1383-18	OU4-PCS-TC-19-021725	Water	Copper	128	D	2.00	7.50	10.0	ug/L
Q1383-18	OU4-PCS-TC-19-021725	Water	Lead	2.40	JD	0.55	3.75	5.00	ug/L
Q1383-18	OU4-PCS-TC-19-021725	Water	Nickel	37.8	D	0.90	1.25	5.00	ug/L
Q1383-18	OU4-PCS-TC-19-021725	Water	Vanadium	225	D	0.36	1.25	25.0	ug/L
Q1383-18	OU4-PCS-TC-19-021725	Water	Zinc	813	D	2.80	7.50	25.0	ug/L
Client ID : OU4-PCS-TC-20-021725									
Q1383-20	OU4-PCS-TC-20-021725	Water	Arsenic	2.10	JD	0.45	1.25	5.00	ug/L
Q1383-20	OU4-PCS-TC-20-021725	Water	Barium	106	D	1.50	6.25	50.0	ug/L
Q1383-20	OU4-PCS-TC-20-021725	Water	Beryllium	0.85	JD	0.80	1.25	5.00	ug/L
Q1383-20	OU4-PCS-TC-20-021725	Water	Chromium	4.95	JD	2.00	3.75	10.0	ug/L
Q1383-20	OU4-PCS-TC-20-021725	Water	Copper	76.8	D	2.00	7.50	10.0	ug/L
Q1383-20	OU4-PCS-TC-20-021725	Water	Lead	0.90	JD	0.55	3.75	5.00	ug/L
Q1383-20	OU4-PCS-TC-20-021725	Water	Nickel	31.2	D	0.90	1.25	5.00	ug/L
Q1383-20	OU4-PCS-TC-20-021725	Water	Vanadium	118	D	0.36	1.25	25.0	ug/L
Q1383-20	OU4-PCS-TC-20-021725	Water	Zinc	612	D	2.80	7.50	25.0	ug/L
Client ID : OU4-CF-15-021725									
Q1383-22	OU4-CF-15-021725	Water	Arsenic	2.00	JD	0.45	1.25	5.00	ug/L
Q1383-22	OU4-CF-15-021725	Water	Barium	101	D	1.50	6.25	50.0	ug/L
Q1383-22	OU4-CF-15-021725	Water	Chromium	10.4	D	2.00	3.75	10.0	ug/L
Q1383-22	OU4-CF-15-021725	Water	Copper	229	D	2.00	7.50	10.0	ug/L
Q1383-22	OU4-CF-15-021725	Water	Lead	4.00	JD	0.55	3.75	5.00	ug/L
Q1383-22	OU4-CF-15-021725	Water	Nickel	73.6	D	0.90	1.25	5.00	ug/L
Q1383-22	OU4-CF-15-021725	Water	Vanadium	201	D	0.36	1.25	25.0	ug/L
Q1383-22	OU4-CF-15-021725	Water	Zinc	848	D	2.80	7.50	25.0	ug/L



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-11-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-02	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-38-2	Arsenic	2.50	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-39-3	Barium	114	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-41-7	Beryllium	1.20	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-47-3	Chromium	10.2	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-50-8	Copper	105	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7439-92-1	Lead	7.05	D	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7439-97-6	Mercury	0.084	J	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:40	SW7470A	
7440-02-0	Nickel	37.9	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-62-2	Vanadium	220	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A
7440-66-6	Zinc	849	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 13:15	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-12-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-04	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-38-2	Arsenic	2.85	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-39-3	Barium	114	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-41-7	Beryllium	1.20	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-47-3	Chromium	8.95	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-50-8	Copper	108	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7439-92-1	Lead	2.00	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:43	SW7470A	
7440-02-0	Nickel	33.8	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-62-2	Vanadium	170	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A
7440-66-6	Zinc	697	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 13:18	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-13-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-06	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-38-2	Arsenic	2.40	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-39-3	Barium	128	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-41-7	Beryllium	1.30	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-47-3	Chromium	8.75	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-50-8	Copper	127	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7439-92-1	Lead	1.85	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:45	SW7470A	
7440-02-0	Nickel	37.0	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-62-2	Vanadium	174	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A
7440-66-6	Zinc	823	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 13:21	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-14-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-08	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-38-2	Arsenic	1.95	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-39-3	Barium	111	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-41-7	Beryllium	1.00	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-47-3	Chromium	7.60	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-50-8	Copper	104	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7439-92-1	Lead	1.45	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:47	SW7470A	
7440-02-0	Nickel	33.9	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-62-2	Vanadium	162	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A
7440-66-6	Zinc	731	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 13:24	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-15-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-10	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-38-2	Arsenic	2.75	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-39-3	Barium	110	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-41-7	Beryllium	0.95	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-47-3	Chromium	7.30	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-50-8	Copper	87.5	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7439-92-1	Lead	1.40	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:49	SW7470A	
7440-02-0	Nickel	32.0	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-62-2	Vanadium	136	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A
7440-66-6	Zinc	747	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 13:28	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-16-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-12	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-38-2	Arsenic	2.55	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-39-3	Barium	114	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-41-7	Beryllium	1.10	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-47-3	Chromium	10.7	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-50-8	Copper	110	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7439-92-1	Lead	1.85	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:52	SW7470A	
7440-02-0	Nickel	37.8	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-62-2	Vanadium	189	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A
7440-66-6	Zinc	845	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 13:31	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-17-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-14	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-38-2	Arsenic	3.00	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-39-3	Barium	110	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-41-7	Beryllium	1.05	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-47-3	Chromium	11.6	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-50-8	Copper	116	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7439-92-1	Lead	2.40	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:54	SW7470A	
7440-02-0	Nickel	38.9	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-62-2	Vanadium	249	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A
7440-66-6	Zinc	909	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 14:05	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-18-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-16	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-38-2	Arsenic	2.20	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-39-3	Barium	116	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-41-7	Beryllium	1.10	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-47-3	Chromium	8.40	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-50-8	Copper	103	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7439-92-1	Lead	1.45	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:56	SW7470A	
7440-02-0	Nickel	35.9	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-62-2	Vanadium	175	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A
7440-66-6	Zinc	711	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 13:55	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-19-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-18	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-38-2	Arsenic	3.75	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-39-3	Barium	109	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-41-7	Beryllium	1.20	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-47-3	Chromium	10.5	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-50-8	Copper	128	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7439-92-1	Lead	2.40	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 11:59	SW7470A	
7440-02-0	Nickel	37.8	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-22-4	Silver	2.50	UDN	5	0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-62-2	Vanadium	225	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A
7440-66-6	Zinc	813	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 13:58	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-PCS-TC-20-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-20	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-38-2	Arsenic	2.10	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-39-3	Barium	106	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-41-7	Beryllium	0.85	JD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-47-3	Chromium	4.95	JD	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-50-8	Copper	76.8	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7439-92-1	Lead	0.90	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 12:01	SW7470A	
7440-02-0	Nickel	31.2	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-62-2	Vanadium	118	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A
7440-66-6	Zinc	612	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 14:01	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N = Spiked sample recovery not within control limits

Report of Analysis

Client:	Nobis Group	Date Collected:	02/17/25
Project:	Raymark Superfund Site	Date Received:	02/18/25
Client Sample ID:	OU4-CF-15-021725	SDG No.:	Q1383
Lab Sample ID:	Q1383-22	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOD	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-36-0	Antimony	1.25	UD	5	0.55	1.25	10.0	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-38-2	Arsenic	2.00	JDN	5	0.45	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-39-3	Barium	101	D	5	1.50	6.25	50.0	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-41-7	Beryllium	1.25	UD	5	0.80	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-43-9	Cadmium	2.50	UD	5	1.50	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-47-3	Chromium	10.4	D	5	2.00	3.75	10.0	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-50-8	Copper	229	D	5	2.00	7.50	10.0	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7439-92-1	Lead	4.00	JD	5	0.55	3.75	5.00	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7439-97-6	Mercury	0.16	U	1	0.081	0.16	0.20	ug/L	02/24/25 07:20	02/24/25 12:08	SW7470A	
7440-02-0	Nickel	73.6	D	5	0.90	1.25	5.00	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7782-49-2	Selenium	22.5	UD	5	6.90	22.5	25.0	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-22-4	Silver	2.50	UDN5		0.39	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-28-0	Thallium	2.50	UD	5	0.43	2.50	5.00	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-62-2	Vanadium	201	D	5	0.36	1.25	25.0	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A
7440-66-6	Zinc	848	D	5	2.80	7.50	25.0	ug/L	02/19/25 12:35	02/24/25 14:08	SW6020	3010A

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	SPLP Mercury			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N = Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q1383	OrderDate:	2/18/2025 11:19:00 AM
Client:	Nobis Group	Project:	Raymark Superfund Site
Contact:	Adam Roy	Location:	H31,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1383-02	OU4-PCS-TC-11-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/24/25	
Q1383-04	OU4-PCS-TC-12-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/24/25	
Q1383-06	OU4-PCS-TC-13-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/24/25	
Q1383-08	OU4-PCS-TC-14-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/24/25	
Q1383-10	OU4-PCS-TC-15-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/24/25	
Q1383-12	OU4-PCS-TC-16-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/24/25	
Q1383-14	OU4-PCS-TC-17-0217 25	Water			02/17/25			02/18/25
			SPLP Mercury	7470A		02/24/25	02/24/25	
			SPLP MetalGroup3	6020B		02/19/25	02/24/25	

LAB CHRONICLE

Q1383-16	OU4-PCS-TC-18-0217 25	Water	02/17/25				02/18/25
			SPLP Mercury	7470A	02/24/25	02/24/25	
			SPLP MetalGroup3	6020B	02/19/25	02/24/25	
Q1383-18	OU4-PCS-TC-19-0217 25	Water	02/17/25				02/18/25
			SPLP Mercury	7470A	02/24/25	02/24/25	
			SPLP MetalGroup3	6020B	02/19/25	02/24/25	
Q1383-20	OU4-PCS-TC-20-0217 25	Water	02/17/25				02/18/25
			SPLP Mercury	7470A	02/24/25	02/24/25	
			SPLP MetalGroup3	6020B	02/19/25	02/24/25	
Q1383-22	OU4-CF-15-021725	Water	02/17/25				02/18/25
			SPLP Mercury	7470A	02/24/25	02/24/25	
			SPLP MetalGroup3	6020B	02/19/25	02/24/25	