

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021925\
 Data File : BF141689.D
 Acq On : 19 Feb 2025 22:07
 Operator : RC/JU
 Sample : Q1383-07
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-14-021725

Quant Time: Feb 20 00:15:38 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	87499	20.000	ng	-0.01
21) Naphthalene-d8	8.063	136	348299	20.000	ng	-0.01
39) Acenaphthene-d10	9.816	164	182351	20.000	ng	-0.02
64) Phenanthrene-d10	11.298	188	309267	20.000	ng	-0.02
76) Chrysene-d12	13.933	240	162170	20.000	ng	-0.03
86) Perylene-d12	15.380	264	167944	20.000	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.404	112	529826	94.930	ng	0.00
7) Phenol-d6	6.422	99	644588	91.377	ng	-0.02
23) Nitrobenzene-d5	7.345	82	424630	63.589	ng	-0.02
42) 2,4,6-Tribromophenol	10.604	330	165617	90.412	ng	-0.02
45) 2-Fluorobiphenyl	9.134	172	816714	69.002	ng	-0.02
79) Terphenyl-d14	12.880	244	766330	79.774	ng	-0.02


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021925\
Data File : BF141689.D
Acq On : 19 Feb 2025 22:07
Operator : RC/JU
Sample : Q1383-07
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-14-021725

Quant Time: Feb 20 00:15:38 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 16:58:59 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 798
Delta R.T. -0.011 min
Lab File: BF141689.D
Acq: 19 Feb 2025 22:07




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-14-021725

Tgt Ion:152 Resp: 87499
Ion Ratio Lower Upper
152 100
150 156.0 125.0 187.4
115 62.2 53.6 80.4



#5
2-Fluorophenol
Concen: 94.930 ng
RT: 5.404 min Scan# 563
Delta R.T. -0.006 min
Lab File: BF141689.D
Acq: 19 Feb 2025 22:07

Tgt Ion:112 Resp: 529826
Ion Ratio Lower Upper
112 100
64 59.5 51.1 76.7
63 32.4 28.4 42.6








#7
Phenol-d6
Concen: 91.377 ng
RT: 6.422 min Scan# 71
Delta R.T. -0.017 min
Lab File: BF141689.D
Acq: 19 Feb 2025 22:07




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-14-021725


Tgt Ion: 99 Resp: 644588
Ion Ratio Lower Upper
99 100
42 20.7 19.1 28.7
71 36.1 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF141689.D
Acq: 19 Feb 2025 22:07

Tgt Ion: 136 Resp: 348299
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 8.7 7.2 10.8
68 4.8 3.7 5.5





#23

Nitrobenzene-d5

Concen: 63.589 ng

RT: 7.345 min Scan# 89

Delta R.T. -0.017 min

Lab File: BF141689.D

Acq: 19 Feb 2025 22:07

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-14-021725





Tgt Ion: 82 Resp: 424630

Ion Ratio Lower Upper

82 100

128 45.2 34.8 52.2

54 56.2 48.2 72.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.816 min Scan# 1313

Delta R.T. -0.017 min

Lab File: BF141689.D

Acq: 19 Feb 2025 22:07




Tgt Ion:164 Resp: 182351

Ion Ratio Lower Upper

164 100

162 101.9 81.3 121.9

160 46.2 35.9 53.9





#42

2,4,6-Tribromophenol

Concen: 90.412 ng

RT: 10.604 min Scan# 1447

Delta R.T. -0.023 min

Lab File: BF141689.D

Acq: 19 Feb 2025 22:07

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-14-021725




Tgt Ion:330 Resp: 165617

Ion Ratio Lower Upper

330 100

332 96.7 78.5 117.7

141 35.5 31.0 46.4



#45

2-Fluorobiphenyl

Concen: 69.002 ng

RT: 9.134 min Scan# 1197

Delta R.T. -0.017 min

Lab File: BF141689.D

Acq: 19 Feb 2025 22:07




Tgt Ion:172 Resp: 816714

Ion Ratio Lower Upper

172 100

171 35.6 28.7 43.1

170 23.1 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.298 min Scan# 1

Delta R.T. -0.017 min

Lab File: BF141689.D

Acq: 19 Feb 2025 22:07

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-14-021725





Tgt Ion:188 Resp: 309267

Ion Ratio Lower Upper

188 100

94 8.4 6.6 10.0

80 8.9 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.933 min Scan# 2013

Delta R.T. -0.029 min

Lab File: BF141689.D

Acq: 19 Feb 2025 22:07




Tgt Ion:240 Resp: 162170


Ion Ratio Lower Upper

240 100

120 10.5 8.0 12.0


236 25.6 19.8 29.8








#79
 Terphenyl-d14
 Concen: 79.774 ng
 RT: 12.880 min Scan# 11
 Delta R.T. -0.023 min
 Lab File: BF141689.D
 Acq: 19 Feb 2025 22:07

Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-14-021725



Tgt Ion:244 Resp: 766330
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.6 8.4
 122 10.5 8.4 12.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.380 min Scan# 2259
 Delta R.T. -0.035 min
 Lab File: BF141689.D
 Acq: 19 Feb 2025 22:07

Tgt Ion:264 Resp: 167944
 Ion Ratio Lower Upper
 264 100
 260 22.5 18.6 28.0
 265 21.4 17.0 25.4

