

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022025\
 Data File : BF141704.D
 Acq On : 20 Feb 2025 15:36
 Operator : RC/JU
 Sample : Q1383-19
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-20-021725

Quant Time: Feb 20 16:16:10 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 06 16:58:59 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.781	152	89180	20.000	ng	-0.01
21) Naphthalene-d8	8.063	136	355178	20.000	ng	-0.01
39) Acenaphthene-d10	9.816	164	185538	20.000	ng	-0.02
64) Phenanthrene-d10	11.298	188	316202	20.000	ng	-0.02
76) Chrysene-d12	13.939	240	190956	20.000	ng	-0.02
86) Perylene-d12	15.380	264	170452	20.000	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.398	112	432305	75.997	ng	-0.01
7) Phenol-d6	6.416	99	528501	73.508	ng	-0.02
23) Nitrobenzene-d5	7.339	82	340153	49.952	ng	-0.02
42) 2,4,6-Tribromophenol	10.604	330	130077	69.791	ng	-0.02
45) 2-Fluorobiphenyl	9.133	172	659012	54.722	ng	-0.02
79) Terphenyl-d14	12.880	244	690596	61.053	ng	-0.02


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022025\
Data File : BF141704.D
Acq On : 20 Feb 2025 15:36
Operator : RC/JU
Sample : Q1383-19
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-20-021725

Quant Time: Feb 20 16:16:10 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF020625.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 06 16:58:59 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.781 min Scan# 798
Delta R.T. -0.011 min
Lab File: BF141704.D
Acq: 20 Feb 2025 15:36




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-20-021725

Tgt Ion:152 Resp: 89180
Ion Ratio Lower Upper
152 100
150 157.8 125.0 187.4
115 62.6 53.6 80.4



#5
2-Fluorophenol
Concen: 75.997 ng
RT: 5.398 min Scan# 562
Delta R.T. -0.012 min
Lab File: BF141704.D
Acq: 20 Feb 2025 15:36

Tgt Ion:112 Resp: 432305
Ion Ratio Lower Upper
112 100
64 61.9 51.1 76.7
63 33.4 28.4 42.6









#7
Phenol-d6
Concen: 73.508 ng
RT: 6.416 min Scan# 71
Delta R.T. -0.023 min
Lab File: BF141704.D
Acq: 20 Feb 2025 15:36




Instrument :
BNA_F
ClientSampleId :
OU4-PCS-TC-20-021725


Tgt Ion: 99 Resp: 528501
Ion Ratio Lower Upper
99 100
42 21.3 19.1 28.7
71 36.6 31.1 46.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.063 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF141704.D
Acq: 20 Feb 2025 15:36

Tgt Ion: 136 Resp: 355178
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 8.7 7.2 10.8
68 4.8 3.7 5.5





#23

Nitrobenzene-d5

Concen: 49.952 ng

RT: 7.339 min Scan# 89

Delta R.T. -0.023 min

Lab File: BF141704.D

Acq: 20 Feb 2025 15:36

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-20-021725





Tgt Ion: 82 Resp: 340153

Ion Ratio Lower Upper

82 100

128 43.5 34.8 52.2

54 57.4 48.2 72.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.816 min Scan# 1313

Delta R.T. -0.018 min

Lab File: BF141704.D

Acq: 20 Feb 2025 15:36




Tgt Ion:164 Resp: 185538

Ion Ratio Lower Upper

164 100

162 103.1 81.3 121.9

160 45.8 35.9 53.9





#42

2,4,6-Tribromophenol

Concen: 69.791 ng

RT: 10.604 min Scan# 1450

Delta R.T. -0.023 min

Lab File: BF141704.D


Acq: 20 Feb 2025 15:36

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-20-021725





Tgt Ion:330 Resp: 130077

Ion Ratio Lower Upper

330 100

332 97.2 78.5 117.7

141 36.7 31.0 46.4



#45

2-Fluorobiphenyl

Concen: 54.722 ng

RT: 9.133 min Scan# 1197

Delta R.T. -0.018 min

Lab File: BF141704.D

Acq: 20 Feb 2025 15:36




Tgt Ion:172 Resp: 659012

Ion Ratio Lower Upper

172 100

171 35.5 28.7 43.1

170 23.0 18.9 28.3





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.298 min Scan# 1

Delta R.T. -0.018 min

Lab File: BF141704.D

Acq: 20 Feb 2025 15:36

Instrument :

BNA_F

ClientSampleId :

OU4-PCS-TC-20-021725





Tgt Ion:188 Resp: 316202

Ion Ratio Lower Upper

188 100

94 8.3 6.6 10.0

80 9.4 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.939 min Scan# 2014

Delta R.T. -0.023 min

Lab File: BF141704.D

Acq: 20 Feb 2025 15:36




Tgt Ion:240 Resp: 190956

Ion Ratio Lower Upper

240 100

120 9.8 8.0 12.0


236 25.0 19.8 29.8








#79
 Terphenyl-d14
 Concen: 61.053 ng
 RT: 12.880 min Scan# 11
 Delta R.T. -0.023 min
 Lab File: BF141704.D
 Acq: 20 Feb 2025 15:36

Instrument :
 BNA_F
 ClientSampleId :
 OU4-PCS-TC-20-021725



Tgt Ion:244 Resp: 690596
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.6 8.4
 122 10.4 8.4 12.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.380 min Scan# 2259
 Delta R.T. -0.035 min
 Lab File: BF141704.D
 Acq: 20 Feb 2025 15:36

Tgt Ion:264 Resp: 170452
 Ion Ratio Lower Upper
 264 100
 260 22.9 18.6 28.0
 265 21.0 17.0 25.4

