

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: **PSEG** Date Collected: 02/24/25 13:15 Project: Date Received: PSEG 278 Oraton Pkwy 02/24/25 Client Sample ID: TP-2-WC SDG No.: Q1420 Lab Sample ID: Q1420-05 Matrix: SOIL % Solid: 88.6

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weigl	nt) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.44	U	1	0.088	0.44	mg/Kg	02/26/25 10:40	02/26/25 15:25	7196A
Ignitability	NO		1	0	0	oC		02/25/25 10:12	1030
Paint Filter	1.00	U	1	1.00	1.00	ml/100gm		02/25/25 09:22	9095B

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits