

Initial Calibration Report for SequenceID : FC021125AL

AreaCount

Parameter Range	FC068252.D	FC068253.D	FC068254.D	FC068255.D	FC068256.D	
Aliphatic C9-C12	39331006.000	20240186.000	8511519.000	4474674.000	2221877.000	
Aliphatic C12-C16	25563872.000	13091029.000	5472087.000	2866719.000	1444048.000	
Aliphatic C16-C21	36707935.000	18751121.000	7907675.000	4144581.000	2112599.000	
Aliphatic C21-C28	45593595.000	23234194.000	9834944.000	5144532.000	2635031.000	
Aliphatic C28-C40	56736862.000	29009865.000	12324513.000	6514067.000	3350978.000	
Aliphatic EPH	203933270.000	104326395.000	44050738.000	23144573.000	11764533.000	

AVG Response Factor

Parameter Range	AVG RF	% RSD				
Aliphatic C9-C12	141035.5019998	5.636				
Aliphatic C12-C16	136654.515	5.375				
Aliphatic C16-C21	131630.8946664	6.092				
Aliphatic C21-C28	122691.3215	6.255				
Aliphatic C28-C40	102846.462333	7.171				
Aliphatic EPH	122175.1266664	6.234				

Concentration

Parameter Range	FC068252.D	FC068253.D	FC068254.D	FC068255.D	FC068256.D	
Aliphatic C9-C12	300.000	150.000	60.000	30.000	15.000	
Aliphatic C12-C16	200.000	100.000	40.000	20.000	10.000	
Aliphatic C16-C21	300.000	150.000	60.000	30.000	15.000	
Aliphatic C21-C28	400.000	200.000	80.000	40.000	20.000	
Aliphatic C28-C40	600.000	300.000	120.000	60.000	30.000	
Aliphatic EPH	1800.000	900.000	360.000	180.000	90.000	

Response Factor

Parameter Range	FC068252.D	FC068253.D	FC068254.D	FC068255.D	FC068256.D	
Aliphatic C9-C12	131103.353333	134934.573333	141858.650000	149155.800000	148125.133333	
Aliphatic C12-C16	127819.360000	130910.290000	136802.175000	143335.950000	144404.800000	
Aliphatic C16-C21	122359.783333	125007.473333	131794.583333	138152.700000	140839.933333	

Initial Calibration Report for SequenceID : FC021125AL

Aliphatic C21-C28	113983.987500	116170.970000	122936.800000	128613.300000	131751.550000	
Aliphatic C28-C40	94561.436666	96699.550000	102704.275000	108567.783333	111699.266666	
Aliphatic EPH	113296.261111	115918.216666	122363.161111	128580.961111	130717.033333	

Lab Sample ID: 100 PPM ALIPHATIC HC

Acq On: 10 Feb 2025 16:24

Client Sample ID:

Operator: YP/AJ

Data file: FC068252.D

Misc:

Instrument: FID_C

ALS Vial: 15

Dilution Factor: 1

Sample Multiplier: 1.00

Compound	R.T.		Response	Conc	Units
Aliphatic C9-C12	3.107	6.373	39331006.000	300.000	ug/ml
Aliphatic C12-C16	6.374	9.756	25563872.000	200.000	ug/ml
Aliphatic C16-C21	9.757	13.110	36707935.000	300.000	ug/ml
Aliphatic C21-C28	13.111	16.762	45593595.000	400.000	ug/ml
Aliphatic C28-C40	16.763	21.563	56736862.000	600.000	ug/ml
Aliphatic EPH	3.107		203933270.000	1800.000	ug/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
 Data File : FC068252.D
 Signal(s) : FID1A.ch
 Acq On : 10 Feb 2025 16:24
 Operator : YP/AJ
 Sample : 100 PPM ALIPHATIC HC STD1
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
 Quant Time: Feb 11 02:30:02 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
 Quant Title : GC Extractables
 QLast Update : Tue Feb 11 02:29:33 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.410	14212174	92.574 ug/ml
Spiked Amount 50.000		Recovery =	185.15%
12) S 1-chlorooctadecane (S...	12.849	10559687	93.495 ug/ml
Spiked Amount 50.000		Recovery =	186.99%
Target Compounds			
1) T n-Nonane (C9)	3.211	13034849	92.005 ug/ml
2) T n-Decane (C10)	4.270	13187244	92.433 ug/ml
3) T A~Naphthalene (C11.7)	5.838	14533716	93.918 ug/ml
4) T n-Dodecane (C12)	6.280	13108913	92.818 ug/ml
5) T A~2-methylnaphthalene...	6.891	13929436	94.987 ug/ml
6) T n-Tetradecane (C14)	8.068	12728359	93.377 ug/ml
7) T n-Hexadecane (C16)	9.664	12835513	93.490 ug/ml
8) T n-Octadecane (C18)	11.104	12748213	93.034 ug/ml
10) T n-Eicosane (C20)	12.408	12107311	92.743 ug/ml
11) T n-Heneicosane (C21)	13.019	11852411	92.734 ug/ml
13) T n-Docosane (C22)	13.604	11728617	92.902 ug/ml
14) T n-Tetracosane (C24)	14.704	11568914	92.905 ug/ml
15) T n-Hexacosane (C26)	15.723	11302843	92.721 ug/ml
16) T n-Octacosane (C28)	16.671	10993221	92.322 ug/ml
17) T n-Tricontane (C30)	17.556	11027160	91.890 ug/ml
18) T n-Dotriacontane (C32)	18.388	10599289	91.711 ug/ml
19) T n-Tetratriacontane (C34)	19.170	9898762	91.900 ug/ml
20) T n-Hexatriacontane (C36)	19.908	8865949	92.289 ug/ml
21) T n-Octatriacontane (C38)	20.619	8293679	91.939 ug/ml
22) T n-Tetracontane (C40)	21.474	8052023	92.913 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
Data File : FC068252.D
Signal(s) : FID1A.ch
Acq On : 10 Feb 2025 16:24
Operator : YP/AJ
Sample : 100 PPM ALIPHATIC HC STD1
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1

Integration File: autoint1.e
Quant Time: Feb 11 02:30:02 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
Quant Title : GC Extractables
QLast Update : Tue Feb 11 02:29:33 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.211 min
Delta R.T.: 0.003 min
Response: 13034849
Conc: 92.01 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#2 n-Decane (C10)

R.T.: 4.270 min
Delta R.T.: 0.005 min
Response: 13187244
Conc: 92.43 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.838 min
Delta R.T.: 0.006 min
Response: 14533716
Conc: 93.92 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.280 min
Delta R.T.: 0.007 min
Response: 13108913
Conc: 92.82 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.891 min
Delta R.T.: 0.007 min
Response: 13929436
Conc: 94.99 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#6 n-Tetradecane (C14)

R.T.: 8.068 min
Delta R.T.: 0.007 min
Response: 12728359
Conc: 93.38 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.664 min
Delta R.T.: 0.007 min
Response: 12835513
Conc: 93.49 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.104 min
Delta R.T.: 0.009 min
Response: 12748213
Conc: 93.03 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.410 min
Delta R.T.: 0.010 min
Response: 14212174
Conc: 92.57 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#10 n-Eicosane (C20)

R.T.: 12.408 min
Delta R.T.: 0.007 min
Response: 12107311
Conc: 92.74 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.019 min
Delta R.T.: 0.008 min
Response: 11852411
Conc: 92.73 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.849 min
Delta R.T.: 0.007 min
Response: 10559687
Conc: 93.50 ug/ml



#13 n-Docosane (C22)


R.T.: 13.604 min
Delta R.T.: 0.008 min
Response: 11728617
Conc: 92.90 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#14 n-Tetracosane (C24)

R.T.: 14.704 min
Delta R.T.: 0.008 min
Response: 11568914
Conc: 92.91 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.723 min
Delta R.T.: 0.009 min
Response: 11302843
Conc: 92.72 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.671 min
Delta R.T.: 0.009 min
Response: 10993221
Conc: 92.32 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.556 min
Delta R.T.: 0.007 min
Response: 11027160
Conc: 91.89 ug/ml

Instrument :
FID_C
ClientSampleId :
100 PPM ALIPHATIC HC STD1




#18 n-Dotriacontane (C32)

R.T.: 18.388 min
Delta R.T.: 0.008 min
Response: 10599289
Conc: 91.71 ug/ml




#19 n-Tetratriacontane (C34)

R.T.: 19.170 min
Delta R.T.: 0.008 min
Response: 9898762
Conc: 91.90 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 19.908 min
Delta R.T.: 0.008 min
Response: 8865949
Conc: 92.29 ug/ml



#21 n-Octatriacontane (C38)


R.T.: 20.619 min
Delta R.T.: 0.008 min
Response: 8293679
Conc: 91.94 ug/ml

Instrument :

FID_C

ClientSampleId :

100 PPM ALIPHATIC HC STD1



#22 n-Tetracontane (C40)

R.T.: 21.474 min
Delta R.T.: 0.012 min
Response: 8052023
Conc: 92.91 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
 Data File : FC068252.D
 Signal(s) : FID1A.ch
 Acq On : 10 Feb 2025 16:24
 Sample : 100 PPM ALIPHATIC HC STD1
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
 Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.211	3.174	3.274	BB	1536067	13034849	89.69%	5.069%
2	4.270	4.234	4.328	BB	1438029	13187244	90.74%	5.128%
3	5.838	5.798	5.924	BB	1468511	14533716	100.00%	5.651%
4	6.280	6.228	6.341	BB	1303761	13108913	90.20%	5.097%
5	6.891	6.848	6.998	BB	1352654	13929436	95.84%	5.416%
6	8.068	8.028	8.131	BB	1162652	12728359	87.58%	4.949%
7	9.664	9.614	9.738	BB	1144286	12835513	88.32%	4.991%
8	11.104	11.058	11.178	BB	1054227	12748213	87.71%	4.957%
9	11.410	11.361	11.481	BB	1241101	14212174	97.79%	5.526%
10	12.408	12.361	12.474	BB	966080	12107311	83.30%	4.708%
11	12.849	12.781	12.914	BB	856617	10559687	72.66%	4.106%
12	13.019	12.974	13.081	BB	912197	11852411	81.55%	4.609%
13	13.604	13.558	13.668	BB	916235	11728617	80.70%	4.561%
14	14.704	14.628	14.768	BB	856005	11568914	79.60%	4.499%
15	15.723	15.634	15.784	BB	820737	11302843	77.77%	4.395%
16	16.671	16.598	16.734	BB	759899	10993221	75.64%	4.275%
17	17.556	17.484	17.624	BB	738963	11027160	75.87%	4.288%
18	18.388	18.318	18.451	BB	719758	10599289	72.93%	4.122%
19	19.170	19.121	19.228	BB	668913	9898762	68.11%	3.849%
20	19.908	19.851	19.969	BBA	593167	8865949	61.00%	3.448%
21	20.619	20.551	20.691	BB	499026	8293679	57.07%	3.225%
22	21.474	21.391	21.564	BB	353119	8052023	55.40%	3.131%
Sum of corrected areas:						257168283		

Aliphatic EPH 021125.M Tue Feb 11 02:39:04 2025

Lab Sample ID:	50 PPM ALIPHATIC HC 9	Acq On:	10 Feb 2025 17:01
Client Sample ID:		Operator:	YP/AJ
Data file:	FC068253.D	Misc:	
Instrument:	FID_C	ALS Vial:	16
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	Units
Aliphatic C9-C12	3.107	6.373	20240186.000	150.000	ug/ml
Aliphatic C12-C16	6.374	9.756	13091029.000	100.000	ug/ml
Aliphatic C16-C21	9.757	13.110	18751121.000	150.000	ug/ml
Aliphatic C21-C28	13.111	16.762	23234194.000	200.000	ug/ml
Aliphatic C28-C40	16.763	21.563	29009865.000	300.000	ug/ml
Aliphatic EPH	3.107		104326395.000	900.000	ug/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
 Data File : FC068253.D
 Signal(s) : FID1A.ch
 Acq On : 10 Feb 2025 17:01
 Operator : YP/AJ
 Sample : 50 PPM ALIPHATIC HC STD2
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
 Quant Time: Feb 11 02:30:10 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
 Quant Title : GC Extractables
 QLast Update : Tue Feb 11 02:29:33 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.404	7265657	47.326 ug/ml
Spiked Amount 50.000		Recovery =	94.65%
12) S 1-chlorooctadecane (S...	12.845	5379642	47.631 ug/ml
Spiked Amount 50.000		Recovery =	95.26%
Target Compounds			
1) T n-Nonane (C9)	3.209	6719412	47.428 ug/ml
2) T n-Decane (C10)	4.267	6784596	47.555 ug/ml
3) T A~Naphthalene (C11.7)	5.834	7434634	48.043 ug/ml
4) T n-Dodecane (C12)	6.276	6736178	47.696 ug/ml
5) T A~2-methylnaphthalene...	6.887	7096295	48.391 ug/ml
6) T n-Tetradecane (C14)	8.065	6521596	47.844 ug/ml
7) T n-Hexadecane (C16)	9.660	6569433	47.850 ug/ml
8) T n-Octadecane (C18)	11.099	6516282	47.555 ug/ml
10) T n-Eicosane (C20)	12.404	6182901	47.362 ug/ml
11) T n-Heneicosane (C21)	13.014	6051938	47.351 ug/ml
13) T n-Docosane (C22)	13.599	5978682	47.357 ug/ml
14) T n-Tetracosane (C24)	14.700	5893630	47.329 ug/ml
15) T n-Hexacosane (C26)	15.718	5756725	47.224 ug/ml
16) T n-Octacosane (C28)	16.665	5605157	47.073 ug/ml
17) T n-Tricontane (C30)	17.551	5630196	46.917 ug/ml
18) T n-Dotriacontane (C32)	18.383	5417986	46.879 ug/ml
19) T n-Tetratriacontane (C34)	19.165	5059593	46.973 ug/ml
20) T n-Hexatriacontane (C36)	19.902	4533198	47.188 ug/ml
21) T n-Octatriacontane (C38)	20.614	4246406	47.073 ug/ml
22) T n-Tetracontane (C40)	21.465	4122486	47.570 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
Data File : FC068253.D
Signal(s) : FID1A.ch
Acq On : 10 Feb 2025 17:01
Operator : YP/AJ
Sample : 50 PPM ALIPHATIC HC STD2
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2

Integration File: autoint1.e
Quant Time: Feb 11 02:30:10 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
Quant Title : GC Extractables
QLast Update : Tue Feb 11 02:29:33 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.209 min
Delta R.T.: 0.000 min
Response: 6719412
Conc: 47.43 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#2 n-Decane (C10)

R.T.: 4.267 min
Delta R.T.: 0.002 min
Response: 6784596
Conc: 47.56 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.834 min
Delta R.T.: 0.003 min
Response: 7434634
Conc: 48.04 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.276 min
Delta R.T.: 0.003 min
Response: 6736178
Conc: 47.70 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.887 min
Delta R.T.: 0.003 min
Response: 7096295
Conc: 48.39 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#6 n-Tetradecane (C14)

R.T.: 8.065 min
Delta R.T.: 0.003 min
Response: 6521596
Conc: 47.84 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.660 min
Delta R.T.: 0.003 min
Response: 6569433
Conc: 47.85 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.099 min
Delta R.T.: 0.004 min
Response: 6516282
Conc: 47.55 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.404 min
Delta R.T.: 0.005 min
Response: 7265657
Conc: 47.33 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#10 n-Eicosane (C20)

R.T.: 12.404 min
Delta R.T.: 0.003 min
Response: 6182901
Conc: 47.36 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.014 min
Delta R.T.: 0.003 min
Response: 6051938
Conc: 47.35 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.845 min
Delta R.T.: 0.003 min
Response: 5379642
Conc: 47.63 ug/ml



#13 n-Docosane (C22)


R.T.: 13.599 min
Delta R.T.: 0.003 min
Response: 5978682
Conc: 47.36 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#14 n-Tetracosane (C24)

R.T.: 14.700 min
Delta R.T.: 0.004 min
Response: 5893630
Conc: 47.33 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.718 min
Delta R.T.: 0.004 min
Response: 5756725
Conc: 47.22 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.665 min
Delta R.T.: 0.003 min
Response: 5605157
Conc: 47.07 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.551 min
Delta R.T.: 0.002 min
Response: 5630196
Conc: 46.92 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2




#18 n-Dotriacontane (C32)

R.T.: 18.383 min
Delta R.T.: 0.003 min
Response: 5417986
Conc: 46.88 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.165 min
Delta R.T.: 0.004 min
Response: 5059593
Conc: 46.97 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.902 min
Delta R.T.: 0.002 min
Response: 4533198
Conc: 47.19 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.614 min
Delta R.T.: 0.003 min
Response: 4246406
Conc: 47.07 ug/ml

Instrument :
FID_C
ClientSampleId :
50 PPM ALIPHATIC HC STD2



#22 n-Tetracontane (C40)

R.T.: 21.465 min
Delta R.T.: 0.002 min
Response: 4122486
Conc: 47.57 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
 Data File : FC068253.D
 Signal(s) : FID1A.ch
 Acq On : 10 Feb 2025 17:01
 Sample : 50 PPM ALIPHATIC HC STD2
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
 Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.209	3.174	3.271	BB	811218	6719412	90.38%	5.110%
2	4.267	4.234	4.328	BB	755911	6784596	91.26%	5.159%
3	5.834	5.798	5.921	BB	804975	7434634	100.00%	5.654%
4	6.276	6.231	6.338	BB	678512	6736178	90.61%	5.122%
5	6.887	6.848	6.988	BB	711876	7096295	95.45%	5.396%
6	8.065	8.028	8.124	BB	605991	6521596	87.72%	4.959%
7	9.660	9.614	9.738	BB	593828	6569433	88.36%	4.996%
8	11.099	11.054	11.168	BB	559745	6516282	87.65%	4.955%
9	11.404	11.358	11.468	BB	664804	7265657	97.73%	5.525%
10	12.404	12.361	12.471	BB	520586	6182901	83.16%	4.702%
11	12.845	12.778	12.911	BB	460356	5379642	72.36%	4.091%
12	13.014	12.971	13.081	BB	497432	6051938	81.40%	4.602%
13	13.599	13.554	13.668	BB	486709	5978682	80.42%	4.546%
14	14.700	14.618	14.768	BB	455435	5893630	79.27%	4.482%
15	15.718	15.648	15.788	BB	431622	5756725	77.43%	4.378%
16	16.665	16.598	16.728	BB	419236	5605157	75.39%	4.262%
17	17.551	17.498	17.614	BB	400816	5630196	75.73%	4.281%
18	18.383	18.328	18.441	BB	366233	5417986	72.87%	4.120%
19	19.165	19.121	19.228	BB	333071	5059593	68.05%	3.848%
20	19.902	19.851	19.969	BBA	324588	4533198	60.97%	3.447%
21	20.614	20.551	20.684	BB	260933	4246406	57.12%	3.229%
22	21.465	21.391	21.554	BB	175049	4122486	55.45%	3.135%
Sum of corrected areas:						131502620		

Aliphatic EPH 021125.M Tue Feb 11 02:39:29 2025

Lab Sample ID:	20 PPM ALIPHATIC HC 9	Acq On:	10 Feb 2025 17:38
Client Sample ID:		Operator:	YP/AJ
Data file:	FC068254.D	Misc:	
Instrument:	FID_C	ALS Vial:	17
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	Units
Aliphatic C9-C12	3.107	6.373	8511519.000	60.000	ug/ml
Aliphatic C12-C16	6.374	9.756	5472087.000	40.000	ug/ml
Aliphatic C16-C21	9.757	13.110	7907675.000	60.000	ug/ml
Aliphatic C21-C28	13.111	16.762	9834944.000	80.000	ug/ml
Aliphatic C28-C40	16.763	21.563	12324513.000	120.000	ug/ml
Aliphatic EPH	3.107		44050738.000	360.000	ug/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
 Data File : FC068254.D
 Signal(s) : FID1A.ch
 Acq On : 10 Feb 2025 17:38
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD3
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
 Quant Time: Feb 11 02:30:21 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
 Quant Title : GC Extractables
 QLast Update : Tue Feb 11 02:29:33 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.400	3070458	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
12) S 1-chlorooctadecane (S...	12.842	2258872	20.000 ug/ml
Spiked Amount 50.000		Recovery =	40.00%
Target Compounds			
1) T n-Nonane (C9)	3.208	2833506	20.000 ug/ml
2) T n-Decane (C10)	4.265	2853357	20.000 ug/ml
3) T A~Naphthalene (C11.7)	5.831	3094970	20.000 ug/ml
4) T n-Dodecane (C12)	6.273	2824656	20.000 ug/ml
5) T A~2-methylnaphthalene...	6.884	2932900	20.000 ug/ml
6) T n-Tetradecane (C14)	8.062	2726217	20.000 ug/ml
7) T n-Hexadecane (C16)	9.657	2745870	20.000 ug/ml
8) T n-Octadecane (C18)	11.095	2740539	20.000 ug/ml
10) T n-Eicosane (C20)	12.401	2610929	20.000 ug/ml
11) T n-Heneicosane (C21)	13.011	2556207	20.000 ug/ml
13) T n-Docosane (C22)	13.596	2524938	20.000 ug/ml
14) T n-Tetracosane (C24)	14.696	2490472	20.000 ug/ml
15) T n-Hexacosane (C26)	15.714	2438036	20.000 ug/ml
16) T n-Octacosane (C28)	16.662	2381498	20.000 ug/ml
17) T n-Tricontane (C30)	17.549	2400071	20.000 ug/ml
18) T n-Dotriacontane (C32)	18.380	2311459	20.000 ug/ml
19) T n-Tetratriacontane (C34)	19.161	2154239	20.000 ug/ml
20) T n-Hexatriacontane (C36)	19.900	1921336	20.000 ug/ml
21) T n-Octatriacontane (C38)	20.611	1804172	20.000 ug/ml
22) T n-Tetracontane (C40)	21.463	1733236	20.000 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
Data File : FC068254.D
Signal(s) : FID1A.ch
Acq On : 10 Feb 2025 17:38
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3

Integration File: autoint1.e
Quant Time: Feb 11 02:30:21 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
Quant Title : GC Extractables
QLast Update : Tue Feb 11 02:29:33 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.208 min
Delta R.T.: 0.000 min
Response: 2833506
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#2 n-Decane (C10)

R.T.: 4.265 min
Delta R.T.: 0.000 min
Response: 2853357
Conc: 20.00 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.831 min
Delta R.T.: 0.000 min
Response: 3094970
Conc: 20.00 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.273 min
Delta R.T.: 0.000 min
Response: 2824656
Conc: 20.00 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.884 min
Delta R.T.: 0.000 min
Response: 2932900
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#6 n-Tetradecane (C14)

R.T.: 8.062 min
Delta R.T.: 0.000 min
Response: 2726217
Conc: 20.00 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.657 min
Delta R.T.: 0.000 min
Response: 2745870
Conc: 20.00 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.095 min
Delta R.T.: 0.000 min
Response: 2740539
Conc: 20.00 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.400 min
Delta R.T.: 0.000 min
Response: 3070458
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#10 n-Eicosane (C20)

R.T.: 12.401 min
Delta R.T.: 0.000 min
Response: 2610929
Conc: 20.00 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.011 min
Delta R.T.: 0.000 min
Response: 2556207
Conc: 20.00 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.842 min
Delta R.T.: 0.000 min
Response: 2258872
Conc: 20.00 ug/ml



#13 n-Docosane (C22)


R.T.: 13.596 min
Delta R.T.: 0.000 min
Response: 2524938
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#14 n-Tetracosane (C24)

R.T.: 14.696 min
Delta R.T.: 0.000 min
Response: 2490472
Conc: 20.00 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.714 min
Delta R.T.: 0.000 min
Response: 2438036
Conc: 20.00 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.662 min
Delta R.T.: 0.000 min
Response: 2381498
Conc: 20.00 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.549 min
Delta R.T.: 0.000 min
Response: 2400071
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3




#18 n-Dotriacontane (C32)

R.T.: 18.380 min
Delta R.T.: 0.000 min
Response: 2311459
Conc: 20.00 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.161 min
Delta R.T.: 0.000 min
Response: 2154239
Conc: 20.00 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.900 min
Delta R.T.: 0.000 min
Response: 1921336
Conc: 20.00 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.611 min
Delta R.T.: 0.000 min
Response: 1804172
Conc: 20.00 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD3



#22 n-Tetracontane (C40)

R.T.: 21.463 min
Delta R.T.: 0.000 min
Response: 1733236
Conc: 20.00 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
Data File : FC068254.D
Signal(s) : FID1A.ch
Acq On : 10 Feb 2025 17:38
Sample : 20 PPM ALIPHATIC HC STD3
Misc :
ALS Vial : 17 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.208	3.174	3.271	BB	344103	2833506	91.55%	5.114%
2	4.265	4.234	4.328	BB	312569	2853357	92.19%	5.150%
3	5.831	5.798	5.914	BB	329933	3094970	100.00%	5.586%
4	6.273	6.234	6.334	BB	287834	2824656	91.27%	5.098%
5	6.884	6.848	6.971	BB	294443	2932900	94.76%	5.293%
6	8.062	8.028	8.124	BB	257216	2726217	88.09%	4.920%
7	9.657	9.621	9.724	BB	252359	2745870	88.72%	4.956%
8	11.095	11.058	11.158	BB	236897	2740539	88.55%	4.946%
9	11.400	11.361	11.451	BB	288971	3070458	99.21%	5.542%
10	12.401	12.351	12.464	BB	215019	2610929	84.36%	4.712%
11	12.842	12.804	12.904	BB	185197	2258872	72.99%	4.077%
12	13.011	12.968	13.074	BB	208305	2556207	82.59%	4.613%
13	13.596	13.554	13.658	BB	206427	2524938	81.58%	4.557%
14	14.696	14.641	14.758	BB	197006	2490472	80.47%	4.495%
15	15.714	15.648	15.774	BB	180907	2438036	78.77%	4.400%
16	16.662	16.598	16.724	BB	171177	2381498	76.95%	4.298%
17	17.549	17.481	17.601	BB	174807	2400071	77.55%	4.332%
18	18.380	18.328	18.434	BB	162329	2311459	74.68%	4.172%
19	19.161	19.121	19.211	BB	148420	2154239	69.60%	3.888%
20	19.900	19.851	19.944	BB	127484	1921336	62.08%	3.468%
21	20.611	20.551	20.681	BB	109957	1804172	58.29%	3.256%
22	21.463	21.391	21.544	BB	77234	1733236	56.00%	3.128%
Sum of corrected areas:							55407934	

Aliphatic EPH 021125.M Tue Feb 11 02:39:47 2025

Lab Sample ID:	10 PPM ALIPHATIC HC 9	Acq On:	10 Feb 2025 18:14
Client Sample ID:		Operator:	YP/AJ
Data file:	FC068255.D	Misc:	
Instrument:	FID_C	ALS Vial:	18
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	Units
Aliphatic C9-C12	3.107	6.373	4474674.000	30.000	ug/ml
Aliphatic C12-C16	6.374	9.756	2866719.000	20.000	ug/ml
Aliphatic C16-C21	9.757	13.110	4144581.000	30.000	ug/ml
Aliphatic C21-C28	13.111	16.762	5144532.000	40.000	ug/ml
Aliphatic C28-C40	16.763	21.563	6514067.000	60.000	ug/ml
Aliphatic EPH	3.107		23144573.000	180.000	ug/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
 Data File : FC068255.D
 Signal(s) : FID1A.ch
 Acq On : 10 Feb 2025 18:14
 Operator : YP/AJ
 Sample : 10 PPM ALIPHATIC HC STD4
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 10 PPM ALIPHATIC HC STD4

Integration File: autoint1.e
 Quant Time: Feb 11 02:30:29 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
 Quant Title : GC Extractables
 QLast Update : Tue Feb 11 02:29:33 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.398	1614436	10.516 ug/ml
Spiked Amount 50.000		Recovery =	21.03%
12) S 1-chlorooctadecane (S...	12.840	1174811	10.402 ug/ml
Spiked Amount 50.000		Recovery =	20.80%
Target Compounds			
1) T n-Nonane (C9)	3.208	1490390	10.520 ug/ml
2) T n-Decane (C10)	4.265	1497516	10.497 ug/ml
3) T A~Naphthalene (C11.7)	5.832	1604467	10.368 ug/ml
4) T n-Dodecane (C12)	6.273	1486768	10.527 ug/ml
5) T A~2-methylnaphthalene...	6.884	1503396	10.252 ug/ml
6) T n-Tetradecane (C14)	8.061	1434684	10.525 ug/ml
7) T n-Hexadecane (C16)	9.656	1432035	10.430 ug/ml
8) T n-Octadecane (C18)	11.093	1433269	10.460 ug/ml
10) T n-Eicosane (C20)	12.400	1367303	10.474 ug/ml
11) T n-Heneicosane (C21)	13.010	1344009	10.516 ug/ml
13) T n-Docosane (C22)	13.595	1321567	10.468 ug/ml
14) T n-Tetracosane (C24)	14.695	1302068	10.456 ug/ml
15) T n-Hexacosane (C26)	15.714	1273525	10.447 ug/ml
16) T n-Octacosane (C28)	16.661	1247372	10.476 ug/ml
17) T n-Tricontane (C30)	17.547	1280217	10.668 ug/ml
18) T n-Dotriacontane (C32)	18.378	1224121	10.592 ug/ml
19) T n-Tetratriacontane (C34)	19.160	1138846	10.573 ug/ml
20) T n-Hexatriacontane (C36)	19.898	1016654	10.583 ug/ml
21) T n-Octatriacontane (C38)	20.611	943380	10.458 ug/ml
22) T n-Tetracontane (C40)	21.461	910849	10.510 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
Data File : FC068255.D
Signal(s) : FID1A.ch
Acq On : 10 Feb 2025 18:14
Operator : YP/AJ
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4

Integration File: autoint1.e
Quant Time: Feb 11 02:30:29 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
Quant Title : GC Extractables
QLast Update : Tue Feb 11 02:29:33 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.208 min
Delta R.T.: 0.000 min
Response: 1490390
Conc: 10.52 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#2 n-Decane (C10)

R.T.: 4.265 min
Delta R.T.: 0.000 min
Response: 1497516
Conc: 10.50 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.832 min
Delta R.T.: 0.000 min
Response: 1604467
Conc: 10.37 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.273 min
Delta R.T.: 0.000 min
Response: 1486768
Conc: 10.53 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.884 min
Delta R.T.: 0.000 min
Response: 1503396
Conc: 10.25 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#6 n-Tetradecane (C14)

R.T.: 8.061 min
Delta R.T.: 0.000 min
Response: 1434684
Conc: 10.53 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.656 min
Delta R.T.: 0.000 min
Response: 1432035
Conc: 10.43 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.093 min
Delta R.T.: -0.001 min
Response: 1433269
Conc: 10.46 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.398 min
Delta R.T.: -0.002 min
Response: 1614436
Conc: 10.52 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#10 n-Eicosane (C20)

R.T.: 12.400 min
Delta R.T.: -0.001 min
Response: 1367303
Conc: 10.47 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.010 min
Delta R.T.: 0.000 min
Response: 1344009
Conc: 10.52 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.840 min
Delta R.T.: -0.002 min
Response: 1174811
Conc: 10.40 ug/ml



#13 n-Docosane (C22)


R.T.: 13.595 min
Delta R.T.: -0.001 min
Response: 1321567
Conc: 10.47 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#14 n-Tetracosane (C24)

R.T.: 14.695 min
Delta R.T.: -0.001 min
Response: 1302068
Conc: 10.46 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.714 min
Delta R.T.: 0.000 min
Response: 1273525
Conc: 10.45 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.661 min
Delta R.T.: -0.001 min
Response: 1247372
Conc: 10.48 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.547 min
Delta R.T.: -0.002 min
Response: 1280217
Conc: 10.67 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4




#18 n-Dotriacontane (C32)

R.T.: 18.378 min
Delta R.T.: -0.001 min
Response: 1224121
Conc: 10.59 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.160 min
Delta R.T.: -0.001 min
Response: 1138846
Conc: 10.57 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.898 min
Delta R.T.: -0.002 min
Response: 1016654
Conc: 10.58 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.611 min
Delta R.T.: 0.000 min
Response: 943380
Conc: 10.46 ug/ml

Instrument :
FID_C
ClientSampleId :
10 PPM ALIPHATIC HC STD4



#22 n-Tetracontane (C40)

R.T.: 21.461 min
Delta R.T.: -0.002 min
Response: 910849
Conc: 10.51 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
Data File : FC068255.D
Signal(s) : FID1A.ch
Acq On : 10 Feb 2025 18:14
Sample : 10 PPM ALIPHATIC HC STD4
Misc :
ALS Vial : 18 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.208	3.181	3.268	BB	177887	1490390	92.32%	5.132%
2	4.265	4.238	4.328	BB	163966	1497516	92.76%	5.156%
3	5.832	5.798	5.908	BB	166500	1604467	99.38%	5.525%
4	6.273	6.231	6.334	BB	149363	1486768	92.09%	5.119%
5	6.884	6.848	6.961	BB	144374	1503396	93.12%	5.177%
6	8.061	8.028	8.124	BB	135629	1434684	88.87%	4.940%
7	9.656	9.611	9.718	BB	125467	1432035	88.70%	4.931%
8	11.093	11.058	11.154	BB	119437	1433269	88.78%	4.935%
9	11.398	11.354	11.461	BB	150022	1614436	100.00%	5.559%
10	12.400	12.361	12.454	BB	114828	1367303	84.69%	4.708%
11	12.840	12.801	12.901	BB	100668	1174811	72.77%	4.045%
12	13.010	12.968	13.071	BB	107522	1344009	83.25%	4.628%
13	13.595	13.558	13.654	BB	107806	1321567	81.86%	4.551%
14	14.695	14.654	14.758	BB	98638	1302068	80.65%	4.483%
15	15.714	15.674	15.774	BB	97396	1273525	78.88%	4.385%
16	16.661	16.614	16.724	BB	90943	1247372	77.26%	4.295%
17	17.547	17.384	17.604	BB	87801	1280217	79.30%	4.408%
18	18.378	18.334	18.441	BB	88680	1224121	75.82%	4.215%
19	19.160	19.121	19.208	BB	78237	1138846	70.54%	3.921%
20	19.898	19.851	19.948	BB	69453	1016654	62.97%	3.501%
21	20.611	20.551	20.658	BB	55376	943380	58.43%	3.248%
22	21.461	21.391	21.538	BB	41390	910849	56.42%	3.136%
Sum of corrected areas:							29041681	

Aliphatic EPH 021125.M Tue Feb 11 02:40:05 2025

Lab Sample ID:	5 PPM ALIPHATIC HC S	Acq On:	10 Feb 2025 18:50
Client Sample ID:		Operator:	YP/AJ
Data file:	FC068256.D	Misc:	
Instrument:	FID_C	ALS Vial:	19
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	Units
Aliphatic C9-C12	3.107	6.373	2221877.000	15.000	ug/ml
Aliphatic C12-C16	6.374	9.756	1444048.000	10.000	ug/ml
Aliphatic C16-C21	9.757	13.110	2112599.000	15.000	ug/ml
Aliphatic C21-C28	13.111	16.762	2635031.000	20.000	ug/ml
Aliphatic C28-C40	16.763	21.563	3350978.000	30.000	ug/ml
Aliphatic EPH	3.107		11764533.000	90.000	ug/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
 Data File : FC068256.D
 Signal(s) : FID1A.ch
 Acq On : 10 Feb 2025 18:50
 Operator : YP/AJ
 Sample : 5 PPM ALIPHATIC HC STD5
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 5 PPM ALIPHATIC HC STD5

Integration File: autoint1.e
 Quant Time: Feb 11 02:30:38 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
 Quant Title : GC Extractables
 QLast Update : Tue Feb 11 02:29:33 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.397	824094	5.368 ug/ml
Spiked Amount 50.000		Recovery =	10.74%
12) S 1-chlorooctadecane (S...	12.840	593786	5.257 ug/ml
Spiked Amount 50.000		Recovery =	10.51%
Target Compounds			
1) T n-Nonane (C9)	3.208	739660	5.221 ug/ml
2) T n-Decane (C10)	4.265	741867	5.200 ug/ml
3) T A~Naphthalene (C11.7)	5.833	779725	5.039 ug/ml
4) T n-Dodecane (C12)	6.273	740350	5.242 ug/ml
5) T A~2-methylnaphthalene...	6.884	729676	4.976 ug/ml
6) T n-Tetradecane (C14)	8.060	721115	5.290 ug/ml
7) T n-Hexadecane (C16)	9.655	722933	5.266 ug/ml
8) T n-Octadecane (C18)	11.093	728153	5.314 ug/ml
10) T n-Eicosane (C20)	12.398	697130	5.340 ug/ml
11) T n-Heneicosane (C21)	13.009	687316	5.378 ug/ml
13) T n-Docosane (C22)	13.594	674382	5.342 ug/ml
14) T n-Tetracosane (C24)	14.694	667971	5.364 ug/ml
15) T n-Hexacosane (C26)	15.713	652733	5.355 ug/ml
16) T n-Octacosane (C28)	16.660	639945	5.374 ug/ml
17) T n-Tricontane (C30)	17.547	654656	5.455 ug/ml
18) T n-Dotriacontane (C32)	18.378	639981	5.537 ug/ml
19) T n-Tetratriacontane (C34)	19.160	592586	5.502 ug/ml
20) T n-Hexatriacontane (C36)	19.899	518944	5.402 ug/ml
21) T n-Octatriacontane (C38)	20.609	485383	5.381 ug/ml
22) T n-Tetracontane (C40)	21.462	459428	5.301 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
Data File : FC068256.D
Signal(s) : FID1A.ch
Acq On : 10 Feb 2025 18:50
Operator : YP/AJ
Sample : 5 PPM ALIPHATIC HC STD5
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5

Integration File: autoint1.e
Quant Time: Feb 11 02:30:38 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
Quant Title : GC Extractables
QLast Update : Tue Feb 11 02:29:33 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#1 n-Nonane (C9)


R.T.: 3.208 min
Delta R.T.: 0.000 min
Response: 739660
Conc: 5.22 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#2 n-Decane (C10)

R.T.: 4.265 min
Delta R.T.: 0.000 min
Response: 741867
Conc: 5.20 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.833 min
Delta R.T.: 0.001 min
Response: 779725
Conc: 5.04 ug/ml



#4 n-Dodecane (C12)


R.T.: 6.273 min
Delta R.T.: 0.000 min
Response: 740350
Conc: 5.24 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.884 min
Delta R.T.: 0.000 min
Response: 729676
Conc: 4.98 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#6 n-Tetradecane (C14)

R.T.: 8.060 min
Delta R.T.: -0.002 min
Response: 721115
Conc: 5.29 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.655 min
Delta R.T.: -0.002 min
Response: 722933
Conc: 5.27 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.093 min
Delta R.T.: -0.001 min
Response: 728153
Conc: 5.31 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.397 min
Delta R.T.: -0.003 min
Response: 824094
Conc: 5.37 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#10 n-Eicosane (C20)

R.T.: 12.398 min
Delta R.T.: -0.002 min
Response: 697130
Conc: 5.34 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.009 min
Delta R.T.: -0.002 min
Response: 687316
Conc: 5.38 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 12.840 min
Delta R.T.: -0.002 min
Response: 593786
Conc: 5.26 ug/ml



#13 n-Docosane (C22)


R.T.: 13.594 min
Delta R.T.: -0.002 min
Response: 674382
Conc: 5.34 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#14 n-Tetracosane (C24)

R.T.: 14.694 min
Delta R.T.: -0.002 min
Response: 667971
Conc: 5.36 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.713 min
Delta R.T.: -0.001 min
Response: 652733
Conc: 5.35 ug/ml



#16 n-Octacosane (C28)


R.T.: 16.660 min
Delta R.T.: -0.002 min
Response: 639945
Conc: 5.37 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.547 min
Delta R.T.: -0.002 min
Response: 654656
Conc: 5.46 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5




#18 n-Dotriacontane (C32)

R.T.: 18.378 min
Delta R.T.: -0.002 min
Response: 639981
Conc: 5.54 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.160 min
Delta R.T.: 0.000 min
Response: 592586
Conc: 5.50 ug/ml



#20 n-Hexatriacontane (C36)


R.T.: 19.899 min
Delta R.T.: 0.000 min
Response: 518944
Conc: 5.40 ug/ml



#21 n-Octatriacontane (C38)

R.T.: 20.609 min
Delta R.T.: -0.002 min
Response: 485383
Conc: 5.38 ug/ml

Instrument :
FID_C
ClientSampleId :
5 PPM ALIPHATIC HC STD5



#22 n-Tetracontane (C40)

R.T.: 21.462 min
Delta R.T.: 0.000 min
Response: 459428
Conc: 5.30 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
 Data File : FC068256.D
 Signal(s) : FID1A.ch
 Acq On : 10 Feb 2025 18:50
 Sample : 5 PPM ALIPHATIC HC STD5
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
 Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.208	3.178	3.268	BB	88225	739660	89.75%	5.035%
2	4.265	4.234	4.324	BB	81016	741867	90.02%	5.050%
3	5.833	5.804	5.894	BB	78603	779725	94.62%	5.307%
4	6.273	6.241	6.334	BB	74589	740350	89.84%	5.039%
5	6.884	6.848	6.958	BB	68142	729676	88.54%	4.967%
6	8.060	8.031	8.144	BB	66668	721115	87.50%	4.908%
7	9.655	9.618	9.724	BB	62427	722933	87.72%	4.921%
8	11.093	11.054	11.161	BB	62811	728153	88.36%	4.956%
9	11.397	11.364	11.464	BB	75900	824094	100.00%	5.609%
10	12.398	12.361	12.461	BB	58302	697130	84.59%	4.745%
11	12.840	12.804	12.901	BB	48610	593786	72.05%	4.042%
12	13.009	12.964	13.078	BB	55281	687316	83.40%	4.678%
13	13.594	13.558	13.664	BB	53078	674382	81.83%	4.590%
14	14.694	14.634	14.764	BB	50164	667971	81.06%	4.547%
15	15.713	15.674	15.781	BB	46241	652733	79.21%	4.443%
16	16.660	16.598	16.728	BB	48962	639945	77.65%	4.356%
17	17.547	17.504	17.604	BB	44994	654656	79.44%	4.456%
18	18.378	18.338	18.444	BB	44176	639981	77.66%	4.356%
19	19.160	19.121	19.218	BB	39586	592586	71.91%	4.033%
20	19.899	19.851	19.934	BB	36345	518944	62.97%	3.532%
21	20.609	20.551	20.671	BB	29349	485383	58.90%	3.304%
22	21.462	21.391	21.534	BB	19678	459428	55.75%	3.127%
Sum of corrected areas:							14691811	

Aliphatic EPH 021125.M Tue Feb 11 02:40:20 2025

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	20 PPM ALIPHATIC HC S'	Acq On:	10 Feb 2025 19:26
Client Sample ID:	20 PPM ALIPHATIC HC S'	Operator:	YP/AJ
Data file:	FC068257.D	Misc:	
Instrument:	FID_C	ALS Vial:	20
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.107	6.373	11335983	80.377	300	ug/ml
Aliphatic C12-C16	6.374	9.756	8213202	60.102	200	ug/ml
Aliphatic C16-C21	9.757	13.110	7719624	58.646	300	ug/ml
Aliphatic C21-C28	13.111	16.762	9669480	78.811	400	ug/ml
Aliphatic C28-C40	16.763	21.563	12147282	118.111	600	ug/ml
Aliphatic EPH	3.107	21.563	49085571	396.047		ug/ml
ortho-Terphenyl (SURR)	11.399	11.399	3006153	19.59		ug/ml
1-chlorooctadecane (SURR)	12.841	12.841	2210712	19.66		ug/ml
Aliphatic C9-C28	3.107	16.762	36938289	277.936	1200	ug/ml

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
 Data File : FC068257.D
 Signal(s) : FID1A.ch
 Acq On : 10 Feb 2025 19:26
 Operator : YP/AJ
 Sample : 20 PPM ALIPHATIC HC STD ICV
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 FID_C
 ClientSampleId :
 20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
 Quant Time: Feb 11 02:33:34 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
 Quant Title : GC Extractables
 QLast Update : Tue Feb 11 02:29:33 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.399	3006153	19.591 ug/ml
Spiked Amount 50.000		Recovery =	39.18%
12) S 1-chlorooctadecane (S...	12.841	2210712	19.655 ug/ml
Spiked Amount 50.000		Recovery =	39.31%
Target Compounds			
1) T n-Nonane (C9)	3.207	2763389	19.644 ug/ml
2) T n-Decane (C10)	4.265	2787474	19.676 ug/ml
3) T A~Naphthalene (C11.7)	5.832	3022645	19.751 ug/ml
4) T n-Dodecane (C12)	6.274	2762475	19.626 ug/ml
5) T A~2-methylnaphthalene...	6.884	2871264	19.825 ug/ml
6) T n-Tetradecane (C14)	8.061	2665240	19.548 ug/ml
7) T n-Hexadecane (C16)	9.657	2676698	19.543 ug/ml
8) T n-Octadecane (C18)	11.095	2671678	19.536 ug/ml
10) T n-Eicosane (C20)	12.401	2547036	19.549 ug/ml
11) T n-Heneicosane (C21)	13.011	2500910	19.562 ug/ml
13) T n-Docosane (C22)	13.595	2472408	19.618 ug/ml
14) T n-Tetracosane (C24)	14.696	2447601	19.679 ug/ml
15) T n-Hexacosane (C26)	15.714	2396918	19.713 ug/ml
16) T n-Octacosane (C28)	16.662	2352553	19.808 ug/ml
17) T n-Tricontane (C30)	17.548	2368324	19.676 ug/ml
18) T n-Dotriacontane (C32)	18.379	2282342	19.664 ug/ml
19) T n-Tetratriacontane (C34)	19.160	2121381	19.632 ug/ml
20) T n-Hexatriacontane (C36)	19.898	1897153	19.727 ug/ml
21) T n-Octatriacontane (C38)	20.609	1768616	19.674 ug/ml
22) T n-Tetracontane (C40)	21.462	1709466	19.758 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
Data File : FC068257.D
Signal(s) : FID1A.ch
Acq On : 10 Feb 2025 19:26
Operator : YP/AJ
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV

Integration File: autoint1.e
Quant Time: Feb 11 02:33:34 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
Quant Title : GC Extractables
QLast Update : Tue Feb 11 02:29:33 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um





#1 n-Nonane (C9)


R.T.: 3.207 min
Delta R.T.: 0.000 min
Response: 2763389
Conc: 19.64 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#2 n-Decane (C10)

R.T.: 4.265 min
Delta R.T.: 0.000 min
Response: 2787474
Conc: 19.68 ug/ml




#3 A~Naphthalene (C11.7)

R.T.: 5.832 min
Delta R.T.: 0.000 min
Response: 3022645
Conc: 19.75 ug/ml



#4 n-Dodecane (C12)

R.T.: 6.274 min
Delta R.T.: 0.000 min
Response: 2762475
Conc: 19.63 ug/ml



#5 A~2-methylnaphthalene (C12.89)


R.T.: 6.884 min
Delta R.T.: 0.000 min
Response: 2871264
Conc: 19.83 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#6 n-Tetradecane (C14)

R.T.: 8.061 min
Delta R.T.: 0.000 min
Response: 2665240
Conc: 19.55 ug/ml




#7 n-Hexadecane (C16)

R.T.: 9.657 min
Delta R.T.: 0.000 min
Response: 2676698
Conc: 19.54 ug/ml



#8 n-Octadecane (C18)


R.T.: 11.095 min
Delta R.T.: 0.000 min
Response: 2671678
Conc: 19.54 ug/ml



#9 ortho-Terphenyl (SURR)


R.T.: 11.399 min
Delta R.T.: 0.000 min
Response: 3006153
Conc: 19.59 ug/ml

Instrument :
FID_C
ClientSampleId :
20 PPM ALIPHATIC HC STD ICV




#10 n-Eicosane (C20)

R.T.: 12.401 min
Delta R.T.: 0.000 min
Response: 2547036
Conc: 19.55 ug/ml




#11 n-Heneicosane (C21)

R.T.: 13.011 min
Delta R.T.: 0.000 min
Response: 2500910
Conc: 19.56 ug/ml



#12 1-chlorooctadecane (SURR)

R.T.: 12.841 min
Delta R.T.: 0.000 min
Response: 2210712
Conc: 19.66 ug/ml



#13 n-Docosane (C22)


R.T.: 13.595 min
Delta R.T.: 0.000 min
Response: 2472408
Conc: 19.62 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#14 n-Tetracosane (C24)

R.T.: 14.696 min
Delta R.T.: 0.000 min
Response: 2447601
Conc: 19.68 ug/ml




#15 n-Hexacosane (C26)

R.T.: 15.714 min
Delta R.T.: 0.000 min
Response: 2396918
Conc: 19.71 ug/ml



#16 n-Octacosane (C28)

R.T.: 16.662 min
Delta R.T.: 0.000 min
Response: 2352553
Conc: 19.81 ug/ml



#17 n-Tricontane (C30)


R.T.: 17.548 min
Delta R.T.: -0.001 min
Response: 2368324
Conc: 19.68 ug/ml

Instrument :

FID_C


ClientSampleId :

20 PPM ALIPHATIC HC STD ICV




#18 n-Dotriacontane (C32)

R.T.: 18.379 min
Delta R.T.: 0.000 min
Response: 2282342
Conc: 19.66 ug/ml




#19 n-Tetatriacontane (C34)

R.T.: 19.160 min
Delta R.T.: 0.000 min
Response: 2121381
Conc: 19.63 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 19.898 min
Delta R.T.: -0.002 min
Response: 1897153
Conc: 19.73 ug/ml



#21 n-Octatriacontane (C38)


R.T.: 20.609 min
Delta R.T.: -0.002 min
Response: 1768616
Conc: 19.67 ug/ml

Instrument :

FID_C

ClientSampleId :

20 PPM ALIPHATIC HC STD ICV



#22 n-Tetracontane (C40)

R.T.: 21.462 min
Delta R.T.: 0.000 min
Response: 1709466
Conc: 19.76 ug/ml

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_C\Data\FC021125AL\
Data File : FC068257.D
Signal(s) : FID1A.ch
Acq On : 10 Feb 2025 19:26
Sample : 20 PPM ALIPHATIC HC STD ICV
Misc :
ALS Vial : 20 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_C\Method\Aliphatic EPH 021125.M
Title : GC Extractables

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.207	3.164	3.268	BB	332094	2763389	91.42%	5.089%
2	4.265	4.231	4.328	BB	306680	2787474	92.22%	5.133%
3	5.832	5.794	5.914	BB	316234	3022645	100.00%	5.566%
4	6.274	6.231	6.338	BB	274740	2762475	91.39%	5.087%
5	6.884	6.848	6.974	BB	297539	2871264	94.99%	5.288%
6	8.061	8.028	8.124	BB	260997	2665240	88.18%	4.908%
7	9.657	9.621	9.721	BB	239943	2676698	88.55%	4.929%
8	11.095	11.054	11.161	BB	222508	2671678	88.39%	4.920%
9	11.399	11.361	11.461	BB	268482	3006153	99.45%	5.536%
10	12.401	12.361	12.461	BB	214041	2547036	84.27%	4.690%
11	12.841	12.801	12.904	BB	180766	2210712	73.14%	4.071%
12	13.011	12.971	13.074	BB	207142	2500910	82.74%	4.606%
13	13.595	13.554	13.658	BB	201306	2472408	81.80%	4.553%
14	14.696	14.648	14.761	BB	189927	2447601	80.98%	4.507%
15	15.714	15.638	15.774	BB	182011	2396918	79.30%	4.414%
16	16.662	16.598	16.721	BB	171008	2352553	77.83%	4.332%
17	17.548	17.478	17.608	BB	168872	2368324	78.35%	4.361%
18	18.379	18.311	18.431	BB	154550	2282342	75.51%	4.203%
19	19.160	19.121	19.211	BB	143746	2121381	70.18%	3.907%
20	19.898	19.851	19.944	BB	125666	1897153	62.76%	3.494%
21	20.609	20.551	20.658	BB	106434	1768616	58.51%	3.257%
22	21.462	21.391	21.541	BB	75880	1709466	56.56%	3.148%
Sum of corrected areas:						54302432		

Aliphatic EPH 021125.M Tue Feb 11 02:40:39 2025