

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	02/24/25
Project:	RFP 905	Date Received:	02/24/25
Client Sample ID:	P001-CLAY-CF02-01	SDG No.:	Q1421
Lab Sample ID:	Q1421-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
02/26/25 11:45	02/27/25 15:53	PB166883

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOD	LOQ / CRQL	Units	
TARGETS									
Aliphatic C9-C12	Aliphatic C9-C12	5.76	U	1	5.76	15.0	30.0	ug/l	FC068315.D
Aliphatic C12-C16	Aliphatic C12-C16	7.29	J	1	3.61	10.0	20.0	ug/l	FC068315.D
Aliphatic C16-C21	Aliphatic C16-C21	5.14	U	1	5.14	15.0	30.0	ug/l	FC068315.D
Aliphatic C21-C28	Aliphatic C21-C28	8.97	U	1	8.97	20.0	40.0	ug/l	FC068315.D
Aliphatic C28-C40	Aliphatic C28-C40	17.0	U	1	17.0	30.0	60.0	ug/l	FC068315.D
Aromatic C10-C12	Aromatic C10-C12	9.81	J	1	3.32	10.0	20.0	ug/l	FD049124.D
Aromatic C12-C16	Aromatic C12-C16	14.1	J	1	3.69	15.0	30.0	ug/l	FD049124.D
Aromatic C16-C21	Aromatic C16-C21	41.8	J	1	12.7	25.0	50.0	ug/l	FD049124.D
Aromatic C21-C36	Aromatic C21-C36	87.2		1	25.2	40.0	80.0	ug/l	FD049124.D
Total AliphaticEPH	Total AliphaticEPH	40.5	U		40.5	90.0	180	ug/l	
Total AromaticEPH	Total AromaticEPH	153	J		44.9	90.0	180	ug/l	
Total EPH	Total EPH	160	J		85.4	180	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	02/24/25
Project:	RFP 905	Date Received:	02/24/25
Client Sample ID:	P001-CLAY-CF02-01	SDG No.:	Q1421
Lab Sample ID:	Q1421-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
02/26/25 11:45	02/27/25 15:53	PB166883

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOD	LOQ / CRQL	Units	
TARGETS									
Aliphatic C9-C12	Aliphatic C9-C12	5.76	U	1	5.76	15.0	30.0	ug/l	FC068315.D
Aliphatic C12-C16	Aliphatic C12-C16	7.29	J	1	3.61	10.0	20.0	ug/l	FC068315.D
Aliphatic C16-C21	Aliphatic C16-C21	5.14	U	1	5.14	15.0	30.0	ug/l	FC068315.D
Aliphatic C21-C28	Aliphatic C21-C28	8.97	U	1	8.97	20.0	40.0	ug/l	FC068315.D
Aliphatic C28-C40	Aliphatic C28-C40	17.0	U	1	17.0	30.0	60.0	ug/l	FC068315.D
Aromatic C10-C12	Aromatic C10-C12	9.81	J	1	3.32	10.0	20.0	ug/l	FD049124.D
Aromatic C12-C16	Aromatic C12-C16	14.1	J	1	3.69	15.0	30.0	ug/l	FD049124.D
Aromatic C16-C21	Aromatic C16-C21	41.8	J	1	12.7	25.0	50.0	ug/l	FD049124.D
Aromatic C21-C36	Aromatic C21-C36	87.2		1	25.2	40.0	80.0	ug/l	FD049124.D
Total AliphaticEPH	Total AliphaticEPH	40.5	U		40.5	90.0	180	ug/l	
Total AromaticEPH	Total AromaticEPH	153	J		44.9	90.0	180	ug/l	
Total EPH	Total EPH	160	J		85.4	180	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	02/24/25
Project:	RFP 905	Date Received:	02/24/25
Client Sample ID:	P001-CLAY-CF02-01	SDG No.:	Q1421
Lab Sample ID:	Q1421-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
02/26/25 11:45	02/27/25 15:53	PB166883

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	5.76	U	1	5.76	30.0	ug/l	FC068315.D
Aliphatic C12-C16	Aliphatic C12-C16	7.29	J	1	3.61	20.0	ug/l	FC068315.D
Aliphatic C16-C21	Aliphatic C16-C21	5.14	U	1	5.14	30.0	ug/l	FC068315.D
Aliphatic C21-C28	Aliphatic C21-C28	8.97	U	1	8.97	40.0	ug/l	FC068315.D
Aliphatic C28-C40	Aliphatic C28-C40	17.0	U	1	17.0	60.0	ug/l	FC068315.D
Aromatic C10-C12	Aromatic C10-C12	9.81	J	1	3.32	20.0	ug/l	FD049124.D
Aromatic C12-C16	Aromatic C12-C16	14.1	J	1	3.69	30.0	ug/l	FD049124.D
Aromatic C16-C21	Aromatic C16-C21	41.8	J	1	12.7	50.0	ug/l	FD049124.D
Aromatic C21-C36	Aromatic C21-C36	87.2		1	25.2	80.0	ug/l	FD049124.D
Total AliphaticEPH	Total AliphaticEPH	40.5	U		40.5	180	ug/l	
Total AromaticEPH	Total AromaticEPH	153	J		44.9	180	ug/l	
Total EPH	Total EPH	160	J		85.4	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	02/24/25
Project:	RFP 905	Date Received:	02/24/25
Client Sample ID:	P001-CLAY-CF02-01	SDG No.:	Q1421
Lab Sample ID:	Q1421-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
02/26/25 11:45	02/27/25 15:53	PB166883

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	5.76	U	1	5.76	30.0	ug/l	FC068315.D
Aliphatic C12-C16	Aliphatic C12-C16	7.29	J	1	3.61	20.0	ug/l	FC068315.D
Aliphatic C16-C21	Aliphatic C16-C21	5.14	U	1	5.14	30.0	ug/l	FC068315.D
Aliphatic C21-C28	Aliphatic C21-C28	8.97	U	1	8.97	40.0	ug/l	FC068315.D
Aliphatic C28-C40	Aliphatic C28-C40	17.0	U	1	17.0	60.0	ug/l	FC068315.D
Aromatic C10-C12	Aromatic C10-C12	9.81	J	1	3.32	20.0	ug/l	FD049124.D
Aromatic C12-C16	Aromatic C12-C16	14.1	J	1	3.69	30.0	ug/l	FD049124.D
Aromatic C16-C21	Aromatic C16-C21	41.8	J	1	12.7	50.0	ug/l	FD049124.D
Aromatic C21-C36	Aromatic C21-C36	87.2		1	25.2	80.0	ug/l	FD049124.D
Total AliphaticEPH	Total AliphaticEPH	40.5	U		40.5	180	ug/l	
Total AromaticEPH	Total AromaticEPH	153	J		44.9	180	ug/l	
Total EPH	Total EPH	160	J		85.4	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	02/24/25
Project:	RFP 905	Date Received:	02/24/25
Client Sample ID:	P001-CLAY-CF02-01	SDG No.:	Q1421
Lab Sample ID:	Q1421-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
02/26/25 11:45	02/27/25 15:53	PB166883

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	5.76	U	1	5.76	30.0	ug/l	FC068315.D
Aliphatic C12-C16	Aliphatic C12-C16	7.29	J	1	3.61	20.0	ug/l	FC068315.D
Aliphatic C16-C21	Aliphatic C16-C21	5.14	U	1	5.14	30.0	ug/l	FC068315.D
Aliphatic C21-C28	Aliphatic C21-C28	8.97	U	1	8.97	40.0	ug/l	FC068315.D
Aliphatic C28-C40	Aliphatic C28-C40	17.0	U	1	17.0	60.0	ug/l	FC068315.D
Aromatic C10-C12	Aromatic C10-C12	9.81	J	1	3.32	20.0	ug/l	FD049124.D
Aromatic C12-C16	Aromatic C12-C16	14.1	J	1	3.69	30.0	ug/l	FD049124.D
Aromatic C16-C21	Aromatic C16-C21	41.8	J	1	12.7	50.0	ug/l	FD049124.D
Aromatic C21-C36	Aromatic C21-C36	87.2		1	25.2	80.0	ug/l	FD049124.D
Total AliphaticEPH	Total AliphaticEPH	40.5	U		40.5	180	ug/l	
Total AromaticEPH	Total AromaticEPH	153	J		44.9	180	ug/l	
Total EPH	Total EPH	160	J		85.4	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	02/24/25
Project:	RFP 905	Date Received:	02/24/25
Client Sample ID:	P001-CLAY-CF02-01	SDG No.:	Q1421
Lab Sample ID:	Q1421-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
02/26/25 11:45	02/27/25 15:53	PB166883

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	5.76	U	1	5.76	30.0	ug/l	FC068315.D
Aliphatic C12-C16	Aliphatic C12-C16	7.29	J	1	3.61	20.0	ug/l	FC068315.D
Aliphatic C16-C21	Aliphatic C16-C21	5.14	U	1	5.14	30.0	ug/l	FC068315.D
Aliphatic C21-C28	Aliphatic C21-C28	8.97	U	1	8.97	40.0	ug/l	FC068315.D
Aliphatic C28-C40	Aliphatic C28-C40	17.0	U	1	17.0	60.0	ug/l	FC068315.D
Aromatic C10-C12	Aromatic C10-C12	9.81	J	1	3.32	20.0	ug/l	FD049124.D
Aromatic C12-C16	Aromatic C12-C16	14.1	J	1	3.69	30.0	ug/l	FD049124.D
Aromatic C16-C21	Aromatic C16-C21	41.8	J	1	12.7	50.0	ug/l	FD049124.D
Aromatic C21-C36	Aromatic C21-C36	87.2		1	25.2	80.0	ug/l	FD049124.D
Total AliphaticEPH	Total AliphaticEPH	40.5	U		40.5	180	ug/l	
Total AromaticEPH	Total AromaticEPH	153	J		44.9	180	ug/l	
Total EPH	Total EPH	160	J		85.4	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	02/24/25
Project:	RFP 905	Date Received:	02/24/25
Client Sample ID:	P001-CLAY-CF02-01	SDG No.:	Q1421
Lab Sample ID:	Q1421-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
02/26/25 11:45	02/27/25 15:53	PB166883

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	5.76	U	1	5.76	30.0	ug/l	FC068315.D
Aliphatic C12-C16	Aliphatic C12-C16	7.29	J	1	3.61	20.0	ug/l	FC068315.D
Aliphatic C16-C21	Aliphatic C16-C21	5.14	U	1	5.14	30.0	ug/l	FC068315.D
Aliphatic C21-C28	Aliphatic C21-C28	8.97	U	1	8.97	40.0	ug/l	FC068315.D
Aliphatic C28-C40	Aliphatic C28-C40	17.0	U	1	17.0	60.0	ug/l	FC068315.D
Aromatic C10-C12	Aromatic C10-C12	9.81	J	1	3.32	20.0	ug/l	FD049124.D
Aromatic C12-C16	Aromatic C12-C16	14.1	J	1	3.69	30.0	ug/l	FD049124.D
Aromatic C16-C21	Aromatic C16-C21	41.8	J	1	12.7	50.0	ug/l	FD049124.D
Aromatic C21-C36	Aromatic C21-C36	87.2		1	25.2	80.0	ug/l	FD049124.D
Total AliphaticEPH	Total AliphaticEPH	40.5	U		40.5	180	ug/l	
Total AromaticEPH	Total AromaticEPH	153	J		44.9	180	ug/l	
Total EPH	Total EPH	160	J		85.4	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	02/24/25
Project:	RFP 905	Date Received:	02/24/25
Client Sample ID:	P001-CLAY-CF02-01	SDG No.:	Q1421
Lab Sample ID:	Q1421-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

Prep Date :	Date Analyzed :	Prep Batch ID
02/26/25 11:45	02/27/25 15:53	PB166883

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units	
TARGETS								
Aliphatic C9-C12	Aliphatic C9-C12	5.76	U	1	5.76	30.0	ug/l	FC068315.D
Aliphatic C12-C16	Aliphatic C12-C16	7.29	J	1	3.61	20.0	ug/l	FC068315.D
Aliphatic C16-C21	Aliphatic C16-C21	5.14	U	1	5.14	30.0	ug/l	FC068315.D
Aliphatic C21-C28	Aliphatic C21-C28	8.97	U	1	8.97	40.0	ug/l	FC068315.D
Aliphatic C28-C40	Aliphatic C28-C40	17.0	U	1	17.0	60.0	ug/l	FC068315.D
Aromatic C10-C12	Aromatic C10-C12	9.81	J	1	3.32	20.0	ug/l	FD049124.D
Aromatic C12-C16	Aromatic C12-C16	14.1	J	1	3.69	30.0	ug/l	FD049124.D
Aromatic C16-C21	Aromatic C16-C21	41.8	J	1	12.7	50.0	ug/l	FD049124.D
Aromatic C21-C36	Aromatic C21-C36	87.2		1	25.2	80.0	ug/l	FD049124.D
Total AliphaticEPH	Total AliphaticEPH	40.5	U		40.5	180	ug/l	
Total AromaticEPH	Total AromaticEPH	153	J		44.9	180	ug/l	
Total EPH	Total EPH	160	J		85.4	360	ug/l	

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Weston Solutions, Inc.	Date Collected:	02/24/25
Project:	RFP 905	Date Received:	02/24/25
Client Sample ID:	P001-CLAY-CF02-01	SDG No.:	Q1421
Lab Sample ID:	Q1421-10	Matrix:	Water
Analytical Method:	NJEPH	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH
Prep Method :	SW3510		

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC068315.D	1	02/26/25	02/27/25	PB166883

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C12	Aliphatic C9-C12	5.76	U	5.76	30.0	ug/l
Aliphatic C12-C16	Aliphatic C12-C16	7.29	J	3.61	20.0	ug/l
Aliphatic C16-C21	Aliphatic C16-C21	5.14	U	5.14	30.0	ug/l
Aliphatic C21-C28	Aliphatic C21-C28	8.97	U	8.97	40.0	ug/l
Aliphatic C28-C40	Aliphatic C28-C40	17.0	U	17.0	60.0	ug/l
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	30.9		40 - 140	62%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	0.00		40 - 140	0%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q1421-10	Acq On:	27 Feb 2025 15:53
Client Sample ID:	P001-CLAY-CF02-01	Operator:	YP/AJ
Data file:	FC068315.D	Misc:	
Instrument:	FID_C	ALS Vial:	18
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.104	6.370	339595	2.408	300	ug/ml
Aliphatic C12-C16	6.371	9.754	498397	3.647	200	ug/ml
Aliphatic C16-C21	9.755	13.108	439396	3.338	300	ug/ml
Aliphatic C21-C28	13.109	16.762	592177	4.827	400	ug/ml
Aliphatic C28-C40	16.763	21.566	2560351	24.895	600	ug/ml
Aliphatic EPH	3.104	21.566	4429916	39.115		ug/ml
ortho-Terphenyl (SURR)	0.000	0.000	0	0		ug/ml
1-chlorooctadecane (SURR)	12.840	12.840	3469736	30.85		ug/ml
Aliphatic C9-C28	3.104	16.762	1869565	14.22	1200	ug/ml