

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL022725\
 Data File : PL094444.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Feb 2025 22:29
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050


Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 28 02:52:23 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL022125.M
 Quant Title : GC Extractables
 QLast Update : Fri Feb 21 14:52:19 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.772	131.9E6	171.0E6	51.957	53.576
28)	SA Decachlor...	9.054	7.907	100.4E6	187.1E6	47.207	48.643
Target Compounds							
2)	A alpha-BHC	3.993	3.274	193.6E6	260.0E6	51.193	52.899
3)	MA gamma-BHC...	4.326	3.604	186.1E6	249.7E6	50.367	53.026
4)	MA Heptachlor	4.914	3.941	170.4E6	241.5E6	50.260	51.163
5)	MB Aldrin	5.256	4.221	172.7E6	241.1E6	50.333	52.176
6)	B beta-BHC	4.525	3.904	81288650	104.3E6	50.904	52.441
7)	B delta-BHC	4.772	4.133	180.9E6	250.8E6	51.130	52.962
8)	B Heptachlo...	5.683	4.724	154.2E6	220.2E6	51.156	51.742
9)	A Endosulfan I	6.068	5.093	136.2E6	196.9E6	49.551	49.379
10)	B gamma-Chl...	5.938	4.974	146.2E6	222.9E6	49.780	51.373
11)	B alpha-Chl...	6.018	5.037	145.4E6	220.3E6	50.186	51.018
12)	B 4,4'-DDE	6.191	5.226	137.4E6	223.6E6	52.626	53.245
13)	MA Dieldrin	6.343	5.357	142.9E6	227.6E6	50.152	51.942
14)	MA Endrin	6.573	5.633	118.5E6	192.0E6	46.424	56.403
15)	B Endosulfa...	6.793	5.929	120.7E6	198.3E6	47.968	53.041
16)	A 4,4'-DDD	6.709	5.781	107.5E6	184.8E6	58.105	58.001
17)	MA 4,4'-DDT	7.023	6.031	103.5E6	179.5E6	49.263	50.455
18)	B Endrin al...	6.923	6.108	98665086	163.1E6	50.681	51.619
19)	B Endosulfa...	7.158	6.331	109.4E6	190.2E6	48.306	51.485
20)	A Methoxychlor	7.500	6.607	54630555	97486496	49.171	49.967
21)	B Endrin ke...	7.643	6.836	124.1E6	228.2E6	49.515	53.475
22)	Mirex	8.115	7.016	95673074	177.7E6	46.369	50.959
24)	Chlordane-2	5.256f	4.361f	172.7E6	3381141	1377.341	21.444 #
25)	Chlordane-3	5.938	4.974	146.2E6	222.9E6	333.812	469.190 #
26)	Chlordane-4	6.018	5.037	145.4E6	220.3E6	274.311	468.616 #
27)	Chlordane-5	0.000	5.929	0	198.3E6	N.D.	1211.468 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.



#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.002 min
Response: 131923745
Conc: 51.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.772 min
Delta R.T.: 0.001 min
Response: 170970739
Conc: 53.58 ng/ml




#2 alpha-BHC

R.T.: 3.993 min
Delta R.T.: 0.002 min
Response: 193645117
Conc: 51.19 ng/ml



#2 alpha-BHC


R.T.: 3.274 min
Delta R.T.: 0.002 min
Response: 259985852
Conc: 52.90 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.326 min
Delta R.T.: 0.003 min
Response: 186091523
Conc: 50.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.604 min
Delta R.T.: 0.002 min
Response: 249749158
Conc: 53.03 ng/ml




#4 Heptachlor

R.T.: 4.914 min
Delta R.T.: 0.002 min
Response: 170399973
Conc: 50.26 ng/ml



#4 Heptachlor


R.T.: 3.941 min
Delta R.T.: 0.002 min
Response: 241506229
Conc: 51.16 ng/ml



#5 Aldrin


R.T.: 5.256 min
Delta R.T.: 0.003 min
Response: 172731070
Conc: 50.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.221 min
Delta R.T.: 0.002 min
Response: 241071844
Conc: 52.18 ng/ml




#6 beta-BHC

R.T.: 4.525 min
Delta R.T.: 0.002 min
Response: 81288650
Conc: 50.90 ng/ml



#6 beta-BHC


R.T.: 3.904 min
Delta R.T.: 0.001 min
Response: 104300688
Conc: 52.44 ng/ml



#7 delta-BHC


R.T.: 4.772 min
Delta R.T.: 0.003 min
Response: 180911663
Conc: 51.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.133 min
Delta R.T.: 0.002 min
Response: 250814567
Conc: 52.96 ng/ml




#8 Heptachlor epoxide

R.T.: 5.683 min
Delta R.T.: 0.004 min
Response: 154152929
Conc: 51.16 ng/ml



#8 Heptachlor epoxide


R.T.: 4.724 min
Delta R.T.: 0.002 min
Response: 220183774
Conc: 51.74 ng/ml



#9 Endosulfan I


R.T.: 6.068 min
Delta R.T.: 0.003 min
Response: 136198466
Conc: 49.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.093 min
Delta R.T.: 0.002 min
Response: 196854438
Conc: 49.38 ng/ml




#10 gamma-Chlordane

R.T.: 5.938 min
Delta R.T.: 0.003 min
Response: 146161796
Conc: 49.78 ng/ml



#10 gamma-Chlordane


R.T.: 4.974 min
Delta R.T.: 0.002 min
Response: 222900825
Conc: 51.37 ng/ml



#11 alpha-Chlordane


R.T.: 6.018 min
Delta R.T.: 0.003 min
Response: 145392895
Conc: 50.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.037 min
Delta R.T.: 0.002 min
Response: 220275893
Conc: 51.02 ng/ml




#12 4,4'-DDE

R.T.: 6.191 min
Delta R.T.: 0.003 min
Response: 137444411
Conc: 52.63 ng/ml



#12 4,4'-DDE


R.T.: 5.226 min
Delta R.T.: 0.002 min
Response: 223629333
Conc: 53.25 ng/ml



#13 Dieldrin


R.T.: 6.343 min
Delta R.T.: 0.003 min
Response: 142885449
Conc: 50.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.357 min
Delta R.T.: 0.002 min
Response: 227599507
Conc: 51.94 ng/ml




#14 Endrin

R.T.: 6.573 min
Delta R.T.: 0.004 min
Response: 118487941
Conc: 46.42 ng/ml



#14 Endrin


R.T.: 5.633 min
Delta R.T.: 0.002 min
Response: 192035144
Conc: 56.40 ng/ml



#15 Endosulfan II


R.T.: 6.793 min
Delta R.T.: 0.004 min
Response: 120746981
Conc: 47.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.929 min
Delta R.T.: 0.003 min
Response: 198349302
Conc: 53.04 ng/ml




#16 4,4'-DDD

R.T.: 6.709 min
Delta R.T.: 0.003 min
Response: 107480450
Conc: 58.11 ng/ml



#16 4,4'-DDD


R.T.: 5.781 min
Delta R.T.: 0.002 min
Response: 184752058
Conc: 58.00 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.004 min
Response: 103453849
Conc: 49.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.031 min
Delta R.T.: 0.002 min
Response: 179467662
Conc: 50.45 ng/ml




#18 Endrin aldehyde

R.T.: 6.923 min
Delta R.T.: 0.003 min
Response: 98665086
Conc: 50.68 ng/ml



#18 Endrin aldehyde


R.T.: 6.108 min
Delta R.T.: 0.002 min
Response: 163139260
Conc: 51.62 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: 0.004 min
Response: 109357913
Conc: 48.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.331 min
Delta R.T.: 0.002 min
Response: 190167543
Conc: 51.48 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.004 min
Response: 54630555
Conc: 49.17 ng/ml



#20 Methoxychlor


R.T.: 6.607 min
Delta R.T.: 0.002 min
Response: 97486496
Conc: 49.97 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: 0.003 min
Response: 124128857
Conc: 49.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.836 min
Delta R.T.: 0.003 min
Response: 228205342
Conc: 53.47 ng/ml




#22 Mirex

R.T.: 8.115 min
Delta R.T.: 0.004 min
Response: 95673074
Conc: 46.37 ng/ml



#22 Mirex


R.T.: 7.016 min
Delta R.T.: 0.003 min
Response: 177696551
Conc: 50.96 ng/ml



#24 Chlordane-2


R.T.: 5.256 min
Delta R.T.: 0.029 min
Response: 172731070
Conc: 1377.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.361 min
Delta R.T.: 0.018 min
Response: 3381141
Conc: 21.44 ng/ml




#25 Chlordane-3

R.T.: 5.938 min
Delta R.T.: 0.000 min
Response: 146161796
Conc: 333.81 ng/ml



#25 Chlordane-3


R.T.: 4.974 min
Delta R.T.: 0.000 min
Response: 222900825
Conc: 469.19 ng/ml



#26 Chlordane-4


R.T.: 6.018 min
Delta R.T.: -0.001 min
Response: 145392895
Conc: 274.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.037 min
Delta R.T.: 0.002 min
Response: 220275893
Conc: 468.62 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.868 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.929 min
Delta R.T.: -0.002 min
Response: 198349302
Conc: 1211.47 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: 0.005 min
Response: 100420758
Conc: 47.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.907 min
Delta R.T.: 0.003 min
Response: 187064763
Conc: 48.64 ng/ml