

Final Vol:

Injection Volume:

10000

иL



## **Report of Analysis**

Date Collected: Client: Portal Partners Tri-Venture

Project: Amtrak Sawtooth Bridges 2025 Date Received:

Client Sample ID: PB166872BL SDG No.: Q1422 PB166872BL Lab Sample ID: Matrix: **SOIL** 

SW8082A % Solid: 100 Decanted: Analytical Method:

Sample Wt/Vol: g

PCB Soil Aliquot Vol: uL Test:

1.0 PH: GPC Factor:

Units:

Prep Method: SW3541B

Extraction Type:

30.01

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID PP070068.D 02/26/25 09:25 02/26/25 13:02 PB166872

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	3.40	U	3.40	17.0	ug/kg
11104-28-2	Aroclor-1221	6.40	U	6.40	17.0	ug/kg
11141-16-5	Aroclor-1232	3.40	U	3.40	17.0	ug/kg
53469-21-9	Aroclor-1242	3.40	U	3.40	17.0	ug/kg
12672-29-6	Aroclor-1248	7.90	U	7.90	17.0	ug/kg
11097-69-1	Aroclor-1254	2.70	U	2.70	17.0	ug/kg
37324-23-5	Aroclor-1262	4.60	U	4.60	17.0	ug/kg
11100-14-4	Aroclor-1268	3.40	U	3.40	17.0	ug/kg
11096-82-5	Aroclor-1260	2.90	U	2.90	17.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	27.1		30 (32) - 150 (144)	135%	SPK: 20
2051-24-3	Decachlorobiphenyl	25.1		30 (32) - 150 (175)	126%	SPK: 20

## Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit