

Client Contact Information		Bottle Order ID : B2502026		Courier : F. Galdun		4 of 6 COCs																				
Client ID : GFEL01		Project ID : 38-11 31st St, Long Island City, NY		Sampler Name(s) : FRANK GALDUN		Analysis Matrix																				
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																						
Address : 58 Nokomis Ave		Phone Number : 646-542-3465																								
City : Lake Hiawatha		Fax Number : 973-334-1692																								
State : NJ		Analysis Turnaround Time : 10 DAY		Data Package Type : PDF																						
Zip Code : 07034		Standard : 10 business days OR Days		EDD Type : PDF																						
Country : USA		Rush (Specify): 10																								
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum Field ("Hg) (Start)	Can Vacuum Field ("Hg) (Stop)**	Interior Temp: (F) (Start)	Interior Temp: (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas												
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>														Ambient	Maximum	Minimum	Start			Stop			GC/MS Analyst Signature (TO-15)			
Ambient	Maximum	Minimum																								
Start																										
Stop																										
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>														Ambient	Maximum	Minimum	Start			Stop			** Submittal of this COC indicates approval of the analysis based on existing conditions.			
Ambient	Maximum	Minimum																								
Start																										
Stop																										
Special Instructions/QC Requirements & Comments :																										
Suspected Contamination: High Medium Low																										
Sampling site (State):																										
Quick Connector required : NO																										
Canisters Shipped by: SAGE																										
Samples Relinquished by: SAGE																										
Relinquished by:																										
Date/Time: 2-25-25 13:00																										
Date/Time:																										
Date/Time:																										
B2502026 - 1																										

Client Contact Information		Bottle Order ID : B2502026		Courier : F. Galdun		COCs of 6																												
Client ID : GFEL01		Project ID : 38-11 31st St, Long Island City, NY		Sampler Name(s) : FRANK Galdun		Analysis Matrix																												
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																														
Address : 58 Nokomis Ave		Phone Number : 646-542-3465																																
City : Lake Hiawatha		Fax Number : 973-334-1692																																
State : NJ		Analysis Turnaround Time 10 DAY		Site Details: 38-11 31st St. Long Island City, NY																														
Zip Code : 07034		Standard : 10 business days		OR																														
Country : USA		Rush (Specify): 10 Days		Data Package Type : PDF																														
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas																		
IAA 12/25/02	12/25/02	12:00	12:00	1.5	1.5	50	51	-30	-1.8	10485	10597	12.5	VL041853.D	1																				
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	Start			Stop			Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																																
Start																																		
Stop																																		
Ambient	Maximum	Minimum																																
Start																																		
Stop																																		
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																																		
** Submittal of this COC indicates approval of the analysis based on existing conditions.																																		
Please follow the instructions on the back of this COC.																																		
Special Instructions/QC Requirements & Comments :																																		
Suspected Contamination: High Medium Low Low																																		
PID Readings: 0.0																																		
Quick Connector required : No																																		
Canisters Shipped by: <i>[Signature]</i>																																		
Samples Relinquished by: <i>[Signature]</i>																																		
Relinquished by: <i>[Signature]</i>																																		
Date/Time: 02/25/05																																		
Date/Time: 2/25/05																																		
Date/Time: 2-25-25 13:00																																		
B2502026 - 8																																		

Client Contact Information		Bottle Order ID : B2502026		Courier : Frank Galdun		3 of 6 COCs																											
Client ID : GFEL01		Project ID : 38-11 31st St, Long Island City, NY		Sampler Name(s) : Frank Galdun		Analysis																											
Customer Name : GFE LLC		Project Manager : Frank galdun		Matrix																													
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		AIR ANALYSIS																													
City : Lake Hiawatha		Fax Number : 973-334-1692		CHAIN-OF-CUSTODY																													
State : NJ		Site Details: 3811 31st St. Long Island City, NY		Batch Certified																													
Zip Code : 07034		Analysis Turnaround Time 10 DAY																															
Country : USA		Standard : 10 business days		Data Package Type : PDF																													
		Rush (Specify): 10 Days		EDD Type : PDF																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID																				
SV3	12/21/09	8:00	10:00	30	5.5	40	51	-30	+4.7	10648	10320	50	VL041853.D	1	Indoor/Ambient Air																		
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop			Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
GC/MS Analyst Signature (TO-15) Frank Galdun																																	
** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.																																	
Special Instructions/QC Requirements & Comments :																																	
Suspected Contamination: High Medium Low PID Readings: 0.0																																	
Sampling site (State):																																	
Quick Connector required : NO Canisters Shipped by: Frank Galdun Samples Relinquished by: Frank Galdun Relinquished by: Frank Galdun																																	
Date/Time: 12/21/09 Date/Time: 12/21/09 Date/Time: 12/21/09																																	
Date/Time: 12/21/09 Date/Time: 12/21/09 Date/Time: 12/21/09																																	
B2502026 - 5																																	

Client Contact Information		Bottle Order ID : B2502026		Courier : Frank Galdun		2 of 6 COCs																													
Client ID : GFEL01		Project ID : 38-11 31st St, Long Island City, NY		Sampler Name : Frank Galdun		Analysis																													
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS		Matrix																													
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																															
City : Lake Hiawatha		Fax Number : 973-334-1692		Batch Certified																															
State : NJ		Analysis Turnaround Time 10 DAY																																	
Zip Code : 07034		Standard : 10 business days		Data Package Type :																															
Country :		Rush (Specify): 10		EDD Type : PDF																															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID																						
SU2	2/25/25	5:00	5:50	5.5	5.5	56	51	-30	-5.9	10525	10334	50	VL041796.D	1	1	1	1																		
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																		Ambient	Maximum	Minimum	Start			Stop			Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																																	
Start																																			
Stop																																			
Ambient	Maximum	Minimum																																	
Start																																			
Stop																																			
GC/MS Analyst Signature (TO-15) [Signature]																																			
** Submittal of this COC indicates approval of the analysis based on existing conditions.																																			
Please follow the instructions on the back of this COC.																																			
Special Instructions/QC Requirements & Comments :																																			
Suspected Contamination: High Medium Low																																			
Sampling site (State):																																			
Quick Connector required : No																																			
Canisters Shipped by: [Signature]																																			
Samples Relinquished by: [Signature]																																			
Relinquished by:																																			
Date/Time: 2-25-25																																			
Date/Time: 2-25-25																																			
Date/Time: 2-25-25																																			
B2502026 - 6																																			

Client Contact Information		Bottle Order ID : B2502026		Courier : PGALDUN		1 of 6 COCs																											
Client ID : GFELO1		Project ID : 38-11 31st St, Long Island City, NY		Sampler Name(s) : FRANK GILDUN		Analysis Matrix																											
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS																													
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																													
City : Lake Hiawatha		Fax Number : 973-334-1692		Individual Certified																													
State : NJ		Analysis Turnaround Time 10 DAY																															
Zip Code : 07034		Standard : 10 business days		Data Package Type :																													
Country :		Rush (Specify): 10 Days		EDD Type : PDE																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas																		
SU1	2/25/15	8:22	10:50	30	4.5	50	51	-30	4.7	10511	10158	50	VL041796.D																				
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop			Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
GC/MS Analyst Signature (TO-15) <i>[Signature]</i> ** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.																																	
Special Instructions/QC Requirements & Comments : Suspected Contamination: High Medium Low PID Readings: 0.0																																	
Quick Connector required : NO Canisters Shipped by: PGALDUN Date/Time: 02/25/15 Samples Relinquished by: PGALDUN Date/Time: 02/25/15 Relinquished by: Date/Time:																																	
Canisters Received by: Date/Time: 02/25/15 Samples Received by: Date/Time: 02/25/15 Received by: Date/Time:																																	
B2502026 - 2																																	

Client Contact Information		Bottle Order ID : B2502026		Courier : F Galdun		6 of 6 COCs																												
Client ID : GFEL01		Project ID : 38-11 31st St, Long Island City, NY		Sampler Name(s) : Frank Galdun		Analysis Matrix																												
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS																														
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																														
City : Lake Hiawatha		Fax Number : 973-334-1692		Batch Certified																														
State : NJ		Site Details : 38-11 31st St.																																
Zip Code : 07034		Long Island City, NY																																
Country : NJ		Analysis Turnaround Time : 10 DAY																																
		Standard : 10 business days OR																																
		Rush (Specify): 10 Days																																
Sample Identification		Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas																		
DAI	4/24/15	4:00	4:30	7	7	71	71	-30	-5.1	10514	10280	12.5	VL041796.D	1	1	1																		
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>44</td> <td></td> </tr> <tr> <td>Stop</td> <td>53</td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	Start	44		Stop	53		Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																																
Start	44																																	
Stop	53																																	
Ambient	Maximum	Minimum																																
Start																																		
Stop																																		
GC/MS Analyst Signature (TO-15) <i>[Signature]</i>																																		
** Submittal of this COC indicates approval of the analysis based on existing conditions.																																		
Please follow the instructions on the back of this COC.																																		
Special Instructions/QC Requirements & Comments :																																		
Suspected Contamination: High Medium Low																																		
PID Readings: 0.0																																		
Sampling site (State):																																		
Quick Connector required : No																																		
Canisters Shipped by: <i>[Signature]</i> Date/Time: 02/21/15																																		
Samples Relinquished by: <i>[Signature]</i> Date/Time: 02/25/15 13:00																																		
Relinquished by: <i>[Signature]</i> Date/Time: 02/25/15 13:00																																		
B2502026 - 4																																		

Laboratory Person Breaking Field Seal on Sample Shuttle & Accepting Responsibility for Sample

Location: 284 Sheffield Street, Mountinside, NJ 7092

Title: Sample Custodian

Date Broken: 2/25/2025

13:09:00

Analytical Parameter/Fraction: 15

[illegible]

AIR SAMPLE PRESSURE & DILUTION LOGBOOK

METHOD: TO-15

Analyst Signature: Supervisor Signature: 

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
02/18/15	Q1386-01	10294	11.8	-5.9				
02/24/15	Q1419-01	10267	12.4	-4.7				
11	Q1419-02	10492	12.8	-3.9				
02/25/15	Q1430-01	10158	12.4	-4.7				
	Q1430-02	10334	11.8	-5.9				
	Q1430-03	10320	12.4	-4.7				
	Q1430-04	10060	12.4	-4.7				
	Q1430-05	10597	13.8	-1.8				
	Q1430-06	10280	12.2	-5.1				

Process Report

Order ID : Q1430

Date	Bottle ID	Lab Sample Number	Incoming Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
02/25/2025	B2502026	Q1430-02	-5.9	10334	6 L	10525		C2412002	VL041796.D Seq: v1121824 TUNE: VL041787.D ICAL: VL041757.D CCAL: VL041788.D MB: VL041790.D
02/25/2025	B2502026	Q1430-05	-1.8	10597	6 L	10485		C2501001	VL041853.D Seq: v1010725 TUNE: VL041836.D ICAL: VL041843.D CCAL: VL041838.D MB: VL041846.D
02/25/2025	B2502026	Q1430-03	-4.7	10320	6 L	10648		C2501001	VL041853.D Seq: v1010725 TUNE: VL041836.D ICAL: VL041843.D CCAL: VL041838.D MB: VL041846.D
02/25/2025	B2502026	Q1430-06	-5.1	10280	6 L	10514		C2412002	VL041796.D Seq: v1121824 TUNE: VL041787.D ICAL: VL041757.D CCAL: VL041788.D MB: VL041790.D
02/25/2025	B2502026	Q1430-01	-4.7	10158	6 L	10511		C2412002	VL041796.D Seq: v1121824 TUNE: VL041787.D ICAL: VL041757.D CCAL: VL041788.D MB: VL041790.D
02/25/2025	B2502026	Q1430-04	-4.7	10060	6 L	10503		C2501001	VL041853.D Seq: v1010725 TUNE: VL041836.D ICAL: VL041843.D CCAL: VL041838.D MB: VL041846.D

105101 - 4.7

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: SV1

Client Name: GFE

Project Name: 31ST ST

Date: 2/25 Time: TD-15

Analysis: TD-15

Comments: B2502026

CHEMTECH'S SA

Date Received:

Storage Location: L41

Sample: Q1430-01

Cust #: SV1

10334 - 5.9

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: SV2

Client Name: GFE

Project Name: 31ST ST

Date: 2/25 Time: TD-15

Analysis: TD-15

Comments: B2502026

CHEMTECH'S SA

Date Received:

Storage Location: L41

Sample: Q1430-02

Cust #: SV2

102201 - 4.5

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: SV3

Client Name: GFE

Project Name: 31ST ST

Date: 2/25 Time: TD-15

Analysis: TD-15

Comments: B2502026

CHEMTECH'S SA

Date Received:

Storage Location: L41

Sample: Q1430-03

Cust #: SV3

Disposal:

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07093 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SV4
Client Name: GFE
Project Name: 2/25 31ST ST
Date: 2/25 Time: 3:15
Analysis: TA-15
Comments: _____

CHEMTECH

Date Received

Storage Location: L41

Sample: Q1430-04

Cust #: SV4

Disposal: _____

B2502026

7-14

0800

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: OA1
Client Name: GREEN ST
Project Name: 2125
Date: 10.16
Analysis: 10.16
Comments: 10.16
CHEMTECH'S SA 10.16
Date Received: 10.16
Date of Disposal: 10.16

Storage Location: L41
Sample: Q1430-06
Cust #: OA1

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: OA1
Client Name: GREEN ST
Project Name: 2125
Date: 10.16
Analysis: 10.16
Comments: 10.16
CHEMTECH'S SA 10.16
Date Received: 10.16
Date of Disposal: 10.16

Storage Location: L41
Sample: Q1430-05
Cust #: IA1