



Client Contact Information				Bottle Order ID : B2502026				Courier : FGALDUN				1 of 6 COCs																	
Client ID : GFEL01				Project ID : 38-11 31st St, Long Island City, NY				Sampler Name(s) : FRANK GILDUN				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Individual Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 38-11 31st St LONG ISLAND CITY, NY																									
Analysis Turnaround Time 10 DAY				Standard : 10 business days OR				Data Package Type :																					
Rush (Specify): 10 Days				EDD Type : PDE																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
SU1	2/25/25	8:52	10:50	30	4.5	50	51	-30	-4.7	10511	10158	6 L	50	VL041796.D	1		1												
Temperature (Fahrenheit) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				GC/MS Analyst Signature (TO-15) Sud							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Pressure (Inches of Hg) <table border="1"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 0.0																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: Sam				Date/Time: 02/21/25				Canisters Received by:				Date/Time:																	
Samples Relinquished by: Sam				Date/Time: 02/25/25				Received by: CR				Date/Time: 2-25-25 13:00																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	

Client Contact Information				Bottle Order ID : B2502026				Courier : Frank Galdun				2 of 6 COCs					
Client ID : GFEL01				Project ID : 38-11 31st St, Long Island City, NY				Sampler Name: Frank Galdun				Analysis		Matrix			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 38-11 31st St. LONG ISLAND CITY, NY													
				Analysis Turnaround Time 10 DAY				Data Package Type :									
				Standard : 10 business days OR				EDD Type : PDP									
				Rush (Specify): 10 Days													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SU2	2/25/25	8:56	10:56	30	5.5	50	51	-30	-5.9	10525	10334	6 L	50	VL041796.D	/		/
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings 0.0																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: Frank				Date/Time: 2/24/25				Canisters Received by: Frank				Date/Time: 2-25-25 10:09					
Samples Relinquished by: Frank				Date/Time: 2/25/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					
B2502026 - 6																	



Q1430

Client Contact Information				Bottle Order ID : B2502026				Courier : FGALDUN				3 of 6 COCs					
Client ID : GFEL01				Project ID : 38-11 31st St, Long Island City, NY				Sampler Name(s) : FRANK Galdun				Analysis		Matrix			
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 3811 31st St. LONG ISLAND CITY, NY													
				Analysis Turnaround Time 10 DAY				Data Package Type :									
				Standard : 10 business days OR				EDD Type : PDF									
Rush (Specify): 10 Days																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV3	2/25/25	8:59	10:59	OVER 30	5.5	90	91	-30	+4.7	10648	10320	6 L	50	VL041853.D	1		
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) 							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																	
Sampling site (State):																	
Quick Connector required : <u>NO</u>																	
Canisters Shipped by: 				Date/Time: <u>02/25/25</u>				Canisters Received by: 				Date/Time: <u>2-25-25 1309</u>				B2502026 - 5	
Samples Relinquished by: 				Date/Time: <u>2/25/25</u>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2502026				Courier : <u>F. Galdun</u>				<u>4</u> of <u>6</u> COCs					
Client ID : GFEL01 Project ID : 38-11 31st St, Long Island City, NY				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis				Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: <u>38-11 31st St</u> <u>LONG ISLAND CITY, NY</u>													
				Analysis Turnaround Time <u>10 DAY</u>													
				Standard : 10 business days OR				Data Package Type :									
				Rush (Specify): <u>10</u> Days				EDD Type : <u>PDF</u>									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	<u>TO-15</u>	Indoor/Ambient Air	Soil Gas
<u>SVH</u>	<u>2/25/25</u>	<u>11:03</u>	<u>11:03</u>	<u>30</u>	<u>3</u>	<u>50</u>	<u>51</u>	<u>-30</u>	<u>-4.7</u>	<u>10503</u>	<u>10060</u>	<u>6 L</u>	<u>50</u>	<u>VL041853.D</u>	<u>1</u>		<u>1</u>
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) <u>Sust</u>							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																	
Sampling site (State):																	
Quick Connector required : <u>No</u>																	
Canisters Shipped by: <u>Samp</u>				Date/Time: <u>2/25/25</u>				Canisters Received by: <u>OK</u>				Date/Time: <u>2-25-25 13:09</u>					
Samples Relinquished by: <u>FRANK</u>				Date/Time: <u>2/25/25</u>				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					
B2502026 - 1																	

Client Contact Information				Bottle Order ID : B2502026				Courier : FRANK GILDUN 1 of 6 COCs			
Client ID : GFEL01				Project ID : 38-11 31st St, Long Island City, NY				Sampler Name(s) : FRANK GILDUN			
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified			
				Phone Number : 646-542-3465							
				Fax Number : 973-334-1692							
				Site Details: 38-11 31st St. Long Island City, NY							
				Analysis Turnaround Time 10 DAY				Data Package Type :			
				Standard : 10 business days OR				EDD Type : PDF			
Rush (Specify): 10 Days											

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor Ambient Air	Soil Gas
IA1	2/25/25	8:42	4:42	0.30	1.5	50	51	-30	-1.8	10485	10597	6 L	12.5	VL041853.D	1	1	

Temperature (Fahrenheit)				
	Ambient	Maximum	Minimum	
Start				
Stop				

Pressure (Inches of Hg)				
	Ambient	Maximum	Minimum	
Start				
Stop				

GC/MS Analyst Signature (TO-15) [Signature]

** Submittal of this COC indicates approval of the analysis based on existing conditions.

Please follow the instructions on the back of this COC.

Special Instructions/QC Requirements & Comments :

Suspected Contamination: High Medium Low PID Readings: **0.0**

Sampling site (State):

Quick Connector required : **No**

Canisters Shipped by: [Signature]	Date/Time: 2/25/25	Canisters Received by: [Signature]	Date/Time: 2-25-25 13:09
Samples Relinquished by: [Signature]	Date/Time: 2/25/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2502026 - 8

Client Contact Information				Bottle Order ID : B2502026				Courier : F Galdun				6 of 6 COCs																	
Client ID : GFEL01				Project ID : 38-11 31st St, Long Island City, NY				Sampler Name(s) : FRANK Galdun				Analysis		Matrix															
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																					
				Phone Number : 646-542-3465																									
				Fax Number : 973-334-1692																									
				Site Details: 38-11 31st St. Long Island City, NY																									
				Analysis Turnaround Time 10 DAY				Data Package Type :																					
				Standard : 10 business days OR				EDD Type : PDF																					
				Rush (Specify): 10 Days																									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas												
DAI	2/25/25	8:40	4:40	OVER 30	7	/	/	-30	-5.1	10514	10280	6 L	12.5	VL041796.D	1	1													
Temperature (Fahrenheit) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td>44</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td>53</td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start	44			Stop	53			GC/MS Analyst Signature (TO-15) Sut							
	Ambient	Maximum	Minimum																										
Start	44																												
Stop	53																												
Pressure (Inches of Hg) <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td></td> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> <td></td> </tr> </table>											Ambient	Maximum	Minimum	Start				Stop				** Submittal of this COC indicates approval of the analysis based on existing conditions. Please follow the instructions on the back of this COC.							
	Ambient	Maximum	Minimum																										
Start																													
Stop																													
Special Instructions/QC Requirements & Comments :																													
Suspected Contamination: High Medium Low PID Readings: 0.0																													
Sampling site (State):																													
Quick Connector required : NO																													
Canisters Shipped by: SAM				Date/Time: 02/21/25				Canisters Received by: CL				Date/Time: 2-25-25 13:09																	
Samples Relinquished by: FRANK				Date/Time:				Received by:				Date/Time:																	
Relinquished by:				Date/Time:				Received by:				Date/Time:																	