

LAB CHRONICLE

OrderID:	Q1430	OrderDate:	2/25/2025 2:20:00 PM
Client:	GFE LLC	Project:	38-11 31st St, Long Island City, NY
Contact:	Frank Galdun	Location:	L41

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1430-01	SV1	Air	TO-15	TO-15	02/25/25		03/03/25	02/25/25
Q1430-02	SV2	Air	TO-15	TO-15	02/25/25		03/03/25	02/25/25
Q1430-03	SV3	Air	TO-15	TO-15	02/25/25		03/03/25	02/25/25
Q1430-04	SV4	Air	TO-15	TO-15	02/25/25		03/03/25	02/25/25
Q1430-05	IA1	Air	TO-15	TO-15	02/25/25		02/26/25	02/25/25
Q1430-06	OA1	Air	TO-15	TO-15	02/25/25		02/26/25	02/25/25

Hit Summary Sheet
SW-846

SDG No.: Q1430
Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	SV1							
Q1430-01	SV1	Air	Trichlorofluoromethane	3.93	J	3.60	11.2	ug/m3
Q1430-01	SV1	Air	Acetone	28.5		2.28	4.75	ug/m3
Q1430-01	SV1	Air	Methylene Chloride	12.2		2.64	6.95	ug/m3
Q1430-01	SV1	Air	2-Butanone	33.6		1.42	5.90	ug/m3
Q1430-01	SV1	Air	Benzene	2.36	J	1.12	6.39	ug/m3
Q1430-01	SV1	Air	4-Methyl-2-Pentanone	3.57	J	1.52	8.20	ug/m3
Q1430-01	SV1	Air	Toluene	9.80		1.66	7.54	ug/m3
Q1430-01	SV1	Air	Tetrachloroethene	35.9		0.41	0.81	ug/m3
Q1430-01	SV1	Air	m/p-Xylene	5.21	J	3.65	17.4	ug/m3
Q1430-01	SV1	Air	o-Xylene	2.13	J	2.08	8.69	ug/m3
Q1430-01	SV1	Air	1,2,4-Trimethylbenzene	2.02	J	1.52	9.83	ug/m3
Q1430-01	SV1	Air	Hexane	3.28	J	1.55	7.05	ug/m3
			Total Voc :		143			
			Total Concentration:		143			
Client ID:	SV2							
Q1430-02	SV2	Air	tert-Butyl alcohol	3.33	J	2.30	6.06	ug/m3
Q1430-02	SV2	Air	Acetone	28.7		2.28	4.75	ug/m3
Q1430-02	SV2	Air	Methylene Chloride	7.64		2.64	6.95	ug/m3
Q1430-02	SV2	Air	2-Butanone	46.9		1.42	5.90	ug/m3
Q1430-02	SV2	Air	Benzene	1.82	J	1.12	6.39	ug/m3
Q1430-02	SV2	Air	4-Methyl-2-Pentanone	4.51	J	1.52	8.20	ug/m3
Q1430-02	SV2	Air	Toluene	7.91		1.66	7.54	ug/m3
Q1430-02	SV2	Air	Tetrachloroethene	11.5		0.41	0.81	ug/m3
Q1430-02	SV2	Air	Hexane	1.69	J	1.55	7.05	ug/m3
			Total Voc :		114			
			Total Concentration:		114			
Client ID:	SV3							
Q1430-03	SV3	Air	tert-Butyl alcohol	3.64	J	2.30	6.06	ug/m3
Q1430-03	SV3	Air	Acetone	18.8		2.28	4.75	ug/m3
Q1430-03	SV3	Air	Methylene Chloride	3.47	J	2.64	6.95	ug/m3
Q1430-03	SV3	Air	2-Butanone	42.8		1.42	5.90	ug/m3
Q1430-03	SV3	Air	Toluene	4.52	J	1.66	7.54	ug/m3
Q1430-03	SV3	Air	Tetrachloroethene	14.2		0.41	0.81	ug/m3
			Total Voc :		87.4			
			Total Concentration:		87.4			
Client ID:	SV4							
Q1430-04	SV4	Air	tert-Butyl alcohol	3.03	J	2.30	6.06	ug/m3

Hit Summary Sheet
SW-846

SDG No.: Q1430

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Q1430-04	SV4	Air	Acetone	27.1		2.28	4.75	ug/m3
Q1430-04	SV4	Air	Carbon Disulfide	2.24	J	1.99	6.23	ug/m3
Q1430-04	SV4	Air	Methylene Chloride	4.52	J	2.64	6.95	ug/m3
Q1430-04	SV4	Air	2-Butanone	40.1		1.42	5.90	ug/m3
Q1430-04	SV4	Air	Benzene	2.65	J	1.12	6.39	ug/m3
Q1430-04	SV4	Air	4-Methyl-2-Pentanone	3.44	J	1.52	8.20	ug/m3
Q1430-04	SV4	Air	Toluene	10.2		1.66	7.54	ug/m3
Q1430-04	SV4	Air	Tetrachloroethene	2.03		0.41	0.81	ug/m3
Total Voc :				95.3				
Total Concentration:				95.3				
Client ID:	IA1							
Q1430-05	IA1	Air	Dichlorodifluoromethane	2.13	J	1.04	2.47	ug/m3
Q1430-05	IA1	Air	Chloromethane	0.95	J	0.21	1.03	ug/m3
Q1430-05	IA1	Air	Trichlorofluoromethane	1.29	J	0.90	2.81	ug/m3
Q1430-05	IA1	Air	Heptane	2.05		0.45	2.05	ug/m3
Q1430-05	IA1	Air	Acetone	14.7		0.57	1.19	ug/m3
Q1430-05	IA1	Air	Methylene Chloride	37.2		0.66	1.74	ug/m3
Q1430-05	IA1	Air	Cyclohexane	0.96	J	0.76	1.72	ug/m3
Q1430-05	IA1	Air	2-Butanone	1.47		0.35	1.47	ug/m3
Q1430-05	IA1	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1430-05	IA1	Air	Chloroform	1.17	J	0.39	2.44	ug/m3
Q1430-05	IA1	Air	2,2,4-Trimethylpentane	7.01		0.47	2.34	ug/m3
Q1430-05	IA1	Air	Benzene	13.7		0.29	1.60	ug/m3
Q1430-05	IA1	Air	4-Methyl-2-Pentanone	1.93	J	0.37	2.05	ug/m3
Q1430-05	IA1	Air	Toluene	24.9		0.41	1.88	ug/m3
Q1430-05	IA1	Air	Tetrachloroethene	0.27		0.14	0.20	ug/m3
Q1430-05	IA1	Air	Ethyl Benzene	2.78		0.52	2.17	ug/m3
Q1430-05	IA1	Air	m/p-Xylene	11.3		0.91	4.34	ug/m3
Q1430-05	IA1	Air	o-Xylene	3.43		0.52	2.17	ug/m3
Q1430-05	IA1	Air	Styrene	0.89	J	0.47	2.13	ug/m3
Q1430-05	IA1	Air	1,3,5-Trimethylbenzene	0.74	J	0.54	2.46	ug/m3
Q1430-05	IA1	Air	1,2,4-Trimethylbenzene	2.11	J	0.39	2.46	ug/m3
Q1430-05	IA1	Air	Naphthalene	0.63		0.42	0.52	ug/m3
Q1430-05	IA1	Air	4-Ethyltoluene	0.84	J	0.59	2.46	ug/m3
Q1430-05	IA1	Air	Hexane	16.6		0.39	1.76	ug/m3
Total Voc :				150				
Total Concentration:				150				

Hit Summary Sheet
SW-846

SDG No.: Q1430

Client: GFE LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID:	OA1							
Q1430-06	OA1	Air	Dichlorodifluoromethane	2.13	J	1.04	2.47	ug/m3
Q1430-06	OA1	Air	Chloromethane	3.10		0.21	1.03	ug/m3
Q1430-06	OA1	Air	Trichlorofluoromethane	1.35	J	0.90	2.81	ug/m3
Q1430-06	OA1	Air	tert-Butyl alcohol	0.76	J	0.58	1.52	ug/m3
Q1430-06	OA1	Air	Heptane	0.98	J	0.45	2.05	ug/m3
Q1430-06	OA1	Air	Acetone	22.6		0.57	1.19	ug/m3
Q1430-06	OA1	Air	Methylene Chloride	6.60		0.66	1.74	ug/m3
Q1430-06	OA1	Air	2-Butanone	2.18		0.35	1.47	ug/m3
Q1430-06	OA1	Air	Carbon Tetrachloride	0.50		0.060	0.19	ug/m3
Q1430-06	OA1	Air	Chloroform	0.54	J	0.39	2.44	ug/m3
Q1430-06	OA1	Air	2,2,4-Trimethylpentane	0.70	J	0.47	2.34	ug/m3
Q1430-06	OA1	Air	Benzene	1.05	J	0.29	1.60	ug/m3
Q1430-06	OA1	Air	Toluene	3.09		0.41	1.88	ug/m3
Q1430-06	OA1	Air	Tetrachloroethene	0.54		0.14	0.20	ug/m3
Q1430-06	OA1	Air	m/p-Xylene	1.48	J	0.91	4.34	ug/m3
Q1430-06	OA1	Air	o-Xylene	0.52	J	0.52	2.17	ug/m3
Q1430-06	OA1	Air	Hexane	2.19		0.39	1.76	ug/m3
Total Voc :				50.3				
Total Concentration:				50.3				

Project : 38-11 31st St, Long Island City, NY

Field Id Number : SV1

Laboratory Id Number : Q1430-01

Sampling Date : 02/25/25

Analysis Date : 03/03/25

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.84	U	4.15		
Chloromethane	74-87-3	50.49	0.39	U	0.81		
Vinyl Chloride	75-01-4	62.5	0.06	U	0.15		
Bromomethane	74-83-9	94.94	0.56	U	2.17		
Chloroethane	75-00-3	64.52	0.68	U	1.79		
Tetrahydrofuran	109-99-9	72.11	0.52	U	1.53		
Trichlorofluoromethane	75-69-4	137.4	0.7	J	3.93		
Dichlorotetrafluoroethane	76-14-2	170.9	0.35	U	2.45		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.64	U	4.91		
tert-Butyl alcohol	75-65-0	74.12	0.76	U	2.3		
Heptane	142-82-5	100.2	0.44	U	1.8		
1,1-Dichloroethene	75-35-4	96.94	0.56	U	2.22		
Acetone	67-64-1	58.08	12		28.5		
Carbon Disulfide	75-15-0	76.14	0.64	U	1.99		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.48	U	1.73		
Methylene Chloride	75-09-2	84.94	3.5		12.2		
trans-1,2-Dichloroethene	156-60-5	96.94	0.76	U	3.01		
1,1-Dichloroethane	75-34-3	98.96	0.52	U	2.1		
Cyclohexane	110-82-7	84.16	0.88	U	3.03		
2-Butanone	78-93-3	72.11	11.4		33.6		
Carbon Tetrachloride	56-23-5	153.8	0.04	U	0.25		
cis-1,2-Dichloroethene	156-59-2	96.94	0.36	U	1.43		
Chloroform	67-66-3	119.4	0.33	U	1.61		
1,1,1-Trichloroethane	71-55-6	133.4	0.04	U	0.22		
2,2,4-Trimethylpentane	540-84-1	114.2	0.4	U	1.87		
Benzene	71-43-2	78.11	0.74	J	2.36		
1,2-Dichloroethane	107-06-2	98.96	0.36	U	1.46		
Trichloroethene	79-01-6	131.4	0.07	U	0.38		
1,2-Dichloropropane	78-87-5	113	0.44	U	2.03		
Bromodichloromethane	75-27-4	163.8	0.31	U	2.08		
4-Methyl-2-Pentanone	108-10-1	100.2	0.87	J	3.57		
Toluene	108-88-3	92.14	2.6		9.8		
t-1,3-Dichloropropene	10061-02-6	111	0.24	U	1.09		
cis-1,3-Dichloropropene	10061-01-5	111	0.26	U	1.18		
1,1,2-Trichloroethane	79-00-5	133.4	0.28	U	1.53		

Project : 38-11 31st St, Long Island City, NY

Sampling Date : 02/25/25

Field Id Number : SV1

Analysis Date : 03/03/25

Laboratory Id Number : Q1430-01

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.26	U	2.22		
1,2-Dibromoethane	106-93-4	187.9	0.29	U	2.23		
Tetrachloroethene	127-18-4	165.8	5.3		35.9		
Chlorobenzene	108-90-7	112.6	0.3	U	1.38		
Ethyl Benzene	100-41-4	106.2	0.48	U	2.08		
m/p-Xylene	179601-23-1	106.2	1.2	J	5.21		
o-Xylene	95-47-6	106.2	0.49	J	2.13		
Styrene	100-42-5	104.1	0.44	U	1.87		
Bromoform	75-25-2	252.8	0.23	U	2.38		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.04	U	0.27		
2-Chlorotoluene	95-49-8	126.6	0.44	U	2.28		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.44	U	2.16		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.41	J	2.02		
1,3-Dichlorobenzene	541-73-1	147	0.32	U	1.92		
1,4-Dichlorobenzene	106-46-7	147	0.21	U	1.26		
1,2-Dichlorobenzene	95-50-1	147	0.3	U	1.8		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.34	U	2.52		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.34	U	3.63		
Naphthalene	91-20-3	128.17	0.3	U	1.57		
1,3-Butadiene	106-99-0	54.09	0.52	U	1.15		
4-Ethyltoluene	622-96-8	120.2	0.48	U	2.36		
Hexane	110-54-3	86.17	0.93	J	3.28		
Allyl Chloride	107-05-1	76.53	0.6	U	1.88		
1,4-Dioxane	123-91-1	88.12	0.84	U	3.03		
Methyl Methacrylate	80-62-6	100.117	0.34	U	1.39		

Project : 38-11 31st St, Long Island City, NY

Field Id Number : SV2

Laboratory Id Number : Q1430-02

Sampling Date : 02/25/25

Analysis Date : 03/03/25

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.84	U	4.15		
Chloromethane	74-87-3	50.49	0.39	U	0.81		
Vinyl Chloride	75-01-4	62.5	0.06	U	0.15		
Bromomethane	74-83-9	94.94	0.56	U	2.17		
Chloroethane	75-00-3	64.52	0.68	U	1.79		
Tetrahydrofuran	109-99-9	72.11	0.52	U	1.53		
Trichlorofluoromethane	75-69-4	137.4	0.64	U	3.6		
Dichlorotetrafluoroethane	76-14-2	170.9	0.35	U	2.45		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.64	U	4.91		
tert-Butyl alcohol	75-65-0	74.12	1.1	J	3.33		
Heptane	142-82-5	100.2	0.44	U	1.8		
1,1-Dichloroethene	75-35-4	96.94	0.56	U	2.22		
Acetone	67-64-1	58.08	12.1		28.7		
Carbon Disulfide	75-15-0	76.14	0.64	U	1.99		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.48	U	1.73		
Methylene Chloride	75-09-2	84.94	2.2		7.64		
trans-1,2-Dichloroethene	156-60-5	96.94	0.76	U	3.01		
1,1-Dichloroethane	75-34-3	98.96	0.52	U	2.1		
Cyclohexane	110-82-7	84.16	0.88	U	3.03		
2-Butanone	78-93-3	72.11	15.9		46.9		
Carbon Tetrachloride	56-23-5	153.8	0.04	U	0.25		
cis-1,2-Dichloroethene	156-59-2	96.94	0.36	U	1.43		
Chloroform	67-66-3	119.4	0.33	U	1.61		
1,1,1-Trichloroethane	71-55-6	133.4	0.04	U	0.22		
2,2,4-Trimethylpentane	540-84-1	114.2	0.4	U	1.87		
Benzene	71-43-2	78.11	0.57	J	1.82		
1,2-Dichloroethane	107-06-2	98.96	0.36	U	1.46		
Trichloroethene	79-01-6	131.4	0.07	U	0.38		
1,2-Dichloropropane	78-87-5	113	0.44	U	2.03		
Bromodichloromethane	75-27-4	163.8	0.31	U	2.08		
4-Methyl-2-Pentanone	108-10-1	100.2	1.1	J	4.51		
Toluene	108-88-3	92.14	2.1		7.91		
t-1,3-Dichloropropene	10061-02-6	111	0.24	U	1.09		
cis-1,3-Dichloropropene	10061-01-5	111	0.26	U	1.18		
1,1,2-Trichloroethane	79-00-5	133.4	0.28	U	1.53		

Project : 38-11 31st St, Long Island City, NY

Sampling Date : 02/25/25

Field Id Number : SV2

Analysis Date : 03/03/25

Laboratory Id Number : Q1430-02

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.26	U	2.22		
1,2-Dibromoethane	106-93-4	187.9	0.29	U	2.23		
Tetrachloroethene	127-18-4	165.8	1.7		11.5		
Chlorobenzene	108-90-7	112.6	0.3	U	1.38		
Ethyl Benzene	100-41-4	106.2	0.48	U	2.08		
m/p-Xylene	179601-23-1	106.2	0.84	U	3.65		
o-Xylene	95-47-6	106.2	0.48	U	2.08		
Styrene	100-42-5	104.1	0.44	U	1.87		
Bromoform	75-25-2	252.8	0.23	U	2.38		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.04	U	0.27		
2-Chlorotoluene	95-49-8	126.6	0.44	U	2.28		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.44	U	2.16		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.31	U	1.52		
1,3-Dichlorobenzene	541-73-1	147	0.32	U	1.92		
1,4-Dichlorobenzene	106-46-7	147	0.21	U	1.26		
1,2-Dichlorobenzene	95-50-1	147	0.3	U	1.8		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.34	U	2.52		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.34	U	3.63		
Naphthalene	91-20-3	128.17	0.3	U	1.57		
1,3-Butadiene	106-99-0	54.09	0.52	U	1.15		
4-Ethyltoluene	622-96-8	120.2	0.48	U	2.36		
Hexane	110-54-3	86.17	0.48	J	1.69		
Allyl Chloride	107-05-1	76.53	0.6	U	1.88		
1,4-Dioxane	123-91-1	88.12	0.84	U	3.03		
Methyl Methacrylate	80-62-6	100.117	0.34	U	1.39		

Project : 38-11 31st St, Long Island City, NY

Field Id Number : SV3

Laboratory Id Number : Q1430-03

Sampling Date : 02/25/25

Analysis Date : 03/03/25

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.84	U	4.15		
Chloromethane	74-87-3	50.49	0.39	U	0.81		
Vinyl Chloride	75-01-4	62.5	0.06	U	0.15		
Bromomethane	74-83-9	94.94	0.56	U	2.17		
Chloroethane	75-00-3	64.52	0.68	U	1.79		
Tetrahydrofuran	109-99-9	72.11	0.52	U	1.53		
Trichlorofluoromethane	75-69-4	137.4	0.64	U	3.6		
Dichlorotetrafluoroethane	76-14-2	170.9	0.35	U	2.45		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.64	U	4.91		
tert-Butyl alcohol	75-65-0	74.12	1.2	J	3.64		
Heptane	142-82-5	100.2	0.44	U	1.8		
1,1-Dichloroethene	75-35-4	96.94	0.56	U	2.22		
Acetone	67-64-1	58.08	7.9		18.8		
Carbon Disulfide	75-15-0	76.14	0.64	U	1.99		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.48	U	1.73		
Methylene Chloride	75-09-2	84.94	1	J	3.47		
trans-1,2-Dichloroethene	156-60-5	96.94	0.76	U	3.01		
1,1-Dichloroethane	75-34-3	98.96	0.52	U	2.1		
Cyclohexane	110-82-7	84.16	0.88	U	3.03		
2-Butanone	78-93-3	72.11	14.5		42.8		
Carbon Tetrachloride	56-23-5	153.8	0.04	U	0.25		
cis-1,2-Dichloroethene	156-59-2	96.94	0.36	U	1.43		
Chloroform	67-66-3	119.4	0.33	U	1.61		
1,1,1-Trichloroethane	71-55-6	133.4	0.04	U	0.22		
2,2,4-Trimethylpentane	540-84-1	114.2	0.4	U	1.87		
Benzene	71-43-2	78.11	0.35	U	1.12		
1,2-Dichloroethane	107-06-2	98.96	0.36	U	1.46		
Trichloroethene	79-01-6	131.4	0.07	U	0.38		
1,2-Dichloropropane	78-87-5	113	0.44	U	2.03		
Bromodichloromethane	75-27-4	163.8	0.31	U	2.08		
4-Methyl-2-Pentanone	108-10-1	100.2	0.37	U	1.52		
Toluene	108-88-3	92.14	1.2	J	4.52		
t-1,3-Dichloropropene	10061-02-6	111	0.24	U	1.09		
cis-1,3-Dichloropropene	10061-01-5	111	0.26	U	1.18		
1,1,2-Trichloroethane	79-00-5	133.4	0.28	U	1.53		

Project : 38-11 31st St, Long Island City, NY

Sampling Date : 02/25/25

Field Id Number : SV3

Analysis Date : 03/03/25

Laboratory Id Number : Q1430-03

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.26	U	2.22		
1,2-Dibromoethane	106-93-4	187.9	0.29	U	2.23		
Tetrachloroethene	127-18-4	165.8	2.1		14.2		
Chlorobenzene	108-90-7	112.6	0.3	U	1.38		
Ethyl Benzene	100-41-4	106.2	0.48	U	2.08		
m/p-Xylene	179601-23-1	106.2	0.84	U	3.65		
o-Xylene	95-47-6	106.2	0.48	U	2.08		
Styrene	100-42-5	104.1	0.44	U	1.87		
Bromoform	75-25-2	252.8	0.23	U	2.38		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.04	U	0.27		
2-Chlorotoluene	95-49-8	126.6	0.44	U	2.28		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.44	U	2.16		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.31	U	1.52		
1,3-Dichlorobenzene	541-73-1	147	0.32	U	1.92		
1,4-Dichlorobenzene	106-46-7	147	0.21	U	1.26		
1,2-Dichlorobenzene	95-50-1	147	0.3	U	1.8		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.34	U	2.52		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.34	U	3.63		
Naphthalene	91-20-3	128.17	0.3	U	1.57		
1,3-Butadiene	106-99-0	54.09	0.52	U	1.15		
4-Ethyltoluene	622-96-8	120.2	0.48	U	2.36		
Hexane	110-54-3	86.17	0.44	U	1.55		
Allyl Chloride	107-05-1	76.53	0.6	U	1.88		
1,4-Dioxane	123-91-1	88.12	0.84	U	3.03		
Methyl Methacrylate	80-62-6	100.117	0.34	U	1.39		

Project : 38-11 31st St, Long Island City, NY

Field Id Number : SV4

Laboratory Id Number : Q1430-04

Sampling Date : 02/25/25

Analysis Date : 03/03/25

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.84	U	4.15		
Chloromethane	74-87-3	50.49	0.39	U	0.81		
Vinyl Chloride	75-01-4	62.5	0.06	U	0.15		
Bromomethane	74-83-9	94.94	0.56	U	2.17		
Chloroethane	75-00-3	64.52	0.68	U	1.79		
Tetrahydrofuran	109-99-9	72.11	0.52	U	1.53		
Trichlorofluoromethane	75-69-4	137.4	0.64	U	3.6		
Dichlorotetrafluoroethane	76-14-2	170.9	0.35	U	2.45		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.64	U	4.91		
tert-Butyl alcohol	75-65-0	74.12	1	J	3.03		
Heptane	142-82-5	100.2	0.44	U	1.8		
1,1-Dichloroethene	75-35-4	96.94	0.56	U	2.22		
Acetone	67-64-1	58.08	11.4		27.1		
Carbon Disulfide	75-15-0	76.14	0.72	J	2.24		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.48	U	1.73		
Methylene Chloride	75-09-2	84.94	1.3	J	4.52		
trans-1,2-Dichloroethene	156-60-5	96.94	0.76	U	3.01		
1,1-Dichloroethane	75-34-3	98.96	0.52	U	2.1		
Cyclohexane	110-82-7	84.16	0.88	U	3.03		
2-Butanone	78-93-3	72.11	13.6		40.1		
Carbon Tetrachloride	56-23-5	153.8	0.04	U	0.25		
cis-1,2-Dichloroethene	156-59-2	96.94	0.36	U	1.43		
Chloroform	67-66-3	119.4	0.33	U	1.61		
1,1,1-Trichloroethane	71-55-6	133.4	0.04	U	0.22		
2,2,4-Trimethylpentane	540-84-1	114.2	0.4	U	1.87		
Benzene	71-43-2	78.11	0.83	J	2.65		
1,2-Dichloroethane	107-06-2	98.96	0.36	U	1.46		
Trichloroethene	79-01-6	131.4	0.07	U	0.38		
1,2-Dichloropropane	78-87-5	113	0.44	U	2.03		
Bromodichloromethane	75-27-4	163.8	0.31	U	2.08		
4-Methyl-2-Pentanone	108-10-1	100.2	0.84	J	3.44		
Toluene	108-88-3	92.14	2.7		10.2		
t-1,3-Dichloropropene	10061-02-6	111	0.24	U	1.09		
cis-1,3-Dichloropropene	10061-01-5	111	0.26	U	1.18		
1,1,2-Trichloroethane	79-00-5	133.4	0.28	U	1.53		

Project : 38-11 31st St, Long Island City, NY

Sampling Date : 02/25/25

Field Id Number : SV4

Analysis Date : 03/03/25

Laboratory Id Number : Q1430-04

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.26	U	2.22		
1,2-Dibromoethane	106-93-4	187.9	0.29	U	2.23		
Tetrachloroethene	127-18-4	165.8	0.3		2.03		
Chlorobenzene	108-90-7	112.6	0.3	U	1.38		
Ethyl Benzene	100-41-4	106.2	0.48	U	2.08		
m/p-Xylene	179601-23-1	106.2	0.84	U	3.65		
o-Xylene	95-47-6	106.2	0.48	U	2.08		
Styrene	100-42-5	104.1	0.44	U	1.87		
Bromoform	75-25-2	252.8	0.23	U	2.38		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.04	U	0.27		
2-Chlorotoluene	95-49-8	126.6	0.44	U	2.28		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.44	U	2.16		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.31	U	1.52		
1,3-Dichlorobenzene	541-73-1	147	0.32	U	1.92		
1,4-Dichlorobenzene	106-46-7	147	0.21	U	1.26		
1,2-Dichlorobenzene	95-50-1	147	0.3	U	1.8		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.34	U	2.52		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.34	U	3.63		
Naphthalene	91-20-3	128.17	0.3	U	1.57		
1,3-Butadiene	106-99-0	54.09	0.52	U	1.15		
4-Ethyltoluene	622-96-8	120.2	0.48	U	2.36		
Hexane	110-54-3	86.17	0.44	U	1.55		
Allyl Chloride	107-05-1	76.53	0.6	U	1.88		
1,4-Dioxane	123-91-1	88.12	0.84	U	3.03		
Methyl Methacrylate	80-62-6	100.117	0.34	U	1.39		

Project : 38-11 31st St, Long Island City, NY

Field Id Number : IA1

Laboratory Id Number : Q1430-05

Sampling Date : 02/25/25

Analysis Date : 02/26/25

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.43	J	2.13		
Chloromethane	74-87-3	50.49	0.46	J	0.95		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.23	J	1.29		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.19	U	0.58		
Heptane	142-82-5	100.2	0.5		2.05		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	6.2		14.7		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	10.7		37.2		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.28	J	0.96		
2-Butanone	78-93-3	72.11	0.5		1.47		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.24	J	1.17		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	1.5		7.01		
Benzene	71-43-2	78.11	4.3		13.7		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.47	J	1.93		
Toluene	108-88-3	92.14	6.6		24.9		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : 38-11 31st St, Long Island City, NY

Sampling Date : 02/25/25

Field Id Number : IA1

Analysis Date : 02/26/25

Laboratory Id Number : Q1430-05

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.04		0.27		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	0.64		2.78		
m/p-Xylene	179601-23-1	106.2	2.6		11.3		
o-Xylene	95-47-6	106.2	0.79		3.43		
Styrene	100-42-5	104.1	0.21	J	0.89		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.15	J	0.74		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.43	J	2.11		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.12		0.63		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.17	J	0.84		
Hexane	110-54-3	86.17	4.7		16.6		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		

Project : 38-11 31st St, Long Island City, NY

Field Id Number : OA1

Laboratory Id Number : Q1430-06

Sampling Date : 02/25/25

Analysis Date : 02/26/25

Target Analyts : Air Results

Chemical	Cas Number	Molecular Weight	Insert Results in PPBV	Qualifier	Generate Results in ug/m3	QAS Decision	Foot Notes
Dichlorodifluoromethane	75-71-8	120.9	0.43	J	2.13		
Chloromethane	74-87-3	50.49	1.5		3.1		
Vinyl Chloride	75-01-4	62.5	0.01	U	0.03		
Bromomethane	74-83-9	94.94	0.14	U	0.54		
Chloroethane	75-00-3	64.52	0.17	U	0.45		
Tetrahydrofuran	109-99-9	72.11	0.13	U	0.38		
Trichlorofluoromethane	75-69-4	137.4	0.24	J	1.35		
Dichlorotetrafluoroethane	76-14-2	170.9	0.09	U	0.63		
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.16	U	1.23		
tert-Butyl alcohol	75-65-0	74.12	0.25	J	0.76		
Heptane	142-82-5	100.2	0.24	J	0.98		
1,1-Dichloroethene	75-35-4	96.94	0.14	U	0.56		
Acetone	67-64-1	58.08	9.5		22.6		
Carbon Disulfide	75-15-0	76.14	0.16	U	0.5		
Methyl tert-Butyl Ether	1634-04-4	88.15	0.12	U	0.43		
Methylene Chloride	75-09-2	84.94	1.9		6.6		
trans-1,2-Dichloroethene	156-60-5	96.94	0.19	U	0.75		
1,1-Dichloroethane	75-34-3	98.96	0.13	U	0.53		
Cyclohexane	110-82-7	84.16	0.22	U	0.76		
2-Butanone	78-93-3	72.11	0.74		2.18		
Carbon Tetrachloride	56-23-5	153.8	0.08		0.5		
cis-1,2-Dichloroethene	156-59-2	96.94	0.09	U	0.36		
Chloroform	67-66-3	119.4	0.11	J	0.54		
1,1,1-Trichloroethane	71-55-6	133.4	0.01	U	0.05		
2,2,4-Trimethylpentane	540-84-1	114.2	0.15	J	0.7		
Benzene	71-43-2	78.11	0.33	J	1.05		
1,2-Dichloroethane	107-06-2	98.96	0.09	U	0.36		
Trichloroethene	79-01-6	131.4	0.02	U	0.11		
1,2-Dichloropropane	78-87-5	113	0.11	U	0.51		
Bromodichloromethane	75-27-4	163.8	0.08	U	0.54		
4-Methyl-2-Pentanone	108-10-1	100.2	0.09	U	0.37		
Toluene	108-88-3	92.14	0.82		3.09		
t-1,3-Dichloropropene	10061-02-6	111	0.06	U	0.27		
cis-1,3-Dichloropropene	10061-01-5	111	0.06	U	0.27		
1,1,2-Trichloroethane	79-00-5	133.4	0.07	U	0.38		

Project : 38-11 31st St, Long Island City, NY

Sampling Date : 02/25/25

Field Id Number : OA1

Analysis Date : 02/26/25

Laboratory Id Number : Q1430-06

Target Analyts : Air Results

Dibromochloromethane	124-48-1	208.3	0.07	U	0.6		
1,2-Dibromoethane	106-93-4	187.9	0.07	U	0.54		
Tetrachloroethene	127-18-4	165.8	0.08		0.54		
Chlorobenzene	108-90-7	112.6	0.08	U	0.37		
Ethyl Benzene	100-41-4	106.2	0.12	U	0.52		
m/p-Xylene	179601-23-1	106.2	0.34	J	1.48		
o-Xylene	95-47-6	106.2	0.12	J	0.52		
Styrene	100-42-5	104.1	0.11	U	0.47		
Bromoform	75-25-2	252.8	0.06	U	0.62		
1,1,2,2-Tetrachloroethane	79-34-5	167.9	0.01	U	0.07		
2-Chlorotoluene	95-49-8	126.6	0.11	U	0.57		
1,3,5-Trimethylbenzene	108-67-8	120.2	0.11	U	0.54		
1,2,4-Trimethylbenzene	95-63-6	120.2	0.08	U	0.39		
1,3-Dichlorobenzene	541-73-1	147	0.08	U	0.48		
1,4-Dichlorobenzene	106-46-7	147	0.05	U	0.3		
1,2-Dichlorobenzene	95-50-1	147	0.08	U	0.48		
1,2,4-Trichlorobenzene	120-82-1	181.5	0.09	U	0.67		
Hexachloro-1,3-Butadiene	87-68-3	260.8	0.09	U	0.96		
Naphthalene	91-20-3	128.17	0.08	U	0.42		
1,3-Butadiene	106-99-0	54.09	0.13	U	0.29		
4-Ethyltoluene	622-96-8	120.2	0.12	U	0.59		
Hexane	110-54-3	86.17	0.62		2.19		
Allyl Chloride	107-05-1	76.53	0.15	U	0.47		
1,4-Dioxane	123-91-1	88.12	0.21	U	0.76		
Methyl Methacrylate	80-62-6	100.117	0.09	U	0.37		



SAMPLE DATA

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV1	SDG No.:	Q1430
Lab Sample ID:	Q1430-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042085.D	4		03/03/25 19:28	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.84	4.15	U	4.15	9.89	ug/m3
74-87-3	Chloromethane	0.39	0.81	U	0.81	4.13	ug/m3
75-01-4	Vinyl Chloride	0.060	0.15	U	0.15	0.31	ug/m3
74-83-9	Bromomethane	0.56	2.17	U	2.17	7.77	ug/m3
75-00-3	Chloroethane	0.68	1.79	U	1.79	5.28	ug/m3
109-99-9	Tetrahydrofuran	0.52	1.53	U	1.53	5.90	ug/m3
75-69-4	Trichlorofluoromethane	0.70	3.93	J	3.60	11.2	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.64	4.91	U	4.91	15.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.35	2.45	U	2.45	14.0	ug/m3
75-65-0	tert-Butyl alcohol	0.76	2.30	U	2.30	6.06	ug/m3
142-82-5	Heptane	0.44	1.80	U	1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	U	2.22	7.93	ug/m3
67-64-1	Acetone	12.0	28.5		2.28	4.75	ug/m3
75-15-0	Carbon Disulfide	0.64	1.99	U	1.99	6.23	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.48	1.73	U	1.73	7.21	ug/m3
75-09-2	Methylene Chloride	3.50	12.2		2.64	6.95	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.76	3.01	U	3.01	7.93	ug/m3
75-34-3	1,1-Dichloroethane	0.52	2.10	U	2.10	8.09	ug/m3
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88	ug/m3
78-93-3	2-Butanone	11.4	33.6		1.42	5.90	ug/m3
56-23-5	Carbon Tetrachloride	0.040	0.25	U	0.25	0.75	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.36	1.43	U	1.43	7.93	ug/m3
67-66-3	Chloroform	0.33	1.61	U	1.61	9.77	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22	U	0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.40	1.87	U	1.87	9.34	ug/m3
71-43-2	Benzene	0.74	2.36	J	1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	U	1.46	8.09	ug/m3
79-01-6	Trichloroethene	0.070	0.38	U	0.38	0.64	ug/m3
78-87-5	1,2-Dichloropropane	0.44	2.03	U	2.03	9.24	ug/m3
75-27-4	Bromodichloromethane	0.31	2.08	U	2.08	13.4	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.87	3.57	J	1.52	8.20	ug/m3
108-88-3	Toluene	2.60	9.80		1.66	7.54	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.24	1.09	U	1.09	9.08	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.26	1.18	U	1.18	9.08	ug/m3
79-00-5	1,1,2-Trichloroethane	0.28	1.53	U	1.53	10.9	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV1	SDG No.:	Q1430
Lab Sample ID:	Q1430-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042085.D	4		03/03/25 19:28	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.26	2.22	U	2.22	17.0	ug/m3
106-93-4	1,2-Dibromoethane	0.29	2.23	U	2.23	3.07	ug/m3
127-18-4	Tetrachloroethene	5.30	35.9		0.41	0.81	ug/m3
108-90-7	Chlorobenzene	0.30	1.38	U	1.38	9.21	ug/m3
100-41-4	Ethyl Benzene	0.48	2.08	U	2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	1.20	5.21	J	3.65	17.4	ug/m3
95-47-6	o-Xylene	0.49	2.13	J	2.08	8.69	ug/m3
100-42-5	Styrene	0.44	1.87	U	1.87	8.52	ug/m3
75-25-2	Bromoform	0.23	2.38	U	2.38	20.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.040	0.27	U	0.27	0.82	ug/m3
95-49-8	2-Chlorotoluene	0.44	2.28	U	2.28	10.4	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.44	2.16	U	2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.41	2.02	J	1.52	9.83	ug/m3
541-73-1	1,3-Dichlorobenzene	0.32	1.92	U	1.92	12.0	ug/m3
106-46-7	1,4-Dichlorobenzene	0.21	1.26	U	1.26	12.0	ug/m3
95-50-1	1,2-Dichlorobenzene	0.30	1.80	U	1.80	12.0	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.34	2.52	U	2.52	14.8	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.34	3.63	U	3.63	21.3	ug/m3
106-99-0	1,3-Butadiene	0.52	1.15	U	1.15	4.42	ug/m3
91-20-3	Naphthalene	0.30	1.57	UQ	1.57	2.10	ug/m3
622-96-8	4-Ethyltoluene	0.48	2.36	U	2.36	9.83	ug/m3
110-54-3	Hexane	0.93	3.28	J	1.55	7.05	ug/m3
107-05-1	Allyl Chloride	0.60	1.88	U	1.88	6.26	ug/m3
123-91-1	1,4-Dioxane	0.84	3.03	U	3.03	7.21	ug/m3
80-62-6	Methyl Methacrylate	0.34	1.39	U	1.39	8.19	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.80			65 - 135	98%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	160000		2.787			
540-36-3	1,4-Difluorobenzene	355000		3.956			
3114-55-4	Chlorobenzene-d5	302000		8.879			

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV1	SDG No.:	Q1430
Lab Sample ID:	Q1430-01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042085.D	4		03/03/25 19:28	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV2	SDG No.:	Q1430
Lab Sample ID:	Q1430-02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042081.D	4		03/03/25 17:24	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.84	4.15	U	4.15	9.89	ug/m3
74-87-3	Chloromethane	0.39	0.81	U	0.81	4.13	ug/m3
75-01-4	Vinyl Chloride	0.060	0.15	U	0.15	0.31	ug/m3
74-83-9	Bromomethane	0.56	2.17	U	2.17	7.77	ug/m3
75-00-3	Chloroethane	0.68	1.79	U	1.79	5.28	ug/m3
109-99-9	Tetrahydrofuran	0.52	1.53	U	1.53	5.90	ug/m3
75-69-4	Trichlorofluoromethane	0.64	3.60	U	3.60	11.2	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.64	4.91	U	4.91	15.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.35	2.45	U	2.45	14.0	ug/m3
75-65-0	tert-Butyl alcohol	1.10	3.33	J	2.30	6.06	ug/m3
142-82-5	Heptane	0.44	1.80	U	1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	U	2.22	7.93	ug/m3
67-64-1	Acetone	12.1	28.7		2.28	4.75	ug/m3
75-15-0	Carbon Disulfide	0.64	1.99	U	1.99	6.23	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.48	1.73	U	1.73	7.21	ug/m3
75-09-2	Methylene Chloride	2.20	7.64		2.64	6.95	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.76	3.01	U	3.01	7.93	ug/m3
75-34-3	1,1-Dichloroethane	0.52	2.10	U	2.10	8.09	ug/m3
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88	ug/m3
78-93-3	2-Butanone	15.9	46.9		1.42	5.90	ug/m3
56-23-5	Carbon Tetrachloride	0.040	0.25	U	0.25	0.75	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.36	1.43	U	1.43	7.93	ug/m3
67-66-3	Chloroform	0.33	1.61	U	1.61	9.77	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22	U	0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.40	1.87	U	1.87	9.34	ug/m3
71-43-2	Benzene	0.57	1.82	J	1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	U	1.46	8.09	ug/m3
79-01-6	Trichloroethene	0.070	0.38	U	0.38	0.64	ug/m3
78-87-5	1,2-Dichloropropane	0.44	2.03	U	2.03	9.24	ug/m3
75-27-4	Bromodichloromethane	0.31	2.08	U	2.08	13.4	ug/m3
108-10-1	4-Methyl-2-Pentanone	1.10	4.51	J	1.52	8.20	ug/m3
108-88-3	Toluene	2.10	7.91		1.66	7.54	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.24	1.09	U	1.09	9.08	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.26	1.18	U	1.18	9.08	ug/m3
79-00-5	1,1,2-Trichloroethane	0.28	1.53	U	1.53	10.9	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV2	SDG No.:	Q1430
Lab Sample ID:	Q1430-02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042081.D	4		03/03/25 17:24	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.26	2.22	U	2.22	17.0	ug/m3
106-93-4	1,2-Dibromoethane	0.29	2.23	U	2.23	3.07	ug/m3
127-18-4	Tetrachloroethene	1.70	11.5		0.41	0.81	ug/m3
108-90-7	Chlorobenzene	0.30	1.38	U	1.38	9.21	ug/m3
100-41-4	Ethyl Benzene	0.48	2.08	U	2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	0.84	3.65	U	3.65	17.4	ug/m3
95-47-6	o-Xylene	0.48	2.08	U	2.08	8.69	ug/m3
100-42-5	Styrene	0.44	1.87	U	1.87	8.52	ug/m3
75-25-2	Bromoform	0.23	2.38	U	2.38	20.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.040	0.27	U	0.27	0.82	ug/m3
95-49-8	2-Chlorotoluene	0.44	2.28	U	2.28	10.4	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.44	2.16	U	2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.31	1.52	U	1.52	9.83	ug/m3
541-73-1	1,3-Dichlorobenzene	0.32	1.92	U	1.92	12.0	ug/m3
106-46-7	1,4-Dichlorobenzene	0.21	1.26	U	1.26	12.0	ug/m3
95-50-1	1,2-Dichlorobenzene	0.30	1.80	U	1.80	12.0	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.34	2.52	U	2.52	14.8	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.34	3.63	U	3.63	21.3	ug/m3
106-99-0	1,3-Butadiene	0.52	1.15	U	1.15	4.42	ug/m3
91-20-3	Naphthalene	0.30	1.57	UQ	1.57	2.10	ug/m3
622-96-8	4-Ethyltoluene	0.48	2.36	U	2.36	9.83	ug/m3
110-54-3	Hexane	0.48	1.69	J	1.55	7.05	ug/m3
107-05-1	Allyl Chloride	0.60	1.88	U	1.88	6.26	ug/m3
123-91-1	1,4-Dioxane	0.84	3.03	U	3.03	7.21	ug/m3
80-62-6	Methyl Methacrylate	0.34	1.39	U	1.39	8.19	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.80			65 - 135	98%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	163000		2.787			
540-36-3	1,4-Difluorobenzene	365000		3.955			
3114-55-4	Chlorobenzene-d5	308000		8.878			

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV2	SDG No.:	Q1430
Lab Sample ID:	Q1430-02	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042081.D	4		03/03/25 17:24	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected

RL = Reporting Limit

MDL = Method Detection Limit

E = Value Exceeds Calibration Range

D = Dilution

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV3	SDG No.:	Q1430
Lab Sample ID:	Q1430-03	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042079.D	4		03/03/25 16:23	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.84	4.15	U	4.15	9.89	ug/m3
74-87-3	Chloromethane	0.39	0.81	U	0.81	4.13	ug/m3
75-01-4	Vinyl Chloride	0.060	0.15	U	0.15	0.31	ug/m3
74-83-9	Bromomethane	0.56	2.17	U	2.17	7.77	ug/m3
75-00-3	Chloroethane	0.68	1.79	U	1.79	5.28	ug/m3
109-99-9	Tetrahydrofuran	0.52	1.53	U	1.53	5.90	ug/m3
75-69-4	Trichlorofluoromethane	0.64	3.60	U	3.60	11.2	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.64	4.91	U	4.91	15.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.35	2.45	U	2.45	14.0	ug/m3
75-65-0	tert-Butyl alcohol	1.20	3.64	J	2.30	6.06	ug/m3
142-82-5	Heptane	0.44	1.80	U	1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	U	2.22	7.93	ug/m3
67-64-1	Acetone	7.90	18.8		2.28	4.75	ug/m3
75-15-0	Carbon Disulfide	0.64	1.99	U	1.99	6.23	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.48	1.73	U	1.73	7.21	ug/m3
75-09-2	Methylene Chloride	1.00	3.47	J	2.64	6.95	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.76	3.01	U	3.01	7.93	ug/m3
75-34-3	1,1-Dichloroethane	0.52	2.10	U	2.10	8.09	ug/m3
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88	ug/m3
78-93-3	2-Butanone	14.5	42.8		1.42	5.90	ug/m3
56-23-5	Carbon Tetrachloride	0.040	0.25	U	0.25	0.75	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.36	1.43	U	1.43	7.93	ug/m3
67-66-3	Chloroform	0.33	1.61	U	1.61	9.77	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22	U	0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.40	1.87	U	1.87	9.34	ug/m3
71-43-2	Benzene	0.35	1.12	U	1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	U	1.46	8.09	ug/m3
79-01-6	Trichloroethene	0.070	0.38	U	0.38	0.64	ug/m3
78-87-5	1,2-Dichloropropane	0.44	2.03	U	2.03	9.24	ug/m3
75-27-4	Bromodichloromethane	0.31	2.08	U	2.08	13.4	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.37	1.52	U	1.52	8.20	ug/m3
108-88-3	Toluene	1.20	4.52	J	1.66	7.54	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.24	1.09	U	1.09	9.08	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.26	1.18	U	1.18	9.08	ug/m3
79-00-5	1,1,2-Trichloroethane	0.28	1.53	U	1.53	10.9	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV3	SDG No.:	Q1430
Lab Sample ID:	Q1430-03	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042079.D	4		03/03/25 16:23	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.26	2.22	U	2.22	17.0	ug/m3
106-93-4	1,2-Dibromoethane	0.29	2.23	U	2.23	3.07	ug/m3
127-18-4	Tetrachloroethene	2.10	14.2		0.41	0.81	ug/m3
108-90-7	Chlorobenzene	0.30	1.38	U	1.38	9.21	ug/m3
100-41-4	Ethyl Benzene	0.48	2.08	U	2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	0.84	3.65	U	3.65	17.4	ug/m3
95-47-6	o-Xylene	0.48	2.08	U	2.08	8.69	ug/m3
100-42-5	Styrene	0.44	1.87	U	1.87	8.52	ug/m3
75-25-2	Bromoform	0.23	2.38	U	2.38	20.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.040	0.27	U	0.27	0.82	ug/m3
95-49-8	2-Chlorotoluene	0.44	2.28	U	2.28	10.4	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.44	2.16	U	2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.31	1.52	U	1.52	9.83	ug/m3
541-73-1	1,3-Dichlorobenzene	0.32	1.92	U	1.92	12.0	ug/m3
106-46-7	1,4-Dichlorobenzene	0.21	1.26	U	1.26	12.0	ug/m3
95-50-1	1,2-Dichlorobenzene	0.30	1.80	U	1.80	12.0	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.34	2.52	U	2.52	14.8	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.34	3.63	U	3.63	21.3	ug/m3
106-99-0	1,3-Butadiene	0.52	1.15	U	1.15	4.42	ug/m3
91-20-3	Naphthalene	0.30	1.57	UQ	1.57	2.10	ug/m3
622-96-8	4-Ethyltoluene	0.48	2.36	U	2.36	9.83	ug/m3
110-54-3	Hexane	0.44	1.55	U	1.55	7.05	ug/m3
107-05-1	Allyl Chloride	0.60	1.88	U	1.88	6.26	ug/m3
123-91-1	1,4-Dioxane	0.84	3.03	U	3.03	7.21	ug/m3
80-62-6	Methyl Methacrylate	0.34	1.39	U	1.39	8.19	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.90			65 - 135	99%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	161000		2.787			
540-36-3	1,4-Difluorobenzene	360000		3.959			
3114-55-4	Chlorobenzene-d5	302000		8.878			

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV3	SDG No.:	Q1430
Lab Sample ID:	Q1430-03	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042079.D	4		03/03/25 16:23	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV4	SDG No.:	Q1430
Lab Sample ID:	Q1430-04	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042083.D	4		03/03/25 18:26	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.84	4.15	U	4.15	9.89	ug/m3
74-87-3	Chloromethane	0.39	0.81	U	0.81	4.13	ug/m3
75-01-4	Vinyl Chloride	0.060	0.15	U	0.15	0.31	ug/m3
74-83-9	Bromomethane	0.56	2.17	U	2.17	7.77	ug/m3
75-00-3	Chloroethane	0.68	1.79	U	1.79	5.28	ug/m3
109-99-9	Tetrahydrofuran	0.52	1.53	U	1.53	5.90	ug/m3
75-69-4	Trichlorofluoromethane	0.64	3.60	U	3.60	11.2	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.64	4.91	U	4.91	15.3	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.35	2.45	U	2.45	14.0	ug/m3
75-65-0	tert-Butyl alcohol	1.00	3.03	J	2.30	6.06	ug/m3
142-82-5	Heptane	0.44	1.80	U	1.80	8.20	ug/m3
75-35-4	1,1-Dichloroethene	0.56	2.22	U	2.22	7.93	ug/m3
67-64-1	Acetone	11.4	27.1		2.28	4.75	ug/m3
75-15-0	Carbon Disulfide	0.72	2.24	J	1.99	6.23	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.48	1.73	U	1.73	7.21	ug/m3
75-09-2	Methylene Chloride	1.30	4.52	J	2.64	6.95	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.76	3.01	U	3.01	7.93	ug/m3
75-34-3	1,1-Dichloroethane	0.52	2.10	U	2.10	8.09	ug/m3
110-82-7	Cyclohexane	0.88	3.03	U	3.03	6.88	ug/m3
78-93-3	2-Butanone	13.6	40.1		1.42	5.90	ug/m3
56-23-5	Carbon Tetrachloride	0.040	0.25	U	0.25	0.75	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.36	1.43	U	1.43	7.93	ug/m3
67-66-3	Chloroform	0.33	1.61	U	1.61	9.77	ug/m3
71-55-6	1,1,1-Trichloroethane	0.040	0.22	U	0.22	0.65	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.40	1.87	U	1.87	9.34	ug/m3
71-43-2	Benzene	0.83	2.65	J	1.12	6.39	ug/m3
107-06-2	1,2-Dichloroethane	0.36	1.46	U	1.46	8.09	ug/m3
79-01-6	Trichloroethene	0.070	0.38	U	0.38	0.64	ug/m3
78-87-5	1,2-Dichloropropane	0.44	2.03	U	2.03	9.24	ug/m3
75-27-4	Bromodichloromethane	0.31	2.08	U	2.08	13.4	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.84	3.44	J	1.52	8.20	ug/m3
108-88-3	Toluene	2.70	10.2		1.66	7.54	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.24	1.09	U	1.09	9.08	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.26	1.18	U	1.18	9.08	ug/m3
79-00-5	1,1,2-Trichloroethane	0.28	1.53	U	1.53	10.9	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV4	SDG No.:	Q1430
Lab Sample ID:	Q1430-04	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042083.D	4		03/03/25 18:26	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.26	2.22	U	2.22	17.0	ug/m3
106-93-4	1,2-Dibromoethane	0.29	2.23	U	2.23	3.07	ug/m3
127-18-4	Tetrachloroethene	0.30	2.03		0.41	0.81	ug/m3
108-90-7	Chlorobenzene	0.30	1.38	U	1.38	9.21	ug/m3
100-41-4	Ethyl Benzene	0.48	2.08	U	2.08	8.69	ug/m3
179601-23-1	m/p-Xylene	0.84	3.65	U	3.65	17.4	ug/m3
95-47-6	o-Xylene	0.48	2.08	U	2.08	8.69	ug/m3
100-42-5	Styrene	0.44	1.87	U	1.87	8.52	ug/m3
75-25-2	Bromoform	0.23	2.38	U	2.38	20.7	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.040	0.27	U	0.27	0.82	ug/m3
95-49-8	2-Chlorotoluene	0.44	2.28	U	2.28	10.4	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.44	2.16	U	2.16	9.83	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.31	1.52	U	1.52	9.83	ug/m3
541-73-1	1,3-Dichlorobenzene	0.32	1.92	U	1.92	12.0	ug/m3
106-46-7	1,4-Dichlorobenzene	0.21	1.26	U	1.26	12.0	ug/m3
95-50-1	1,2-Dichlorobenzene	0.30	1.80	U	1.80	12.0	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.34	2.52	U	2.52	14.8	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.34	3.63	U	3.63	21.3	ug/m3
106-99-0	1,3-Butadiene	0.52	1.15	U	1.15	4.42	ug/m3
91-20-3	Naphthalene	0.30	1.57	UQ	1.57	2.10	ug/m3
622-96-8	4-Ethyltoluene	0.48	2.36	U	2.36	9.83	ug/m3
110-54-3	Hexane	0.44	1.55	U	1.55	7.05	ug/m3
107-05-1	Allyl Chloride	0.60	1.88	U	1.88	6.26	ug/m3
123-91-1	1,4-Dioxane	0.84	3.03	U	3.03	7.21	ug/m3
80-62-6	Methyl Methacrylate	0.34	1.39	U	1.39	8.19	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.60			65 - 135	96%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	160000		2.787			
540-36-3	1,4-Difluorobenzene	351000		3.955			
3114-55-4	Chlorobenzene-d5	298000		8.878			

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	SV4	SDG No.:	Q1430
Lab Sample ID:	Q1430-04	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042083.D	4		03/03/25 18:26	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	IA1	SDG No.:	Q1430
Lab Sample ID:	Q1430-05	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042056.D	1		02/26/25 12:14	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.43	2.13	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.46	0.95	J	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.23	1.29	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.50	2.05		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	6.20	14.7		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	10.7	37.2		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.28	0.96	J	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.50	1.47		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.24	1.17	J	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	1.50	7.01		0.47	2.34	ug/m3
71-43-2	Benzene	4.30	13.7		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.47	1.93	J	0.37	2.05	ug/m3
108-88-3	Toluene	6.60	24.9		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	IA1	SDG No.:	Q1430
Lab Sample ID:	Q1430-05	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042056.D	1		02/26/25 12:14	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.040	0.27		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.64	2.78		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	2.60	11.3		0.91	4.34	ug/m3
95-47-6	o-Xylene	0.79	3.43		0.52	2.17	ug/m3
100-42-5	Styrene	0.21	0.89	J	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.15	0.74	J	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.43	2.11	J	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.12	0.63		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.17	0.84	J	0.59	2.46	ug/m3
110-54-3	Hexane	4.70	16.6		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.3			65 - 135	103%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	160000		2.793			
540-36-3	1,4-Difluorobenzene	375000		3.972			
3114-55-4	Chlorobenzene-d5	325000		8.895			

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	IA1	SDG No.:	Q1430
Lab Sample ID:	Q1430-05	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042056.D	1		02/26/25 12:14	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	OA1	SDG No.:	Q1430
Lab Sample ID:	Q1430-06	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042058.D	1		02/26/25 13:21	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.43	2.13	J	1.04	2.47	ug/m3
74-87-3	Chloromethane	1.50	3.10		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.24	1.35	J	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.25	0.76	J	0.58	1.52	ug/m3
142-82-5	Heptane	0.24	0.98	J	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	9.50	22.6		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	1.90	6.60		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.74	2.18		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.080	0.50		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.11	0.54	J	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.15	0.70	J	0.47	2.34	ug/m3
71-43-2	Benzene	0.33	1.05	J	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.82	3.09		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	OA1	SDG No.:	Q1430
Lab Sample ID:	Q1430-06	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042058.D	1		02/26/25 13:21	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.080	0.54		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.34	1.48	J	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	J	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.62	2.19		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.2			65 - 135	102%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	158000		2.797			
540-36-3	1,4-Difluorobenzene	369000		3.971			
3114-55-4	Chlorobenzene-d5	321000		8.898			

Report of Analysis

Client:	GFE LLC	Date Collected:	02/25/25
Project:	38-11 31st St, Long Island City, NY	Date Received:	02/25/25
Client Sample ID:	OA1	SDG No.:	Q1430
Lab Sample ID:	Q1430-06	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042058.D	1		02/26/25 13:21	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements



QC SUMMARY

Surrogate Summary

SDG No.: Q1430

Client: GFE LLC

Analytical Method: SWTO-15

Lab Sample ID	Client ID	Parameter	Spike	Result	RecoveryQual	Limits	
						Low	High
Q1430-01	SV1	1-Bromo-4-Fluorobenzene	10	9.83	98	65	135
Q1430-01DUP	SV1DUP	1-Bromo-4-Fluorobenzene	10	9.83	98	65	135
Q1430-02	SV2	1-Bromo-4-Fluorobenzene	10	9.82	98	65	135
Q1430-03	SV3	1-Bromo-4-Fluorobenzene	10	9.94	99	65	135
Q1430-04	SV4	1-Bromo-4-Fluorobenzene	10	9.58	96	65	135
Q1430-05	IA1	1-Bromo-4-Fluorobenzene	10	10.3	103	65	135
Q1430-05DUP	IA1DUP	1-Bromo-4-Fluorobenzene	10	10.2	102	65	135
Q1430-06	OA1	1-Bromo-4-Fluorobenzene	10	10.2	102	65	135
VL0226ABL01	VL0226ABL01	1-Bromo-4-Fluorobenzene	10	10.1	101	65	135
VL0226ABS01	VL0226ABS01	1-Bromo-4-Fluorobenzene	10	10.5	105	65	135
VL0303ABL01	VL0303ABL01	1-Bromo-4-Fluorobenzene	10	9.62	96	65	135
VL0303ABS01	VL0303ABS01	1-Bromo-4-Fluorobenzene	10	10.2	102	65	135

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1430

Client: GFE LLC

Analytical Method: SWTO-15

Datafile : VL042054.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0226ABS01	Dichlorodifluoromethane	10	9.70	ppbv	97			70	130	
	Chloromethane	10	9.10	ppbv	91			70	130	
	Vinyl Chloride	10	9.90	ppbv	99			70	130	
	Bromomethane	10	9.60	ppbv	96			70	130	
	Chloroethane	10	9.30	ppbv	93			70	130	
	Tetrahydrofuran	10	10.2	ppbv	102			70	130	
	Trichlorofluoromethane	10	9.70	ppbv	97			70	130	
	1,1,2-Trichlorotrifluoroethane	10	9.80	ppbv	98			70	130	
	Dichlorotetrafluoroethane	10	9.60	ppbv	96			70	130	
	tert-Butyl Alcohol	10	9.30	ppbv	93			70	130	
	Heptane	10	9.10	ppbv	91			70	130	
	1,1-Dichloroethene	10	9.30	ppbv	93			70	130	
	Acetone	10	8.60	ppbv	86			70	130	
	Carbon disulfide	10	9.70	ppbv	97			70	130	
	Methyl tert-butyl Ether	10	9.80	ppbv	98			70	130	
	Methylene Chloride	10	9.00	ppbv	90			70	130	
	trans-1,2-Dichloroethene	10	9.20	ppbv	92			70	130	
	1,1-Dichloroethane	10	9.60	ppbv	96			70	130	
	Cyclohexane	10	8.90	ppbv	89			70	130	
	2-Butanone	10	10.2	ppbv	102			70	130	
	Carbon Tetrachloride	10	10.3	ppbv	103			70	130	
	cis-1,2-Dichloroethene	10	9.30	ppbv	93			70	130	
	Chloroform	10	9.00	ppbv	90			70	130	
	1,1,1-Trichloroethane	10	9.20	ppbv	92			70	130	
	2,2,4-Trimethylpentane	10	10.0	ppbv	100			70	130	
	Benzene	10	9.70	ppbv	97			70	130	
	1,2-Dichloroethane	10	10.2	ppbv	102			70	130	
	Trichloroethene	10	9.10	ppbv	91			70	130	
	1,2-Dichloropropane	10	10.0	ppbv	100			70	130	
	Bromodichloromethane	10	10.0	ppbv	100			70	130	
	4-Methyl-2-Pentanone	10	11.0	ppbv	110			70	130	
	Toluene	10	9.70	ppbv	97			70	130	
	t-1,3-Dichloropropene	10	9.80	ppbv	98			70	130	
	cis-1,3-Dichloropropene	10	9.90	ppbv	99			70	130	
	1,1,2-Trichloroethane	10	9.30	ppbv	93			70	130	
	Dibromochloromethane	10	9.80	ppbv	98			70	130	
	1,2-Dibromoethane	10	9.50	ppbv	95			70	130	
	Tetrachloroethene	10	9.40	ppbv	94			70	130	
	Chlorobenzene	10	9.50	ppbv	95			70	130	
	Ethyl Benzene	10	9.80	ppbv	98			70	130	
	m/p-Xylene	20	19.5	ppbv	98			70	130	
	o-Xylene	10	9.60	ppbv	96			70	130	
	Styrene	10	9.90	ppbv	99			70	130	
	Bromoform	10	9.60	ppbv	96			70	130	
	1,1,2,2-Tetrachloroethane	10	9.50	ppbv	95			70	130	
	2-Chlorotoluene	10	9.60	ppbv	96			70	130	
	1,3,5-Trimethylbenzene	10	9.60	ppbv	96			70	130	
	1,2,4-Trimethylbenzene	10	9.30	ppbv	93			70	130	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1430

Client: GFE LLC

Analytical Method: SWTO-15

Datafile : VL042054.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0226ABS01	1,3-Dichlorobenzene	10	9.40	ppbv	94			70	130	
	1,4-Dichlorobenzene	10	9.30	ppbv	93			70	130	
	1,2-Dichlorobenzene	10	9.40	ppbv	94			70	130	
	1,2,4-Trichlorobenzene	10	10.2	ppbv	102			70	130	
	Hexachloro-1,3-butadiene	10	8.90	ppbv	89			70	130	
	Naphthalene	10	12.4	ppbv	124			70	130	
	1,3-Butadiene	10	9.10	ppbv	91			70	130	
	4-Ethyltoluene	10	9.70	ppbv	97			70	130	
	Hexane	10	8.90	ppbv	89			70	130	
	Allyl Chloride	10	9.50	ppbv	95			70	130	
	1,4-Dioxane	10	9.80	ppbv	98			70	130	
	Methyl methacrylate	10	10.0	ppbv	100			70	130	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1430

Client: GFE LLC

Analytical Method: SWTO-15

Datafile : VL042077.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0303ABS01	Dichlorodifluoromethane	10	10.7	ppbv	107			70	130	
	Chloromethane	10	10.2	ppbv	102			70	130	
	Vinyl Chloride	10	10.3	ppbv	103			70	130	
	Bromomethane	10	10.4	ppbv	104			70	130	
	Chloroethane	10	10.4	ppbv	104			70	130	
	Tetrahydrofuran	10	11.2	ppbv	112			70	130	
	Trichlorofluoromethane	10	11.7	ppbv	117			70	130	
	1,1,2-Trichlorotrifluoroethane	10	11.2	ppbv	112			70	130	
	Dichlorotetrafluoroethane	10	10.6	ppbv	106			70	130	
	tert-Butyl Alcohol	10	9.60	ppbv	96			70	130	
	Heptane	10	9.60	ppbv	96			70	130	
	1,1-Dichloroethene	10	10.4	ppbv	104			70	130	
	Acetone	10	9.90	ppbv	99			70	130	
	Carbon disulfide	10	11.0	ppbv	110			70	130	
	Methyl tert-butyl Ether	10	8.40	ppbv	84			70	130	
	Methylene Chloride	10	9.90	ppbv	99			70	130	
	trans-1,2-Dichloroethene	10	10.2	ppbv	102			70	130	
	1,1-Dichloroethane	10	10.7	ppbv	107			70	130	
	Cyclohexane	10	8.90	ppbv	89			70	130	
	2-Butanone	10	11.3	ppbv	113			70	130	
	Carbon Tetrachloride	10	10.9	ppbv	109			70	130	
	cis-1,2-Dichloroethene	10	9.30	ppbv	93			70	130	
	Chloroform	10	9.40	ppbv	94			70	130	
	1,1,1-Trichloroethane	10	9.10	ppbv	91			70	130	
	2,2,4-Trimethylpentane	10	10.9	ppbv	109			70	130	
	Benzene	10	10.5	ppbv	105			70	130	
	1,2-Dichloroethane	10	11.0	ppbv	110			70	130	
	Trichloroethene	10	9.80	ppbv	98			70	130	
	1,2-Dichloropropane	10	10.7	ppbv	107			70	130	
	Bromodichloromethane	10	10.8	ppbv	108			70	130	
	4-Methyl-2-Pentanone	10	12.1	ppbv	121			70	130	
	Toluene	10	10.3	ppbv	103			70	130	
	t-1,3-Dichloropropene	10	9.60	ppbv	96			70	130	
	cis-1,3-Dichloropropene	10	10.1	ppbv	101			70	130	
	1,1,2-Trichloroethane	10	10.2	ppbv	102			70	130	
	Dibromochloromethane	10	10.2	ppbv	102			70	130	
	1,2-Dibromoethane	10	10.2	ppbv	102			70	130	
	Tetrachloroethene	10	10.1	ppbv	101			70	130	
	Chlorobenzene	10	10.2	ppbv	102			70	130	
	Ethyl Benzene	10	10.5	ppbv	105			70	130	
	m/p-Xylene	20	21.5	ppbv	108			70	130	
	o-Xylene	10	10.7	ppbv	107			70	130	
	Styrene	10	10.6	ppbv	106			70	130	
	Bromoform	10	10.5	ppbv	105			70	130	
	1,1,2,2-Tetrachloroethane	10	10.9	ppbv	109			70	130	
	2-Chlorotoluene	10	10.5	ppbv	105			70	130	
	1,3,5-Trimethylbenzene	10	10.5	ppbv	105			70	130	
	1,2,4-Trimethylbenzene	10	10.2	ppbv	102			70	130	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q1430

Client: GFE LLC

Analytical Method: SWTO-15

Datafile : VL042077.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VL0303ABS01	1,3-Dichlorobenzene	10	10.5	ppbv	105			70	130	
	1,4-Dichlorobenzene	10	10.6	ppbv	106			70	130	
	1,2-Dichlorobenzene	10	10.7	ppbv	107			70	130	
	1,2,4-Trichlorobenzene	10	11.0	ppbv	110			70	130	
	Hexachloro-1,3-butadiene	10	9.80	ppbv	98			70	130	
	Naphthalene	10	13.5	ppbv	135		*	70	130	
	1,3-Butadiene	10	10.0	ppbv	100			70	130	
	4-Ethyltoluene	10	10.6	ppbv	106			70	130	
	Hexane	10	9.20	ppbv	92			70	130	
	Allyl Chloride	10	10.5	ppbv	105			70	130	
	1,4-Dioxane	10	10.4	ppbv	104			70	130	
	Methyl methacrylate	10	10.3	ppbv	103			70	130	

Duplicate Sample Summary

Lab Sample Id :	Q1430-01DUP	Q1430-01
Client Id :	SV1DUP	SV1
DF :	4	4
Datafile :	VL042087.D	VL042085.D
Anal Date & Time :	03/03/2025 20:29	03/03/2025 19:28

Parameter	Result	Result	RPD
1,1,1-Trichloroethane	0	0	0
1,1,2,2-Tetrachloroethane	0	0	0
1,1,2-Trichloroethane	0	0	0
1,1,2-Trichlorotrifluoroethane	0	0	0
1,1-Dichloroethane	0	0	0
1,1-Dichloroethene	0	0	0
1,2,4-Trichlorobenzene	0	0	0
1,2,4-Trimethylbenzene	0.41	0.41	0
1,2-Dibromoethane	0	0	0
1,2-Dichlorobenzene	0	0	0
1,2-Dichloroethane	0	0	0
1,2-Dichloropropane	0	0	0
1,3,5-Trimethylbenzene	0	0	0
1,3-Butadiene	0	0	0
1,3-Dichlorobenzene	0	0	0
1,4-Dichlorobenzene	0	0	0
1,4-Dioxane	0	0	0
2,2,4-Trimethylpentane	0	0	0
2-Butanone	11	11.4	3.6
2-Chlorotoluene	0	0	0
4-Ethyltoluene	0	0	0
4-Methyl-2-Pentanone	0.88	0.87	1.1
Acetone	11.6	12	3.4
Allyl Chloride	0	0	0
Benzene	0.72	0.74	2.7
Bromodichloromethane	0	0	0
Bromoform	0	0	0
Bromomethane	0	0	0
Carbon Disulfide	0	0	0
Carbon Tetrachloride	0	0	0

Duplicate Sample Summary

Lab Sample Id :	Q1430-01DUP	Q1430-01
Client Id :	SV1DUP	SV1
DF :	4	4
Datafile :	VL042087.D	VL042085.D
Anal Date & Time :	03/03/2025 20:29	03/03/2025 19:28

Parameter	Result	Result	RPD
Chlorobenzene	0	0	0
Chloroethane	0	0	0
Chloroform	0	0	0
Chloromethane	0	0	0
cis-1,2-Dichloroethene	0	0	0
cis-1,3-Dichloropropene	0	0	0
Cyclohexane	0	0	0
Dibromochloromethane	0	0	0
Dichlorodifluoromethane	0.54	0	200 *
Dichlorotetrafluoroethane	0	0	0
Ethyl Benzene	0	0	0
Heptane	0	0	0
Hexachloro-1,3-Butadiene	0	0	0
Hexane	0.94	0.93	1.1
m/p-Xylene	1.1	1.2	8.7
Methyl Methacrylate	0	0	0
Methyl tert-Butyl Ether	0	0	0
Methylene Chloride	3.7	3.5	5.6
Naphthalene	0	0	0
o-Xylene	0.44	0.49	10.8
Styrene	0	0	0
t-1,3-Dichloropropene	0	0	0
tert-Butyl alcohol	0.58	0	200 *
Tetrachloroethene	5.2	5.3	1.9
Tetrahydrofuran	0	0	0
Toluene	2.4	2.6	8
trans-1,2-Dichloroethene	0	0	0
Trichloroethene	0	0	0
Trichlorofluoromethane	0.74	0.7	5.6
Vinyl Chloride	0	0	0
1,1,1-Trichloroethane	0	0	0

Duplicate Sample Summary

Lab Sample Id :	Q1430-05DUP	Q1430-05
Client Id :	IA1DUP	IA1
DF :	1	1
Datafile :	VL042057.D	VL042056.D
Anal Date & Time :	02/26/2025 12:48	02/26/2025 12:14

Parameter	Result	Result	RPD
1,1,2,2-Tetrachloroethane	0	0	0
1,1,2-Trichloroethane	0	0	0
1,1,2-Trichlorotrifluoroethane	0	0	0
1,1-Dichloroethane	0	0	0
1,1-Dichloroethene	0	0	0
1,2,4-Trichlorobenzene	0	0	0
1,2,4-Trimethylbenzene	0.37	0.43	15
1,2-Dibromoethane	0	0	0
1,2-Dichlorobenzene	0	0	0
1,2-Dichloroethane	0	0	0
1,2-Dichloropropane	0	0	0
1,3,5-Trimethylbenzene	0.14	0.15	6.9
1,3-Butadiene	2	0	200 *
1,3-Dichlorobenzene	0	0	0
1,4-Dichlorobenzene	0	0	0
1,4-Dioxane	0	0	0
2,2,4-Trimethylpentane	1.3	1.5	14.3
2-Butanone	0.51	0.5	2
2-Chlorotoluene	0	0	0
4-Ethyltoluene	0.15	0.17	12.5
4-Methyl-2-Pentanone	0.42	0.47	11.2
Acetone	6.3	6.2	1.6
Allyl Chloride	0	0	0
Benzene	3.8	4.3	12.3
Bromodichloromethane	0	0	0
Bromoform	0	0	0
Bromomethane	0	0	0
Carbon Disulfide	0	0	0
Carbon Tetrachloride	0.07	0.08	13.3
Chlorobenzene	0	0	0
Chloroethane	0	0	0

Duplicate Sample Summary

Lab Sample Id :	Q1430-05DUP	Q1430-05
Client Id :	IA1DUP	IA1
DF :	1	1
Datafile :	VL042057.D	VL042056.D
Anal Date & Time :	02/26/2025 12:48	02/26/2025 12:14

Parameter	Result	Result	RPD
Chloroform	0.26	0.24	8
Chloromethane	0.44	0.46	4.4
cis-1,2-Dichloroethene	0	0	0
cis-1,3-Dichloropropene	0	0	0
Cyclohexane	0.26	0.28	7.4
Dibromochloromethane	0	0	0
Dichlorodifluoromethane	0.42	0.43	2.4
Dichlorotetrafluoroethane	0	0	0
Ethyl Benzene	0.58	0.64	9.8
Heptane	0.46	0.5	8.3
Hexachloro-1,3-Butadiene	0	0	0
Hexane	6	4.7	24.3 *
m/p-Xylene	2.3	2.6	12.2
Methyl Methacrylate	0	0	0
Methyl tert-Butyl Ether	0	0	0
Methylene Chloride	15.6	10.7	37.3 *
Naphthalene	0.11	0.12	8.7
o-Xylene	0.73	0.79	7.9
Styrene	0.18	0.21	15.4
t-1,3-Dichloropropene	0	0	0
tert-Butyl alcohol	0	0	0
Tetrachloroethene	0.03	0.04	28.6 *
Tetrahydrofuran	0	0	0
Toluene	5.7	6.6	14.6
trans-1,2-Dichloroethene	0	0	0
Trichloroethene	0	0	0
Trichlorofluoromethane	0.22	0.23	4.4
Vinyl Chloride	0	0	0

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VL0226ABL01

Lab Name: CHEMTECH

Contract: GFEL01

Lab Code: CHEM Case No.: Q1430

SAS No.: Q1430 SDG NO.: Q1430

Lab File ID: VL042051.D

Lab Sample ID: VL0226ABL01

Date Analyzed: 02/26/2025

Time Analyzed: 09:20

GC Column: RTX-1 ID: 0.32 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_L

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VL0226ABS01	VL0226ABS01	VL042054.D	02/26/2025
IA1	Q1430-05	VL042056.D	02/26/2025
IA1DUP	Q1430-05DUP	VL042057.D	02/26/2025
OA1	Q1430-06	VL042058.D	02/26/2025

COMMENTS: _____

VOLATILE METHOD BLANK SUMMARY

EPA SAMPLE NO.

VL0303ABL01

Lab Name: CHEMTECH

Contract: GFEL01

Lab Code: CHEM Case No.: Q1430

SAS No.: Q1430 SDG NO.: Q1430

Lab File ID: VL042076.D

Lab Sample ID: VL0303ABL01

Date Analyzed: 03/03/2025

Time Analyzed: 14:49

GC Column: RTX-1 ID: 0.32 (mm)

Heated Purge: (Y/N) N

Instrument ID: MSVOA_L

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
VL0303ABS01	VL0303ABS01	VL042077.D	03/03/2025
SV3	Q1430-03	VL042079.D	03/03/2025
SV2	Q1430-02	VL042081.D	03/03/2025
SV4	Q1430-04	VL042083.D	03/03/2025
SV1	Q1430-01	VL042085.D	03/03/2025
SV1DUP	Q1430-01DUP	VL042087.D	03/03/2025

COMMENTS: _____

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: GFEL01
Lab Code: CHEM Case No.: Q1430 SAS No.: Q1430 SDG NO.: Q1430
Lab File ID: VL042040.D BFB Injection Date: 02/25/2025
Instrument ID: MSVOA_L BFB Injection Time: 07:56
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	22.6
75	30.0 - 66.0% of mass 95	55.2
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.7
173	Less than 2.0% of mass 174	0.7 (1.1) 1
174	50.0 - 120.0% of mass 95	63.3
175	4.0 - 9.0% of mass 174	4.9 (7.8) 1
176	93.0 - 101.0% of mass 174	60.9 (96.1) 1
177	5.0 - 9.0% of mass 176	3.4 (5.7) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDICCC010	VSTDICCC010	VL042041.D	02/25/2025	08:56
VSTDICCC002	VSTDICCC002	VL042042.D	02/25/2025	09:29
VSTDICCC001	VSTDICCC001	VL042043.D	02/25/2025	10:00
VSTDICCC0.5	VSTDICCC0.5	VL042044.D	02/25/2025	10:31
VSTDICCC0.1	VSTDICCC0.1	VL042045.D	02/25/2025	11:03
VSTDICCC0.03	VSTDICCC0.03	VL042046.D	02/25/2025	11:34
VSTDICCC015	VSTDICCC015	VL042047.D	02/25/2025	12:07

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: GFEL01
Lab Code: CHEM Case No.: Q1430 SAS No.: Q1430 SDG NO.: Q1430
Lab File ID: VL042049.D BFB Injection Date: 02/26/2025
Instrument ID: MSVOA_L BFB Injection Time: 07:46
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	23.3
75	30.0 - 66.0% of mass 95	57.6
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.4
173	Less than 2.0% of mass 174	0.5 (0.8) 1
174	50.0 - 120.0% of mass 95	63
175	4.0 - 9.0% of mass 174	4.3 (6.8) 1
176	93.0 - 101.0% of mass 174	62.1 (98.5) 1
177	5.0 - 9.0% of mass 176	4 (6.4) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC010	VSTDCCC010	VL042050.D	02/26/2025	08:38
VL0226ABL01	VL0226ABL01	VL042051.D	02/26/2025	09:20
VL0226ABS01	VL0226ABS01	VL042054.D	02/26/2025	11:07
IA1	Q1430-05	VL042056.D	02/26/2025	12:14
IA1DUP	Q1430-05DUP	VL042057.D	02/26/2025	12:48
OA1	Q1430-06	VL042058.D	02/26/2025	13:21

VOLATILE ORGANIC INSTRUMENT PERFORMANCE CHECK
BROMOFLUOROBENZENE (BFB)

Lab Name: CHEMTECH Contract: GFEL01
Lab Code: CHEM Case No.: Q1430 SAS No.: Q1430 SDG NO.: Q1430
Lab File ID: VL042074.D BFB Injection Date: 03/03/2025
Instrument ID: MSVOA_L BFB Injection Time: 11:45
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: Y/N N

m/e	ION ABUNDANCE CRITERIA	% RELATIVE ABUNDANCE
50	8.0 - 40.0% of mass 95	25.8
75	30.0 - 66.0% of mass 95	57.4
95	Base Peak, 100% relative abundance	100
96	5.0 - 9.0% of mass 95	6.5
173	Less than 2.0% of mass 174	0.6 (1) 1
174	50.0 - 120.0% of mass 95	61.1
175	4.0 - 9.0% of mass 174	4.8 (7.9) 1
176	93.0 - 101.0% of mass 174	61.7 (100.9) 1
177	5.0 - 9.0% of mass 176	3.6 (5.8) 2

1-Value is % mass 174

2-Value is % mass 176

THIS CHECK APPLIES TO THE FOLLOWING SAMPLES, MS, MSD, BLANKS, AND STANDARDS:

EPA SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED	TIME ANALYZED
VSTDCCC010	VSTDCCC010	VL042075.D	03/03/2025	12:15
VL0303ABL01	VL0303ABL01	VL042076.D	03/03/2025	14:49
VL0303ABS01	VL0303ABS01	VL042077.D	03/03/2025	15:19
SV3	Q1430-03	VL042079.D	03/03/2025	16:23
SV2	Q1430-02	VL042081.D	03/03/2025	17:24
SV4	Q1430-04	VL042083.D	03/03/2025	18:26
SV1	Q1430-01	VL042085.D	03/03/2025	19:28
SV1DUP	Q1430-01DUP	VL042087.D	03/03/2025	20:29

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: GFEL01
Lab Code: CHEM Case No.: Q1430 SAS No.: Q1430 SDG NO.: Q1430
Lab File ID: VL042050.D Date Analyzed: 02/26/2025
Instrument ID: MSVOA_L Time Analyzed: 08:38
GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	157492	2.80	387144	3.98	336136	8.90
UPPER LIMIT	220489	3.13	542002	4.31	470590	9.23
LOWER LIMIT	94495.2	2.47	232286	3.65	201682	8.57
EPA SAMPLE NO.						
IA1	159980	2.79	375140	3.97	325039	8.90
IA1DUP	157475	2.79	376491	3.97	312935	8.89
OA1	158058	2.80	369297	3.97	320901	8.90
VL0226ABL01	157395	2.80	386755	3.98	331916	8.90
VL0226ABS01	153181	2.80	369057	3.97	318885	8.90

IS1 = Bromochloromethane
IS2 = 1,4-Difluorobenzene
IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +40% of internal standard area
AREA LOWER LIMIT = -40% of internal standard area
RT UPPER LIMIT = +0.33 minutes of internal standard RT
RT LOWER LIMIT = -0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
* Values outside of QC limits.

VOLATILE INTERNAL STANDARD AREA AND RT SUMMARY

Lab Name: CHEMTECH Contract: GFEL01
 Lab Code: CHEM Case No.: Q1430 SAS No.: Q1430 SDG NO.: Q1430
 Lab File ID: VL042075.D Date Analyzed: 03/03/2025
 Instrument ID: MSVOA_L Time Analyzed: 12:15
 GC Column: RTX-1 ID: 0.32 (mm) Heated Purge: (Y/N) N

	IS1 AREA #	RT #	IS2 AREA #	RT #	IS3 AREA #	RT #
12 HOUR STD	173325	2.78	409365	3.95	350236	8.88
UPPER LIMIT	242655	3.11	573111	4.28	490330	9.21
LOWER LIMIT	103995	2.45	245619	3.62	210142	8.55
EPA SAMPLE NO.						
SV1	160113	2.79	354605	3.96	302162	8.88
SV1DUP	157351	2.78	351741	3.96	297676	8.88
SV2	163018	2.79	364560	3.96	307983	8.88
SV3	161283	2.79	360438	3.96	301876	8.88
SV4	159834	2.79	351160	3.96	298456	8.88
VL0303ABL01	156551	2.79	349743	3.96	302717	8.88
VL0303ABS01	157956	2.79	356972	3.96	309763	8.88

IS1 = Bromochloromethane
 IS2 = 1,4-Difluorobenzene
 IS3 = Chlorobenzene-d5

AREA UPPER LIMIT = +40% of internal standard area
 AREA LOWER LIMIT = -40% of internal standard area
 RT UPPER LIMIT = +0.33 minutes of internal standard RT
 RT LOWER LIMIT = -0.33 minutes of internal standard RT

Column used to flag values outside QC limits with an asterisk.
 * Values outside of QC limits.



QC SAMPLE DATA

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0226ABL01	SDG No.:	Q1430
Lab Sample ID:	VL0226ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042051.D	1		02/26/25 09:20	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.21	1.04	U	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.10	0.21	U	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.16	0.90	U	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	0.24	0.57	U	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.19	0.66	U	0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.12	0.35	U	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.010	0.060	U	0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.090	0.29	U	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.11	0.41	U	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0226ABL01	SDG No.:	Q1430
Lab Sample ID:	VL0226ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042051.D	1		02/26/25 09:20	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.11	0.39	U	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.1			65 - 135	101%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	157000		2.797			
540-36-3	1,4-Difluorobenzene	387000		3.975			
3114-55-4	Chlorobenzene-d5	332000		8.898			

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0226ABL01	SDG No.:	Q1430
Lab Sample ID:	VL0226ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042051.D	1		02/26/25 09:20	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0303ABL01	SDG No.:	Q1430
Lab Sample ID:	VL0303ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042076.D	1		03/03/25 14:49	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	0.21	1.04	U	1.04	2.47	ug/m3
74-87-3	Chloromethane	0.10	0.21	U	0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	0.010	0.030	U	0.030	0.080	ug/m3
74-83-9	Bromomethane	0.14	0.54	U	0.54	1.94	ug/m3
75-00-3	Chloroethane	0.17	0.45	U	0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	0.13	0.38	U	0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	0.16	0.90	U	0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	0.16	1.23	U	1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	0.090	0.63	U	0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	0.19	0.58	U	0.58	1.52	ug/m3
142-82-5	Heptane	0.11	0.45	U	0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	0.14	0.56	U	0.56	1.98	ug/m3
67-64-1	Acetone	0.24	0.57	U	0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	0.16	0.50	U	0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	0.12	0.43	U	0.43	1.80	ug/m3
75-09-2	Methylene Chloride	0.19	0.66	U	0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	0.19	0.75	U	0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	0.13	0.53	U	0.53	2.02	ug/m3
110-82-7	Cyclohexane	0.22	0.76	U	0.76	1.72	ug/m3
78-93-3	2-Butanone	0.12	0.35	U	0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	0.010	0.060	U	0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	0.090	0.36	U	0.36	1.98	ug/m3
67-66-3	Chloroform	0.080	0.39	U	0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	0.010	0.050	U	0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	0.10	0.47	U	0.47	2.34	ug/m3
71-43-2	Benzene	0.090	0.29	U	0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	0.090	0.36	U	0.36	2.02	ug/m3
79-01-6	Trichloroethene	0.020	0.11	U	0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	0.11	0.51	U	0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	0.080	0.54	U	0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	0.090	0.37	U	0.37	2.05	ug/m3
108-88-3	Toluene	0.11	0.41	U	0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	0.060	0.27	U	0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	0.070	0.38	U	0.38	2.73	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0303ABL01	SDG No.:	Q1430
Lab Sample ID:	VL0303ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042076.D	1		03/03/25 14:49	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	0.070	0.60	U	0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	0.070	0.54	U	0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	0.020	0.14	U	0.14	0.20	ug/m3
108-90-7	Chlorobenzene	0.080	0.37	U	0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	0.12	0.52	U	0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	0.21	0.91	U	0.91	4.34	ug/m3
95-47-6	o-Xylene	0.12	0.52	U	0.52	2.17	ug/m3
100-42-5	Styrene	0.11	0.47	U	0.47	2.13	ug/m3
75-25-2	Bromoform	0.060	0.62	U	0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	0.010	0.070	U	0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	0.11	0.57	U	0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	0.11	0.54	U	0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	0.080	0.39	U	0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	0.050	0.30	U	0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	0.080	0.48	U	0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	0.090	0.67	U	0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	0.090	0.96	U	0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	0.13	0.29	U	0.29	1.11	ug/m3
91-20-3	Naphthalene	0.080	0.42	U	0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	0.12	0.59	U	0.59	2.46	ug/m3
110-54-3	Hexane	0.11	0.39	U	0.39	1.76	ug/m3
107-05-1	Allyl Chloride	0.15	0.47	U	0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	0.21	0.76	U	0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	0.090	0.37	U	0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	9.60			65 - 135	96%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	157000		2.787			
540-36-3	1,4-Difluorobenzene	350000		3.959			
3114-55-4	Chlorobenzene-d5	303000		8.882			

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0303ABL01	SDG No.:	Q1430
Lab Sample ID:	VL0303ABL01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042076.D	1		03/03/25 14:49	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0226ABS01	SDG No.:	Q1430
Lab Sample ID:	VL0226ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042054.D	1		02/26/25 11:07	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	9.70	48.0		1.04	2.47	ug/m3
74-87-3	Chloromethane	9.10	18.8		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	9.90	25.3		0.030	0.080	ug/m3
74-83-9	Bromomethane	9.60	37.3		0.54	1.94	ug/m3
75-00-3	Chloroethane	9.30	24.5		0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	10.2	30.1		0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	9.70	54.5		0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	9.80	75.1		1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	9.60	67.1		0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	9.30	28.2		0.58	1.52	ug/m3
142-82-5	Heptane	9.10	37.3		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	9.30	36.9		0.56	1.98	ug/m3
67-64-1	Acetone	8.60	20.4		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	9.70	30.2		0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	9.80	35.3		0.43	1.80	ug/m3
75-09-2	Methylene Chloride	9.00	31.3		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	9.20	36.5		0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	9.60	38.9		0.53	2.02	ug/m3
110-82-7	Cyclohexane	8.90	30.6		0.76	1.72	ug/m3
78-93-3	2-Butanone	10.2	30.1		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	10.3	64.8		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	9.30	36.9		0.36	1.98	ug/m3
67-66-3	Chloroform	9.00	44.0		0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	9.20	50.2		0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	10.0	46.7		0.47	2.34	ug/m3
71-43-2	Benzene	9.70	31.0		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	10.2	41.3		0.36	2.02	ug/m3
79-01-6	Trichloroethene	9.10	48.9		0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	10.0	46.2		0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	10.0	67.0		0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	11.0	45.1		0.37	2.05	ug/m3
108-88-3	Toluene	9.70	36.5		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	9.80	44.5		0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	9.90	44.9		0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	9.30	50.7		0.38	2.73	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0226ABS01	SDG No.:	Q1430
Lab Sample ID:	VL0226ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042054.D	1		02/26/25 11:07	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	9.80	83.5		0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	9.50	73.0		0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	9.40	63.7		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	9.50	43.8		0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	9.80	42.6		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	19.5	84.7		0.91	4.34	ug/m3
95-47-6	o-Xylene	9.60	41.7		0.52	2.17	ug/m3
100-42-5	Styrene	9.90	42.1		0.47	2.13	ug/m3
75-25-2	Bromoform	9.60	99.3		0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	9.50	65.2		0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	9.60	49.7		0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	9.60	47.2		0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	9.30	45.7		0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	9.40	56.5		0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	9.30	55.9		0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	9.40	56.5		0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	10.2	75.7		0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	8.90	94.9		0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	9.10	20.1		0.29	1.11	ug/m3
91-20-3	Naphthalene	12.4	65.0		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	9.70	47.7		0.59	2.46	ug/m3
110-54-3	Hexane	8.90	31.4		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	9.50	29.7		0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	9.80	35.3		0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	10.0	41.0		0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.5			65 - 135	105%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	153000		2.797			
540-36-3	1,4-Difluorobenzene	369000		3.972			
3114-55-4	Chlorobenzene-d5	319000		8.895			

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0226ABS01	SDG No.:	Q1430
Lab Sample ID:	VL0226ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042054.D	1		02/26/25 11:07	VL022625

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0303ABS01	SDG No.:	Q1430
Lab Sample ID:	VL0303ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400	Units:	mL

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042077.D	1		03/03/25 15:19	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
TARGETS							
75-71-8	Dichlorodifluoromethane	10.7	52.9		1.04	2.47	ug/m3
74-87-3	Chloromethane	10.2	21.1		0.21	1.03	ug/m3
75-01-4	Vinyl Chloride	10.3	26.3		0.030	0.080	ug/m3
74-83-9	Bromomethane	10.4	40.4		0.54	1.94	ug/m3
75-00-3	Chloroethane	10.4	27.4		0.45	1.32	ug/m3
109-99-9	Tetrahydrofuran	11.2	33.0		0.38	1.47	ug/m3
75-69-4	Trichlorofluoromethane	11.7	65.8		0.90	2.81	ug/m3
76-13-1	1,1,2-Trichlorotrifluoroethane	11.2	85.8		1.23	3.83	ug/m3
76-14-2	Dichlorotetrafluoroethane	10.6	74.1		0.63	3.49	ug/m3
75-65-0	tert-Butyl alcohol	9.60	29.1		0.58	1.52	ug/m3
142-82-5	Heptane	9.60	39.3		0.45	2.05	ug/m3
75-35-4	1,1-Dichloroethene	10.4	41.2		0.56	1.98	ug/m3
67-64-1	Acetone	9.90	23.5		0.57	1.19	ug/m3
75-15-0	Carbon Disulfide	11.0	34.3		0.50	1.56	ug/m3
1634-04-4	Methyl tert-Butyl Ether	8.40	30.3		0.43	1.80	ug/m3
75-09-2	Methylene Chloride	9.90	34.4		0.66	1.74	ug/m3
156-60-5	trans-1,2-Dichloroethene	10.2	40.4		0.75	1.98	ug/m3
75-34-3	1,1-Dichloroethane	10.7	43.3		0.53	2.02	ug/m3
110-82-7	Cyclohexane	8.90	30.6		0.76	1.72	ug/m3
78-93-3	2-Butanone	11.3	33.3		0.35	1.47	ug/m3
56-23-5	Carbon Tetrachloride	10.9	68.6		0.060	0.19	ug/m3
156-59-2	cis-1,2-Dichloroethene	9.30	36.9		0.36	1.98	ug/m3
67-66-3	Chloroform	9.40	45.9		0.39	2.44	ug/m3
71-55-6	1,1,1-Trichloroethane	9.10	49.6		0.050	0.16	ug/m3
540-84-1	2,2,4-Trimethylpentane	10.9	50.9		0.47	2.34	ug/m3
71-43-2	Benzene	10.5	33.5		0.29	1.60	ug/m3
107-06-2	1,2-Dichloroethane	11.0	44.5		0.36	2.02	ug/m3
79-01-6	Trichloroethene	9.80	52.7		0.11	0.16	ug/m3
78-87-5	1,2-Dichloropropane	10.7	49.5		0.51	2.31	ug/m3
75-27-4	Bromodichloromethane	10.8	72.3		0.54	3.35	ug/m3
108-10-1	4-Methyl-2-Pentanone	12.1	49.6		0.37	2.05	ug/m3
108-88-3	Toluene	10.3	38.8		0.41	1.88	ug/m3
10061-02-6	t-1,3-Dichloropropene	9.60	43.6		0.27	2.27	ug/m3
10061-01-5	cis-1,3-Dichloropropene	10.1	45.9		0.27	2.27	ug/m3
79-00-5	1,1,2-Trichloroethane	10.2	55.6		0.38	2.73	ug/m3

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0303ABS01	SDG No.:	Q1430
Lab Sample ID:	VL0303ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042077.D	1		03/03/25 15:19	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
124-48-1	Dibromochloromethane	10.2	86.9		0.60	4.26	ug/m3
106-93-4	1,2-Dibromoethane	10.2	78.4		0.54	0.77	ug/m3
127-18-4	Tetrachloroethene	10.1	68.5		0.14	0.20	ug/m3
108-90-7	Chlorobenzene	10.2	47.0		0.37	2.30	ug/m3
100-41-4	Ethyl Benzene	10.5	45.6		0.52	2.17	ug/m3
179601-23-1	m/p-Xylene	21.5	93.4		0.91	4.34	ug/m3
95-47-6	o-Xylene	10.7	46.5		0.52	2.17	ug/m3
100-42-5	Styrene	10.6	45.1		0.47	2.13	ug/m3
75-25-2	Bromoform	10.5	109		0.62	5.17	ug/m3
79-34-5	1,1,2,2-Tetrachloroethane	10.9	74.8		0.070	0.21	ug/m3
95-49-8	2-Chlorotoluene	10.5	54.4		0.57	2.59	ug/m3
108-67-8	1,3,5-Trimethylbenzene	10.5	51.6		0.54	2.46	ug/m3
95-63-6	1,2,4-Trimethylbenzene	10.2	50.1		0.39	2.46	ug/m3
541-73-1	1,3-Dichlorobenzene	10.5	63.1		0.48	3.01	ug/m3
106-46-7	1,4-Dichlorobenzene	10.6	63.7		0.30	3.01	ug/m3
95-50-1	1,2-Dichlorobenzene	10.7	64.3		0.48	3.01	ug/m3
120-82-1	1,2,4-Trichlorobenzene	11.0	81.7		0.67	3.71	ug/m3
87-68-3	Hexachloro-1,3-Butadiene	9.80	105		0.96	5.33	ug/m3
106-99-0	1,3-Butadiene	10.0	22.1		0.29	1.11	ug/m3
91-20-3	Naphthalene	13.5	70.8		0.42	0.52	ug/m3
622-96-8	4-Ethyltoluene	10.6	52.1		0.59	2.46	ug/m3
110-54-3	Hexane	9.20	32.4		0.39	1.76	ug/m3
107-05-1	Allyl Chloride	10.5	32.9		0.47	1.57	ug/m3
123-91-1	1,4-Dioxane	10.4	37.5		0.76	1.80	ug/m3
80-62-6	Methyl Methacrylate	10.3	42.2		0.37	2.05	ug/m3
SURROGATES							
460-00-4	1-Bromo-4-Fluorobenzene	10.2			65 - 135	102%	SPK: 10
INTERNAL STANDARDS							
74-97-5	Bromochloromethane	158000		2.787			
540-36-3	1,4-Difluorobenzene	357000		3.959			
3114-55-4	Chlorobenzene-d5	310000		8.882			

Report of Analysis

Client:	GFE LLC	Date Collected:	
Project:	38-11 31st St, Long Island City, NY	Date Received:	
Client Sample ID:	VL0303ABS01	SDG No.:	Q1430
Lab Sample ID:	VL0303ABS01	Matrix:	Air
Analytical Method:	TO-15	Test:	TO-15
Sample Wt/Vol:	400 Units: mL		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VL042077.D	1		03/03/25 15:19	VL030325

CAS Number	Parameter	Conc. ppbv	Conc. ug/M3	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	---------------	----------------	-----------	-----	------------	-------

U = Not Detected
 RL = Reporting Limit
 MDL = Method Detection Limit
 E = Value Exceeds Calibration Range
 D = Dilution

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 Q = indicates LCS control criteria did not meet requirements



CALIBRATION SUMMARY

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\

Method File : VL022525AIR.M

Title : AIR ANALYSIS BY METHOD TO-15 Instrument: MSVOA_L Fri Aug 26 06:05:16 2022

Last Update : Wed Feb 26 01:08:36 2025

Response Via : Initial Calibration

Calibration Files

0.03=VL042046.D 0.1 =VL042045.D 0.5 =VL042044.D 1 =VL042043.D 2 =VL042042.D 10 =VL042041.D 15 =VL042047.D

Compound	0.03	0.1	0.5	1	2	10	15	Avg	%RSD

1) I Bromochloromethane	-----ISTD-----								
2) T Dichlorodifluo...			1.109	1.084	1.091	0.943	0.973	1.040	7.31
3) Chlorodifluoro...			1.493	1.566	1.535	1.311	1.362	1.453	7.67
4) Chloromethane			0.438	0.398	0.399	0.344	0.344	0.385	10.53
5) T Vinyl Chloride	0.447	0.336	0.376	0.346	0.361	0.337	0.343	0.364	10.89
6) T Bromomethane			0.170	0.184	0.186	0.160	0.165	0.173	6.63
7) Chloroethane			0.151	0.158	0.156	0.135	0.140	0.148	6.83
8) T Dichlorotetra...			0.892	0.910	0.901	0.779	0.791	0.855	7.47
9) T Propene			0.614	0.630	0.636	0.522	0.558	0.592	8.47
10) T Heptane			1.971	1.946	1.960	1.662	1.679	1.844	8.59
11) T Trichlorofluor...			1.056	1.122	1.119	0.944	0.968	1.042	7.98
12) T 1,1,2-Trichlor...			0.919	0.902	0.865	0.697	0.773	0.831	11.28
13) Ethanol			0.053	0.057	0.040	0.020	0.018	0.038#	48.50
14) T Bromoethene			0.325	0.304	0.299	0.264	0.275	0.293	8.41
15) T Acetone			1.084	0.960	0.933	0.714	0.723	0.883	18.17
16) T 1,3-Butadiene			0.476	0.435	0.418	0.358	0.367	0.411	11.96
17) tert-Butyl alc...			1.184	1.185	1.201	0.950	1.004	1.105	10.71
18) T 1,1-Dichloroet...			0.398	0.437	0.386	0.320	0.338	0.376	12.57
19) T Isopropyl Alcohol			0.561	0.571	0.557	0.419	0.429	0.507	15.06
20) T Methylene Chlo...			0.429	0.374	0.329	0.261	0.278	0.334	20.72
21) T Allyl Chloride			0.707	0.717	0.639	0.538	0.590	0.638	11.94
22) T trans-1,2-Dich...			0.481	0.506	0.450	0.358	0.395	0.438	13.90
23) T Vinyl Acetate			0.689	0.614	0.695	0.520	0.586	0.621	11.82
24) T 1,1-Dichloroet...			0.927	0.856	0.863	0.669	0.758	0.815	12.42
25) T Ethyl Acetate			3.833	3.674	3.776	3.174	3.217	3.535	8.91
26) T Hexane			1.596	1.462	1.519	1.282	1.287	1.429	9.83
27) T Carbon Disulfide			1.042	0.972	1.032	0.856	0.942	0.969	7.78
28) T Methyl tert-Bu...			0.650	0.844	0.838	0.522	0.705	0.711	19.02
29) T Chloroform			2.165	2.044	1.971	1.722	1.716	1.923	10.36
30) T Cyclohexane			1.154	1.239	1.255	1.076	1.076	1.160	7.39
31) T cis-1,2-Dichlo...			1.421	1.401	1.450	1.237	1.255	1.353	7.33
32) T 1,1,1-Trichlor...	1.921	1.875	1.883	1.916	1.944	1.771	1.751	1.866	4.05

33) I 1,4-Difluorobenzene	-----ISTD-----								
34) T 2-Butanone			0.833	0.799	0.812	0.692	0.759	0.779	7.15
35) T Carbon Tetrach...	0.664	0.705	0.675	0.723	0.725	0.655	0.681	0.690	4.09
36) T Benzene			1.079	1.084	1.104	0.969	0.999	1.047	5.66
37) T 1,2-Dichloroet...			0.624	0.604	0.598	0.520	0.556	0.580	7.20
38) T Trichloroethene	0.447	0.462	0.433	0.447	0.447	0.378	0.379	0.427	8.06
39) T 1,2-Dichloropr...			0.421	0.415	0.414	0.357	0.379	0.397	7.02

Method Path : Z:\voasrv\HPCHEM1\MSVOA_L\methods\											
Method File : VL022525AIR.M											
40)	T	1,4-Dioxane			0.192	0.196	0.181	0.164	0.173	0.181	7.31
41)	T	Tetrahydrofuran			0.469	0.492	0.473	0.418	0.450	0.460	6.04
42)	T	Bromodichlorom...			0.806	0.791	0.810	0.739	0.765	0.782	3.81
43)		Methyl Methacr...			0.400	0.418	0.426	0.392	0.409	0.409	3.35
44)	T	2,2,4-Trimethy...			1.928	1.935	1.955	1.670	1.750	1.848	6.99
45)	T	t-1,3-Dichloro...			0.414	0.392	0.418	0.393	0.414	0.406	3.12
46)	T	cis-1,3-Dichlo...			0.514	0.523	0.548	0.516	0.526	0.526	2.59
47)	T	1,1,2-Trichlor...			0.426	0.429	0.426	0.361	0.375	0.403	8.12
48)	T	Dibromochlorom...			0.618	0.667	0.667	0.594	0.613	0.632	5.25
49)	T	Bromoform			0.553	0.551	0.588	0.525	0.526	0.549	4.68
50)	T	4-Methyl-2-Pen...			0.996	0.974	0.975	1.014	1.079	1.008	4.27
51)	T	2-Hexanone			0.577	0.570	0.608	0.834	0.879	0.693	21.69
52)	T	Tetrachloroethene	0.322	0.374	0.380	0.383	0.385	0.327	0.337	0.358	7.88
53)	T	Toluene			1.150	1.210	1.284	1.088	1.118	1.170	6.67
54)	T	1,2-Dibromoethane		0.563	0.556	0.553	0.586	0.500	0.514	0.545	5.87
-----ISTD-----											
55)	I	Chlorobenzene-d5									
56)		1,1,1,2-Tetrac...			0.607	0.596	0.595	0.505	0.524	0.565	8.37
57)	T	Chlorobenzene			1.102	1.113	1.121	0.910	0.938	1.037	10.02
58)	T	Ethyl Benzene			1.886	1.906	1.974	1.694	1.749	1.842	6.31
59)	T	m/p-Xylene			1.488	1.550	1.580	1.330	1.380	1.466	7.35
60)	T	o-Xylene			1.572	1.550	1.577	1.317	1.351	1.473	8.68
61)	T	Styrene			0.659	0.719	0.738	0.658	0.690	0.693	5.18
62)		Isopropylbenzene			2.299	2.339	2.399	1.969	2.026	2.207	8.84
63)	T	1,1,2,2-Tetrac...	0.999	0.975	1.026	1.041	1.031	0.848	0.872	0.970	8.13
64)		n-propylbenzene			0.596	0.607	0.632	0.524	0.535	0.579	8.11
65)		tert-Butylbenzene			2.080	2.251	2.222	1.733	1.753	2.008	12.47
66)	T	Benzyl Chloride			0.141	0.159	0.163	0.153	0.150	0.153	5.40
67)		sec-Butylbenzene			2.973	3.229	3.182	2.482	2.494	2.872	12.65
68)	S	1-Bromo-4-Fluo...	0.773	0.760	0.768	0.777	0.765	0.764	0.779	0.769	0.92
69)		p-Isopropyltol...			2.240	2.533	2.575	2.021	2.056	2.285	11.38
70)		n-Butylbenzene			2.332	2.567	2.572	2.070	2.120	2.332	10.20
71)		2-Chlorotoluene			1.758	1.829	1.853	1.514	1.551	1.701	9.30
72)	T	4-Ethyltoluene			1.775	1.944	1.985	1.621	1.670	1.799	8.99
73)	T	1,3,5-Trimethy...			1.592	1.732	1.696	1.381	1.400	1.560	10.47
74)	T	1,2,4-Trimethy...			1.855	1.982	1.990	1.471	1.488	1.757	14.76
75)	T	1,3-Dichlorobe...			1.112	1.110	1.083	0.869	0.882	1.011	12.30
76)	T	1,4-Dichlorobe...			1.120	1.061	1.092	0.861	0.886	1.004	12.07
77)	T	1,2-Dichlorobe...			1.059	1.097	1.063	0.836	0.852	0.981	12.88
78)	T	Hexachloro-1,3...			0.840	0.832	0.844	0.637	0.666	0.764	13.53
79)	T	Naphthalene		0.841	0.978	1.237	1.352	1.371	1.450	1.205	20.15
80)	T	Naphthalene,2-...			0.090	0.142	0.240	0.562	0.615	0.330	73.74
81)	T	1,2,4-Trichlor...			0.589	0.687	0.765	0.644	0.673	0.671	9.58

(#) = Out of Range

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GFEL01

Lab Code: CHEM Case No.: Q1430 SAS No.: Q1430 SDG No.: Q1430

Instrument ID: MSVOA_L Calibration Date/Time: 02/26/2025 08:38

Lab File ID: VL042050.D Init. Calib. Date(s): 02/25/2025 02/25/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:56 12:07

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	1.040	1.010		-2.88	30
Chloromethane	0.385	0.345		-10.39	30
Vinyl Chloride	0.364	0.342		-6.04	30
Bromomethane	0.173	0.163		-5.78	30
Chloroethane	0.148	0.140		-5.41	30
Tetrahydrofuran	0.460	0.462		0.44	30
Trichlorofluoromethane	1.042	0.989		-5.09	30
1,1,2-Trichlorotrifluoroethane	0.831	0.726		-12.64	30
Dichlorotetrafluoroethane	0.855	0.822		-3.86	30
tert-Butyl alcohol	1.105	0.973		-11.95	30
Heptane	1.844	1.702		-7.7	30
1,1-Dichloroethene	0.376	0.324		-13.83	30
Acetone	0.883	0.739		-16.31	30
Carbon Disulfide	0.969	0.880		-9.19	30
Methyl tert-Butyl Ether	0.711	0.563		-20.82	30
Methylene Chloride	0.334	0.272		-18.56	30
trans-1,2-Dichloroethene	0.438	0.391		-10.73	30
1,1-Dichloroethane	0.815	0.751		-7.85	30
Cyclohexane	1.160	1.063		-8.36	30
2-Butanone	0.779	0.771		-1.03	30
Carbon Tetrachloride	0.690	0.703		1.88	30
cis-1,2-Dichloroethene	1.353	1.254		-7.32	30
Chloroform	1.923	1.740		-9.52	30
1,1,1-Trichloroethane	1.866	1.748		-6.32	30
2,2,4-Trimethylpentane	1.848	1.817		-1.68	30
Benzene	1.047	1.019		-2.67	30
1,2-Dichloroethane	0.580	0.580		0	30
Trichloroethene	0.427	0.385		-9.84	30
1,2-Dichloropropane	0.397	0.392		-1.26	30
Bromodichloromethane	0.782	0.792		1.28	30
4-Methyl-2-Pentanone	1.008	1.093		8.43	30
Toluene	1.170	1.136		-2.91	30
t-1,3-Dichloropropene	0.406	0.401		-1.23	30
cis-1,3-Dichloropropene	0.526	0.530		0.76	30
1,1,2-Trichloroethane	0.403	0.382		-5.21	30
Dibromochloromethane	0.632	0.621		-1.74	30
1,2-Dibromoethane	0.545	0.518		-4.95	30
Tetrachloroethene	0.358	0.339		-5.31	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GFEL01

Lab Code: CHEM Case No.: Q1430 SAS No.: Q1430 SDG No.: Q1430

Instrument ID: MSVOA_L Calibration Date/Time: 02/26/2025 08:38

Lab File ID: VL042050.D Init. Calib. Date(s): 02/25/2025 02/25/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:56 12:07

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Chlorobenzene	1.037	0.972		-6.27	30
Ethyl Benzene	1.842	1.780		-3.37	30
m/p-Xylene	1.466	1.424		-2.87	30
o-Xylene	1.473	1.416		-3.87	30
Styrene	0.693	0.688		-0.72	30
Bromoform	0.549	0.531		-3.28	30
1,1,2,2-Tetrachloroethane	0.970	0.929		-4.23	30
2-Chlorotoluene	1.701	1.623		-4.59	30
1,3,5-Trimethylbenzene	1.560	1.443		-7.5	30
1,2,4-Trimethylbenzene	1.757	1.571		-10.59	30
1,3-Dichlorobenzene	1.011	0.920		-9	30
1,4-Dichlorobenzene	1.004	0.921		-8.27	30
1,2-Dichlorobenzene	0.981	0.901		-8.15	30
1,2,4-Trichlorobenzene	0.671	0.674		0.45	30
Hexachloro-1,3-Butadiene	0.764	0.682		-10.73	30
1,3-Butadiene	0.411	0.375		-8.76	30
Naphthalene	1.205	1.469		21.91	30
4-Ethyltoluene	1.799	1.710		-4.95	30
1-Bromo-4-Fluorobenzene	0.769	0.787		2.34	30
Hexane	1.429	1.315		-7.98	30
Allyl Chloride	0.638	0.549		-13.95	30
1,4-Dioxane	181.383	177.296		-2.25	30
Methyl Methacrylate	0.409	0.404		-1.22	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GFEL01

Lab Code: CHEM Case No.: Q1430 SAS No.: Q1430 SDG No.: Q1430

Instrument ID: MSVOA_L Calibration Date/Time: 03/03/2025 12:15

Lab File ID: VL042075.D Init. Calib. Date(s): 02/25/2025 02/25/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:56 12:07

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Dichlorodifluoromethane	1.040	1.021		-1.83	30
Chloromethane	0.385	0.353		-8.31	30
Vinyl Chloride	0.364	0.348		-4.4	30
Bromomethane	0.173	0.174		0.58	30
Chloroethane	0.148	0.139		-6.08	30
Tetrahydrofuran	0.460	0.463		0.65	30
Trichlorofluoromethane	1.042	1.082		3.84	30
1,1,2-Trichlorotrifluoroethane	0.831	0.821		-1.2	30
Dichlorotetrafluoroethane	0.855	0.831		-2.81	30
tert-Butyl alcohol	1.105	1.009		-8.69	30
Heptane	1.844	1.646		-10.74	30
1,1-Dichloroethene	0.376	0.362		-3.72	30
Acetone	0.883	0.773		-12.46	30
Carbon Disulfide	0.969	0.960		-0.93	30
Methyl tert-Butyl Ether	0.711	0.591		-16.88	30
Methylene Chloride	0.334	0.306		-8.38	30
trans-1,2-Dichloroethene	0.438	0.419		-4.34	30
1,1-Dichloroethane	0.815	0.788		-3.31	30
Cyclohexane	1.160	0.983		-15.26	30
2-Butanone	0.779	0.793		1.8	30
Carbon Tetrachloride	0.690	0.687		-0.44	30
cis-1,2-Dichloroethene	1.353	1.208		-10.72	30
Chloroform	1.923	1.697		-11.75	30
1,1,1-Trichloroethane	1.866	1.590		-14.79	30
2,2,4-Trimethylpentane	1.848	1.787		-3.3	30
Benzene	1.047	1.003		-4.2	30
1,2-Dichloroethane	0.580	0.575		-0.86	30
Trichloroethene	0.427	0.378		-11.48	30
1,2-Dichloropropane	0.397	0.388		-2.27	30
Bromodichloromethane	0.782	0.770		-1.53	30
4-Methyl-2-Pentanone	1.008	1.102		9.32	30
Toluene	1.170	1.096		-6.32	30
t-1,3-Dichloropropene	0.406	0.367		-9.61	30
cis-1,3-Dichloropropene	0.526	0.492		-6.46	30
1,1,2-Trichloroethane	0.403	0.380		-5.71	30
Dibromochloromethane	0.632	0.597		-5.54	30
1,2-Dibromoethane	0.545	0.507		-6.97	30
Tetrachloroethene	0.358	0.330		-7.82	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.

VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: CHEMTECH Contract: GFEL01

Lab Code: CHEM Case No.: Q1430 SAS No.: Q1430 SDG No.: Q1430

Instrument ID: MSVOA_L Calibration Date/Time: 03/03/2025 12:15

Lab File ID: VL042075.D Init. Calib. Date(s): 02/25/2025 02/25/2025

Heated Purge: (Y/N) N Init. Calib. Time(s): 08:56 12:07

GC Column: RTX-1 ID: 0.32 (mm)

COMPOUND	RRF	RRF010	MIN RRF	%D	MAX%D
Chlorobenzene	1.037	0.983		-5.21	30
Ethyl Benzene	1.842	1.764		-4.24	30
m/p-Xylene	1.466	1.426		-2.73	30
o-Xylene	1.473	1.425		-3.26	30
Styrene	0.693	0.685		-1.15	30
Bromoform	0.549	0.525		-4.37	30
1,1,2,2-Tetrachloroethane	0.970	0.936		-3.51	30
2-Chlorotoluene	1.701	1.623		-4.59	30
1,3,5-Trimethylbenzene	1.560	1.474		-5.51	30
1,2,4-Trimethylbenzene	1.757	1.627		-7.4	30
1,3-Dichlorobenzene	1.011	0.951		-5.93	30
1,4-Dichlorobenzene	1.004	0.955		-4.88	30
1,2-Dichlorobenzene	0.981	0.939		-4.28	30
1,2,4-Trichlorobenzene	0.671	0.679		1.19	30
Hexachloro-1,3-Butadiene	0.764	0.673		-11.91	30
1,3-Butadiene	0.411	0.375		-8.76	30
Naphthalene	1.205	1.484		23.15	30
4-Ethyltoluene	1.799	1.735		-3.56	30
1-Bromo-4-Fluorobenzene	0.769	0.781		1.56	30
Hexane	1.429	1.250		-12.53	30
Allyl Chloride	0.638	0.622		-2.51	30
1,4-Dioxane	181.383	169.533		-6.53	30
Methyl Methacrylate	0.409	0.392		-4.16	30

All other compounds must meet a minimum RRF of 0.010.
RRF of 1,4-Dioxane = Value should be divide by 1000.