

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-8C		SDG No.:	Q1436	
Lab Sample ID:	Q1436-03		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	73.4	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070320.D	1	03/06/25 11:40	03/06/25 18:32	PB167022

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	5.40	U	5.40	23.1	ug/kg
11104-28-2	Aroclor-1221	5.50	U	5.50	23.1	ug/kg
11141-16-5	Aroclor-1232	5.10	U	5.10	23.1	ug/kg
53469-21-9	Aroclor-1242	5.40	U	5.40	23.1	ug/kg
12672-29-6	Aroclor-1248	8.00	U	8.00	23.1	ug/kg
11097-69-1	Aroclor-1254	176		4.40	23.1	ug/kg
37324-23-5	Aroclor-1262	6.80	U	6.80	23.1	ug/kg
11100-14-4	Aroclor-1268	30.9		4.90	23.1	ug/kg
11096-82-5	Aroclor-1260	4.40	U	4.40	23.1	ug/kg
Total PCBs	Total PCBs	207		9.30	23.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	9.28		32 - 144	46%	SPK: 20
2051-24-3	Decachlorobiphenyl	8.23		32 - 175	41%	SPK: 20

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 P = Indicates >25% difference for detected concentrations between the two GC columns
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.
 () = Laboratory InHouse Limit