

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-13C		SDG No.:	Q1437	
Lab Sample ID:	Q1437-08		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	68.5	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070358.D	1	03/07/25 08:25	03/07/25 14:46	PB167029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	5.80	U	5.80	24.8	ug/kg
11104-28-2	Aroclor-1221	5.90	U	5.90	24.8	ug/kg
11141-16-5	Aroclor-1232	5.40	U	5.40	24.8	ug/kg
53469-21-9	Aroclor-1242	5.80	U	5.80	24.8	ug/kg
12672-29-6	Aroclor-1248	8.60	U	8.60	24.8	ug/kg
11097-69-1	Aroclor-1254	406		4.70	24.8	ug/kg
37324-23-5	Aroclor-1262	7.30	U	7.30	24.8	ug/kg
11100-14-4	Aroclor-1268	25.2		5.20	24.8	ug/kg
11096-82-5	Aroclor-1260	4.70	U	4.70	24.8	ug/kg
Total PCBs	Total PCBs	432		9.90	24.8	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	25.6		32 - 144	128%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.5		32 - 175	92%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit