

NEW JERSEY LAB ID#:20012 : NEW YORK LAB ID#: 11376

GC ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY

CHEMTECH PROJECT NUMBER: PP030725

	NA	NO	YES
1. Chromatograms Labeled/Compounds Identified	✓		
2. PEM Meet Criteria.	✓		
3. Calibration - Initial Calibration performed within 30 days before sample analysis and continuing calibration performed within 24 hours of sample analysis, 12 HOURS IF 8000 SERIES METHOD.	✓		
3(a).Initial calibration Meet Criteria If not met, list those compounds and their recoveries which fall outside the acceptable range. COMMENTS:	✓		
3(b).Continuous calibration(CCC) Meet Criteria If not met, list those compounds and their recoveries which fall outside the acceptable range. COMMENTS:	✓		
4. Blank Contamination - If yes, list compounds and concentrations in each blank: COMMENTS:	✓		
5. Surrogate Recoveries Meet Criteria If not met, list those compounds and their recoveries which fall outside the acceptable ranges. COMMENTS: Q1472-01 - TCMX High 2nd column, Q1437-01DL - DCB High in both column, TCMX high in 2nd column, Q1437-04DL2 - All Surrogate High, Q1510-01 - DCB & TCMX High in both column, Q1510-02 - DCB High in 2nd column, TCMX High in 1st column			✓

✓

COMMENTS:

✓

COMMENTS:

✓

COMMENTS:



COMMENTS:

✓

COMMENTS:

ADDITIONAL COMMENTS:

rachit

QA REVIEW

03/08/2025

Date