

## Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-14ADL		SDG No.:	Q1437	
Lab Sample ID:	Q1437-09DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	77.6	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109618.D	10	02/27/25 09:15	03/01/25 00:15	PB166889

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	43.6	UD	43.6	218	ug/kg
11104-28-2	Aroclor-1221	82.4	UD	82.4	218	ug/kg
11141-16-5	Aroclor-1232	43.7	UD	43.7	218	ug/kg
53469-21-9	Aroclor-1242	43.6	UD	43.6	218	ug/kg
12672-29-6	Aroclor-1248	101	UD	101	218	ug/kg
11097-69-1	Aroclor-1254	2600	D	35.1	218	ug/kg
37324-23-5	Aroclor-1262	58.7	UD	58.7	218	ug/kg
11100-14-4	Aroclor-1268	339	D	44.1	218	ug/kg
11096-82-5	Aroclor-1260	37.4	UD	37.4	218	ug/kg
Total PCBs	Total PCBs	3000	D	79.2	218	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	27.0		32 - 144	135%	SPK: 20
2051-24-3	Decachlorobiphenyl	50.5	*	32 - 175	253%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit