

Hit Summary Sheet SW-846

SDG No.: Q1437

Order ID: Q1437

Client: ATC Group Services LLC

Project ID: K084-SCA PCBs NYC - 2022SCA421

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : K084-11B								
Q1437-01	K084-11B	SOIL	Aroclor-1254	3600	E	3.70	23.3	ug/kg
Q1437-01	K084-11B	SOIL	Aroclor-1268	257		4.70	23.3	ug/kg
Total Concentration:				3,857.000				
Client ID : K084-11BDL								
Q1437-01DL	K084-11BDL	SOIL	Aroclor-1254	4500	D	75.0	467	ug/kg
Q1437-01DL	K084-11BDL	SOIL	Aroclor-1268	394	JD	94.2	467	ug/kg
Total Concentration:				4,894.000				
Client ID : K084-11C								
Q1437-02	K084-11C	SOIL	Aroclor-1254	529		4.40	27.5	ug/kg
Q1437-02	K084-11C	SOIL	Aroclor-1268	22.2	JP	5.50	27.5	ug/kg
Total Concentration:				551.200				
Client ID : K084-12A								
Q1437-03	K084-12A	SOIL	Aroclor-1254	6900	E	3.70	22.8	ug/kg
Q1437-03	K084-12A	SOIL	Aroclor-1268	544	E	4.60	22.8	ug/kg
Total Concentration:				7,444.000				
Client ID : K084-12ADL								
Q1437-03DL	K084-12ADL	SOIL	Aroclor-1254	7300	ED	7.30	45.6	ug/kg
Q1437-03DL	K084-12ADL	SOIL	Aroclor-1268	623	D	9.20	45.6	ug/kg
Total Concentration:				7,923.000				
Client ID : K084-12ADL2								
Q1437-03DL2	K084-12ADL2	SOIL	Aroclor-1254	7700	D	73.2	456	ug/kg
Q1437-03DL2	K084-12ADL2	SOIL	Aroclor-1268	742	D	92.0	456	ug/kg
Total Concentration:				8,442.000				
Client ID : K084-12B								
Q1437-04	K084-12B	SOIL	Aroclor-1254	4100	E	3.70	22.9	ug/kg
Q1437-04	K084-12B	SOIL	Aroclor-1268	721	E	4.60	22.9	ug/kg

Hit Summary Sheet SW-846

SDG No.: Q1437

Order ID: Q1437

Client: ATC Group Services LLC

Project ID: K084-SCA PCBs NYC - 2022SCA421

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Total Concentration:				4,821.000				
Client ID : K084-12BDL								
Q1437-04DL	K084-12BDL	SOIL	Aroclor-1254	4000	ED	7.40	45.8	ug/kg
Q1437-04DL	K084-12BDL	SOIL	Aroclor-1268	740	D	9.20	45.8	ug/kg
Total Concentration:				4,740.000				
Client ID : K084-12BDL2								
Q1437-04DL2	K084-12BDL2	SOIL	Aroclor-1254	5900	D	73.6	458	ug/kg
Q1437-04DL2	K084-12BDL2	SOIL	Aroclor-1268	1100	D	92.5	458	ug/kg
Total Concentration:				7,000.000				
Client ID : K084-12C								
Q1437-05	K084-12C	SOIL	Aroclor-1254	122		4.10	25.5	ug/kg
Q1437-05	K084-12C	SOIL	Aroclor-1268	19.0	J	5.10	25.5	ug/kg
Total Concentration:				141.000				
Client ID : K084-13A								
Q1437-06	K084-13A	SOIL	Aroclor-1254	5700	E	3.40	21.2	ug/kg
Q1437-06	K084-13A	SOIL	Aroclor-1268	142		4.30	21.2	ug/kg
Total Concentration:				5,842.000				
Client ID : K084-13ADL								
Q1437-06DL	K084-13ADL	SOIL	Aroclor-1254	5900	D	68.2	424	ug/kg
Q1437-06DL	K084-13ADL	SOIL	Aroclor-1268	196	JD	85.6	424	ug/kg
Total Concentration:				6,096.000				
Client ID : K084-13B								
Q1437-07	K084-13B	SOIL	Aroclor-1254	1600	E	3.80	23.6	ug/kg
Q1437-07	K084-13B	SOIL	Aroclor-1268	61.9		4.80	23.6	ug/kg
Total Concentration:				1,661.900				

Hit Summary Sheet
SW-846

SDG No.: Q1437

Order ID: Q1437

Client: ATC Group Services LLC

Project ID: K084-SCA PCBs NYC - 2022SCA421

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : K084-13BDL								
Q1437-07DL	K084-13BDL	SOIL	Aroclor-1254	1900	D	19.0	118	ug/kg
Q1437-07DL	K084-13BDL	SOIL	Aroclor-1268	80.1	JD	23.8	118	ug/kg
Total Concentration:				1,980.100				
Client ID : K084-13C								
Q1437-08	K084-13C	SOIL	Aroclor-1254	406		4.00	24.8	ug/kg
Q1437-08	K084-13C	SOIL	Aroclor-1268	25.2		5.00	24.8	ug/kg
Total Concentration:				431.200				
Client ID : K084-14A								
Q1437-09	K084-14A	SOIL	Aroclor-1254	2700	E	3.50	21.8	ug/kg
Q1437-09	K084-14A	SOIL	Aroclor-1268	280		4.40	21.8	ug/kg
Total Concentration:				2,980.000				
Client ID : K084-14ADL								
Q1437-09DL	K084-14ADL	SOIL	Aroclor-1254	2600	D	35.1	218	ug/kg
Q1437-09DL	K084-14ADL	SOIL	Aroclor-1268	339	D	44.1	218	ug/kg
Total Concentration:				2,939.000				
Client ID : K084-14B								
Q1437-10	K084-14B	SOIL	Aroclor-1254	278		4.10	25.5	ug/kg
Q1437-10	K084-14B	SOIL	Aroclor-1268	38.6		5.10	25.5	ug/kg
Total Concentration:				315.600				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-11B		SDG No.:	Q1437	
Lab Sample ID:	Q1437-01		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	72.8	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070330.D	1	03/06/25 11:40	03/06/25 22:30	PB167022

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.70	U	4.70	23.3	ug/kg
11104-28-2	Aroclor-1221	8.80	U	8.80	23.3	ug/kg
11141-16-5	Aroclor-1232	4.70	U	4.70	23.3	ug/kg
53469-21-9	Aroclor-1242	4.70	U	4.70	23.3	ug/kg
12672-29-6	Aroclor-1248	10.8	U	10.8	23.3	ug/kg
11097-69-1	Aroclor-1254	3600	E	3.70	23.3	ug/kg
37324-23-5	Aroclor-1262	6.30	U	6.30	23.3	ug/kg
11100-14-4	Aroclor-1268	257		4.70	23.3	ug/kg
11096-82-5	Aroclor-1260	4.00	U	4.00	23.3	ug/kg
Total PCBs	Total PCBs	3900		8.40	23.3	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	23.5		32 - 144	118%	SPK: 20
2051-24-3	Decachlorobiphenyl	32.0		32 - 175	160%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-11BDL		SDG No.:	Q1437	
Lab Sample ID:	Q1437-01DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	72.8	Decanted:
Sample Wt/Vol:	30.02	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070351.D	20	03/06/25 11:40	03/07/25 12:52	PB167022

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	93.1	UD	93.1	467	ug/kg
11104-28-2	Aroclor-1221	176	UD	176	467	ug/kg
11141-16-5	Aroclor-1232	93.3	UD	93.3	467	ug/kg
53469-21-9	Aroclor-1242	93.1	UD	93.1	467	ug/kg
12672-29-6	Aroclor-1248	217	UD	217	467	ug/kg
11097-69-1	Aroclor-1254	4500	D	75.0	467	ug/kg
37324-23-5	Aroclor-1262	125	UD	125	467	ug/kg
11100-14-4	Aroclor-1268	394	JD	94.2	467	ug/kg
11096-82-5	Aroclor-1260	79.9	UD	79.9	467	ug/kg
Total PCBs	Total PCBs	4900	D	169	467	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	38.4	*	32 - 144	192%	SPK: 20
2051-24-3	Decachlorobiphenyl	76.0	*	32 - 175	380%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-11C		SDG No.:	Q1437	
Lab Sample ID:	Q1437-02		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	61.7	Decanted:
Sample Wt/Vol:	30.07	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070356.D	1	03/07/25 08:25	03/07/25 14:13	PB167029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	5.50	U	5.50	27.5	ug/kg
11104-28-2	Aroclor-1221	10.4	U	10.4	27.5	ug/kg
11141-16-5	Aroclor-1232	5.50	U	5.50	27.5	ug/kg
53469-21-9	Aroclor-1242	5.50	U	5.50	27.5	ug/kg
12672-29-6	Aroclor-1248	12.8	U	12.8	27.5	ug/kg
11097-69-1	Aroclor-1254	529		4.40	27.5	ug/kg
37324-23-5	Aroclor-1262	7.40	U	7.40	27.5	ug/kg
11100-14-4	Aroclor-1268	22.2	JP	5.50	27.5	ug/kg
11096-82-5	Aroclor-1260	4.70	U	4.70	27.5	ug/kg
Total PCBs	Total PCBs	552		9.90	27.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.8		32 - 144	99%	SPK: 20
2051-24-3	Decachlorobiphenyl	9.40		32 - 175	47%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-12A		SDG No.:	Q1437	
Lab Sample ID:	Q1437-03		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	74.5	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109572.D	1	02/27/25 09:15	02/28/25 07:18	PB166889

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.50	U	4.50	22.8	ug/kg
11104-28-2	Aroclor-1221	8.60	U	8.60	22.8	ug/kg
11141-16-5	Aroclor-1232	4.60	U	4.60	22.8	ug/kg
53469-21-9	Aroclor-1242	4.50	U	4.50	22.8	ug/kg
12672-29-6	Aroclor-1248	10.6	U	10.6	22.8	ug/kg
11097-69-1	Aroclor-1254	6900	E	3.70	22.8	ug/kg
37324-23-5	Aroclor-1262	6.10	U	6.10	22.8	ug/kg
11100-14-4	Aroclor-1268	544	E	4.60	22.8	ug/kg
11096-82-5	Aroclor-1260	3.90	U	3.90	22.8	ug/kg
Total PCBs	Total PCBs	7400	E	8.30	22.8	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.8		32 - 144	109%	SPK: 20
2051-24-3	Decachlorobiphenyl	50.2	*	32 - 175	251%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-12ADL		SDG No.:	Q1437	
Lab Sample ID:	Q1437-03DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	74.5	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109615.D	2	02/27/25 09:15	02/28/25 23:21	PB166889

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	9.10	UD	9.10	45.6	ug/kg
11104-28-2	Aroclor-1221	17.2	UD	17.2	45.6	ug/kg
11141-16-5	Aroclor-1232	9.10	UD	9.10	45.6	ug/kg
53469-21-9	Aroclor-1242	9.10	UD	9.10	45.6	ug/kg
12672-29-6	Aroclor-1248	21.2	UD	21.2	45.6	ug/kg
11097-69-1	Aroclor-1254	7300	ED	7.30	45.6	ug/kg
37324-23-5	Aroclor-1262	12.3	UD	12.3	45.6	ug/kg
11100-14-4	Aroclor-1268	623	D	9.20	45.6	ug/kg
11096-82-5	Aroclor-1260	7.80	UD	7.80	45.6	ug/kg
Total PCBs	Total PCBs	7900	D	16.5	45.6	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.6		32 - 144	113%	SPK: 20
2051-24-3	Decachlorobiphenyl	60.3	*	32 - 175	302%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-12ADL2		SDG No.:	Q1437	
Lab Sample ID:	Q1437-03DL2		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	74.5	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109616.D	20	02/27/25 09:15	02/28/25 23:39	PB166889

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	90.9	UD	90.9	456	ug/kg
11104-28-2	Aroclor-1221	172	UD	172	456	ug/kg
11141-16-5	Aroclor-1232	91.2	UD	91.2	456	ug/kg
53469-21-9	Aroclor-1242	90.9	UD	90.9	456	ug/kg
12672-29-6	Aroclor-1248	212	UD	212	456	ug/kg
11097-69-1	Aroclor-1254	7700	D	73.2	456	ug/kg
37324-23-5	Aroclor-1262	123	UD	123	456	ug/kg
11100-14-4	Aroclor-1268	742	D	92.0	456	ug/kg
11096-82-5	Aroclor-1260	78.0	UD	78.0	456	ug/kg
Total PCBs	Total PCBs	8500	D	165	456	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	26.0		32 - 144	130%	SPK: 20
2051-24-3	Decachlorobiphenyl	87.0	*	32 - 175	435%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-12B		SDG No.:	Q1437	
Lab Sample ID:	Q1437-04		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	74.1	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070331.D	1	03/06/25 11:40	03/06/25 22:47	PB167022

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.60	U	4.60	22.9	ug/kg
11104-28-2	Aroclor-1221	8.60	U	8.60	22.9	ug/kg
11141-16-5	Aroclor-1232	4.60	U	4.60	22.9	ug/kg
53469-21-9	Aroclor-1242	4.60	U	4.60	22.9	ug/kg
12672-29-6	Aroclor-1248	10.6	U	10.6	22.9	ug/kg
11097-69-1	Aroclor-1254	4100	E	3.70	22.9	ug/kg
37324-23-5	Aroclor-1262	6.20	U	6.20	22.9	ug/kg
11100-14-4	Aroclor-1268	721	E	4.60	22.9	ug/kg
11096-82-5	Aroclor-1260	3.90	U	3.90	22.9	ug/kg
Total PCBs	Total PCBs	4800	E	8.30	22.9	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	25.0		32 - 144	125%	SPK: 20
2051-24-3	Decachlorobiphenyl	66.4	*	32 - 175	332%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-12BDL		SDG No.:	Q1437	
Lab Sample ID:	Q1437-04DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	74.1	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070352.D	2	03/06/25 11:40	03/07/25 13:08	PB167022

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	9.10	UD	9.10	45.8	ug/kg
11104-28-2	Aroclor-1221	17.3	UD	17.3	45.8	ug/kg
11141-16-5	Aroclor-1232	9.20	UD	9.20	45.8	ug/kg
53469-21-9	Aroclor-1242	9.10	UD	9.10	45.8	ug/kg
12672-29-6	Aroclor-1248	21.3	UD	21.3	45.8	ug/kg
11097-69-1	Aroclor-1254	4000	ED	7.40	45.8	ug/kg
37324-23-5	Aroclor-1262	12.3	UD	12.3	45.8	ug/kg
11100-14-4	Aroclor-1268	740	D	9.20	45.8	ug/kg
11096-82-5	Aroclor-1260	7.80	UD	7.80	45.8	ug/kg
Total PCBs	Total PCBs	4700	D	16.6	45.8	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	27.5		32 - 144	138%	SPK: 20
2051-24-3	Decachlorobiphenyl	69.0	*	32 - 175	345%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-12BDL2		SDG No.:	Q1437	
Lab Sample ID:	Q1437-04DL2		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	74.1	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070353.D	20	03/06/25 11:40	03/07/25 13:24	PB167022

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	91.4	UD	91.4	458	ug/kg
11104-28-2	Aroclor-1221	173	UD	173	458	ug/kg
11141-16-5	Aroclor-1232	91.7	UD	91.7	458	ug/kg
53469-21-9	Aroclor-1242	91.4	UD	91.4	458	ug/kg
12672-29-6	Aroclor-1248	213	UD	213	458	ug/kg
11097-69-1	Aroclor-1254	5900	D	73.6	458	ug/kg
37324-23-5	Aroclor-1262	123	UD	123	458	ug/kg
11100-14-4	Aroclor-1268	1100	D	92.5	458	ug/kg
11096-82-5	Aroclor-1260	78.5	UD	78.5	458	ug/kg
Total PCBs	Total PCBs	7100	D	166	458	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	36.4	*	32 - 144	182%	SPK: 20
2051-24-3	Decachlorobiphenyl	106	*	32 - 175	528%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-12C		SDG No.:	Q1437	
Lab Sample ID:	Q1437-05		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	66.7	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070357.D	1	03/07/25 08:25	03/07/25 14:29	PB167029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	5.10	U	5.10	25.5	ug/kg
11104-28-2	Aroclor-1221	9.60	U	9.60	25.5	ug/kg
11141-16-5	Aroclor-1232	5.10	U	5.10	25.5	ug/kg
53469-21-9	Aroclor-1242	5.10	U	5.10	25.5	ug/kg
12672-29-6	Aroclor-1248	11.8	U	11.8	25.5	ug/kg
11097-69-1	Aroclor-1254	122		4.10	25.5	ug/kg
37324-23-5	Aroclor-1262	6.80	U	6.80	25.5	ug/kg
11100-14-4	Aroclor-1268	19.0	J	5.10	25.5	ug/kg
11096-82-5	Aroclor-1260	4.40	U	4.40	25.5	ug/kg
Total PCBs	Total PCBs	141		9.20	25.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	26.3		32 - 144	132%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.4		32 - 175	87%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-13A		SDG No.:	Q1437	
Lab Sample ID:	Q1437-06		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	80	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109575.D	1	02/27/25 09:15	02/28/25 08:55	PB166889

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	21.2	ug/kg
11104-28-2	Aroclor-1221	8.00	U	8.00	21.2	ug/kg
11141-16-5	Aroclor-1232	4.20	U	4.20	21.2	ug/kg
53469-21-9	Aroclor-1242	4.20	U	4.20	21.2	ug/kg
12672-29-6	Aroclor-1248	9.80	U	9.80	21.2	ug/kg
11097-69-1	Aroclor-1254	5700	E	3.40	21.2	ug/kg
37324-23-5	Aroclor-1262	5.70	U	5.70	21.2	ug/kg
11100-14-4	Aroclor-1268	142		4.30	21.2	ug/kg
11096-82-5	Aroclor-1260	3.60	U	3.60	21.2	ug/kg
Total PCBs	Total PCBs	5800	E	7.70	21.2	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	25.3		32 - 144	126%	SPK: 20
2051-24-3	Decachlorobiphenyl	27.4		32 - 175	137%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-13ADL		SDG No.:	Q1437	
Lab Sample ID:	Q1437-06DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	80	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109617.D	20	02/27/25 09:15	02/28/25 23:58	PB166889

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	84.6	UD	84.6	424	ug/kg
11104-28-2	Aroclor-1221	160	UD	160	424	ug/kg
11141-16-5	Aroclor-1232	84.9	UD	84.9	424	ug/kg
53469-21-9	Aroclor-1242	84.6	UD	84.6	424	ug/kg
12672-29-6	Aroclor-1248	197	UD	197	424	ug/kg
11097-69-1	Aroclor-1254	5900	D	68.2	424	ug/kg
37324-23-5	Aroclor-1262	114	UD	114	424	ug/kg
11100-14-4	Aroclor-1268	196	JD	85.6	424	ug/kg
11096-82-5	Aroclor-1260	72.7	UD	72.7	424	ug/kg
Total PCBs	Total PCBs	6100	D	154	424	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	29.0	*	32 - 144	145%	SPK: 20
2051-24-3	Decachlorobiphenyl	37.0	*	32 - 175	185%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-13B		SDG No.:	Q1437	
Lab Sample ID:	Q1437-07		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	71.8	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109673.D	1	03/06/25 11:40	03/06/25 20:10	PB167022

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.70	U	4.70	23.6	ug/kg
11104-28-2	Aroclor-1221	8.90	U	8.90	23.6	ug/kg
11141-16-5	Aroclor-1232	4.70	U	4.70	23.6	ug/kg
53469-21-9	Aroclor-1242	4.70	U	4.70	23.6	ug/kg
12672-29-6	Aroclor-1248	11.0	U	11.0	23.6	ug/kg
11097-69-1	Aroclor-1254	1600	E	3.80	23.6	ug/kg
37324-23-5	Aroclor-1262	6.30	U	6.30	23.6	ug/kg
11100-14-4	Aroclor-1268	61.9		4.80	23.6	ug/kg
11096-82-5	Aroclor-1260	4.00	U	4.00	23.6	ug/kg
Total PCBs	Total PCBs	1700		8.60	23.6	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.5		32 - 144	108%	SPK: 20
2051-24-3	Decachlorobiphenyl	16.0		32 - 175	80%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-13BDL		SDG No.:	Q1437	
Lab Sample ID:	Q1437-07DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	71.8	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109700.D	5	03/06/25 11:40	03/07/25 09:36	PB167022

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	23.5	UD	23.5	118	ug/kg
11104-28-2	Aroclor-1221	44.5	UD	44.5	118	ug/kg
11141-16-5	Aroclor-1232	23.6	UD	23.6	118	ug/kg
53469-21-9	Aroclor-1242	23.5	UD	23.5	118	ug/kg
12672-29-6	Aroclor-1248	54.8	UD	54.8	118	ug/kg
11097-69-1	Aroclor-1254	1900	D	19.0	118	ug/kg
37324-23-5	Aroclor-1262	31.7	UD	31.7	118	ug/kg
11100-14-4	Aroclor-1268	80.1	JD	23.8	118	ug/kg
11096-82-5	Aroclor-1260	20.2	UD	20.2	118	ug/kg
Total PCBs	Total PCBs	1900	D	42.8	118	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	24.8		32 - 144	124%	SPK: 20
2051-24-3	Decachlorobiphenyl	20.6		32 - 175	103%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-13C		SDG No.:	Q1437	
Lab Sample ID:	Q1437-08		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	68.5	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070358.D	1	03/07/25 08:25	03/07/25 14:46	PB167029

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.90	U	4.90	24.8	ug/kg
11104-28-2	Aroclor-1221	9.30	U	9.30	24.8	ug/kg
11141-16-5	Aroclor-1232	5.00	U	5.00	24.8	ug/kg
53469-21-9	Aroclor-1242	4.90	U	4.90	24.8	ug/kg
12672-29-6	Aroclor-1248	11.5	U	11.5	24.8	ug/kg
11097-69-1	Aroclor-1254	406		4.00	24.8	ug/kg
37324-23-5	Aroclor-1262	6.70	U	6.70	24.8	ug/kg
11100-14-4	Aroclor-1268	25.2		5.00	24.8	ug/kg
11096-82-5	Aroclor-1260	4.20	U	4.20	24.8	ug/kg
Total PCBs	Total PCBs	432		9.00	24.8	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	25.6		32 - 144	128%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.5		32 - 175	92%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-14A		SDG No.:	Q1437	
Lab Sample ID:	Q1437-09		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	77.6	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109576.D	1	02/27/25 09:15	02/28/25 09:14	PB166889

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.40	U	4.40	21.8	ug/kg
11104-28-2	Aroclor-1221	8.20	U	8.20	21.8	ug/kg
11141-16-5	Aroclor-1232	4.40	U	4.40	21.8	ug/kg
53469-21-9	Aroclor-1242	4.40	U	4.40	21.8	ug/kg
12672-29-6	Aroclor-1248	10.1	U	10.1	21.8	ug/kg
11097-69-1	Aroclor-1254	2700	E	3.50	21.8	ug/kg
37324-23-5	Aroclor-1262	5.90	U	5.90	21.8	ug/kg
11100-14-4	Aroclor-1268	280		4.40	21.8	ug/kg
11096-82-5	Aroclor-1260	3.70	U	3.70	21.8	ug/kg
Total PCBs	Total PCBs	3000		7.90	21.8	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	25.1		32 - 144	125%	SPK: 20
2051-24-3	Decachlorobiphenyl	39.9	*	32 - 175	199%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-14ADL		SDG No.:	Q1437	
Lab Sample ID:	Q1437-09DL		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	77.6	Decanted:
Sample Wt/Vol:	30.09	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109618.D	10	02/27/25 09:15	03/01/25 00:15	PB166889

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	43.6	UD	43.6	218	ug/kg
11104-28-2	Aroclor-1221	82.4	UD	82.4	218	ug/kg
11141-16-5	Aroclor-1232	43.7	UD	43.7	218	ug/kg
53469-21-9	Aroclor-1242	43.6	UD	43.6	218	ug/kg
12672-29-6	Aroclor-1248	101	UD	101	218	ug/kg
11097-69-1	Aroclor-1254	2600	D	35.1	218	ug/kg
37324-23-5	Aroclor-1262	58.7	UD	58.7	218	ug/kg
11100-14-4	Aroclor-1268	339	D	44.1	218	ug/kg
11096-82-5	Aroclor-1260	37.4	UD	37.4	218	ug/kg
Total PCBs	Total PCBs	3000	D	79.2	218	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	27.0		32 - 144	135%	SPK: 20
2051-24-3	Decachlorobiphenyl	50.5	*	32 - 175	253%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	ATC Group Services LLC		Date Collected:	02/25/25	
Project:	K084-SCA PCBs NYC - 2022SCA421		Date Received:	02/26/25	
Client Sample ID:	K084-14B		SDG No.:	Q1437	
Lab Sample ID:	Q1437-10		Matrix:	SOIL	
Analytical Method:	SW8082A		% Solid:	66.7	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB Group1	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO109674.D	1	03/06/25 11:40	03/06/25 20:28	PB167022

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	5.10	U	5.10	25.5	ug/kg
11104-28-2	Aroclor-1221	9.60	U	9.60	25.5	ug/kg
11141-16-5	Aroclor-1232	5.10	U	5.10	25.5	ug/kg
53469-21-9	Aroclor-1242	5.10	U	5.10	25.5	ug/kg
12672-29-6	Aroclor-1248	11.8	U	11.8	25.5	ug/kg
11097-69-1	Aroclor-1254	278		4.10	25.5	ug/kg
37324-23-5	Aroclor-1262	6.80	U	6.80	25.5	ug/kg
11100-14-4	Aroclor-1268	38.6		5.10	25.5	ug/kg
11096-82-5	Aroclor-1260	4.40	U	4.40	25.5	ug/kg
Total PCBs	Total PCBs	317		9.20	25.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	23.6		32 - 144	118%	SPK: 20
2051-24-3	Decachlorobiphenyl	27.7		32 - 175	138%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1437	OrderDate:	2/26/2025 12:30:00 PM
Client:	ATC Group Services LLC	Project:	K084-SCA PCBs NYC - 2022SCA421
Contact:	Denise Cosenza	Location:	H11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1437-01	K084-11B	SOIL	PCB Group1	8082A	02/25/25	03/06/25	03/06/25	02/26/25
Q1437-01DL	K084-11BDL	SOIL	PCB Group1	8082A	02/25/25	03/06/25	03/07/25	02/26/25
Q1437-02	K084-11C	SOIL	PCB Group1	8082A	02/25/25	03/07/25	03/07/25	02/26/25
Q1437-03	K084-12A	SOIL	PCB Group1	8082A	02/25/25	02/27/25	02/28/25	02/26/25
Q1437-03DL	K084-12ADL	SOIL	PCB Group1	8082A	02/25/25	02/27/25	02/28/25	02/26/25
Q1437-03DL 2	K084-12ADL2	SOIL	PCB Group1	8082A	02/25/25	02/27/25	02/28/25	02/26/25
Q1437-04	K084-12B	SOIL	PCB Group1	8082A	02/25/25	03/06/25	03/06/25	02/26/25
Q1437-04DL	K084-12BDL	SOIL	PCB Group1	8082A	02/25/25	03/06/25	03/07/25	02/26/25
Q1437-04DL 2	K084-12BDL2	SOIL	PCB Group1	8082A	02/25/25	03/06/25	03/07/25	02/26/25
Q1437-05	K084-12C	SOIL	PCB Group1	8082A	02/25/25	03/07/25	03/07/25	02/26/25
Q1437-06	K084-13A	SOIL	PCB Group1	8082A	02/25/25	02/27/25	02/28/25	02/26/25

LAB CHRONICLE

Q1437-06DL	K084-13ADL	SOIL			02/25/25			02/26/25
			PCB Group1	8082A		02/27/25	02/28/25	
Q1437-07	K084-13B	SOIL			02/25/25			02/26/25
			PCB Group1	8082A		03/06/25	03/06/25	
Q1437-07DL	K084-13BDL	SOIL			02/25/25			02/26/25
			PCB Group1	8082A		03/06/25	03/07/25	
Q1437-08	K084-13C	SOIL			02/25/25			02/26/25
			PCB Group1	8082A		03/07/25	03/07/25	
Q1437-09	K084-14A	SOIL			02/25/25			02/26/25
			PCB Group1	8082A		02/27/25	02/28/25	
Q1437-09DL	K084-14ADL	SOIL			02/25/25			02/26/25
			PCB Group1	8082A		02/27/25	03/01/25	
Q1437-10	K084-14B	SOIL			02/25/25			02/26/25
			PCB Group1	8082A		03/06/25	03/06/25	