

Analytical Sequence

Client: ATC Group Services LLC

SDG No.: Q1438

Project: K084-SCA PCBs NYC - 2022SCA421

Instrument ID: ECD_O

GC Column: ZB-MR1

ID: 0.32 (mm)

Inst. Calib. Date(s): 02/20/2025

02/20/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	02/20/2025	16:28	PO109425.D	8.76	3.70
AR1660ICC1000	AR1660ICC1000	02/20/2025	16:46	PO109426.D	8.76	3.70
AR1660ICC750	AR1660ICC750	02/20/2025	17:04	PO109427.D	8.76	3.70
AR1660ICC500	AR1660ICC500	02/20/2025	17:23	PO109428.D	8.76	3.70
AR1660ICC250	AR1660ICC250	02/20/2025	17:41	PO109429.D	8.76	3.70
AR1660ICC050	AR1660ICC050	02/20/2025	17:59	PO109430.D	8.76	3.70
AR1221ICC500	AR1221ICC500	02/20/2025	18:18	PO109431.D	8.76	3.70
AR1232ICC500	AR1232ICC500	02/20/2025	18:36	PO109432.D	8.76	3.70
AR1242ICC1000	AR1242ICC1000	02/20/2025	18:55	PO109433.D	8.76	3.70
AR1242ICC750	AR1242ICC750	02/20/2025	19:13	PO109434.D	8.76	3.70
AR1242ICC500	AR1242ICC500	02/20/2025	19:31	PO109435.D	8.76	3.70
AR1242ICC250	AR1242ICC250	02/20/2025	19:50	PO109436.D	8.76	3.70
AR1242ICC050	AR1242ICC050	02/20/2025	20:08	PO109437.D	8.76	3.70
AR1248ICC1000	AR1248ICC1000	02/20/2025	20:26	PO109438.D	8.76	3.70
AR1248ICC750	AR1248ICC750	02/20/2025	20:45	PO109439.D	8.76	3.70
AR1248ICC500	AR1248ICC500	02/20/2025	21:03	PO109440.D	8.76	3.70
AR1248ICC250	AR1248ICC250	02/20/2025	21:21	PO109441.D	8.76	3.70
AR1248ICC050	AR1248ICC050	02/20/2025	21:40	PO109442.D	8.75	3.70
AR1254ICC1000	AR1254ICC1000	02/20/2025	21:58	PO109443.D	8.75	3.70
AR1254ICC750	AR1254ICC750	02/20/2025	22:17	PO109444.D	8.76	3.70
AR1254ICC500	AR1254ICC500	02/20/2025	22:35	PO109445.D	8.76	3.70
AR1254ICC250	AR1254ICC250	02/20/2025	22:53	PO109446.D	8.76	3.70
AR1254ICC050	AR1254ICC050	02/20/2025	23:12	PO109447.D	8.76	3.70
AR1262ICC500	AR1262ICC500	02/20/2025	23:30	PO109448.D	8.75	3.70
AR1268ICC1000	AR1268ICC1000	02/20/2025	23:48	PO109449.D	8.76	3.70
AR1268ICC750	AR1268ICC750	02/21/2025	00:07	PO109450.D	8.76	3.70
AR1268ICC500	AR1268ICC500	02/21/2025	00:25	PO109451.D	8.75	3.70
AR1268ICC250	AR1268ICC250	02/21/2025	00:43	PO109452.D	8.76	3.70
AR1268ICC050	AR1268ICC050	02/21/2025	01:02	PO109453.D	8.75	3.70
AR1660CCC500	AR1660CCC500	02/27/2025	10:32	PO109518.D	8.76	3.70
IBLK	IBLK	02/27/2025	11:45	PO109522.D	8.75	3.70
PB166892BL	PB166892BL	02/27/2025	13:16	PO109524.D	8.77	3.70
PB166892BS	PB166892BS	02/27/2025	13:35	PO109525.D	8.76	3.70
K084-15B	Q1438-02	02/27/2025	13:53	PO109526.D	8.76	3.70
K084-16B	Q1438-04	02/27/2025	14:11	PO109527.D	8.76	3.70
K084-DUP1	Q1438-06	02/27/2025	14:30	PO109528.D	8.76	3.70
K084-DUP2	Q1438-07	02/27/2025	14:48	PO109529.D	8.75	3.70
K084-DUP3	Q1438-08	02/27/2025	15:06	PO109530.D	8.76	3.70
K084-DUP5	Q1438-10	02/27/2025	15:25	PO109531.D	8.76	3.70
AR1660CCC500	AR1660CCC500	02/27/2025	17:49	PO109533.D	8.76	3.70
IBLK	IBLK	02/27/2025	20:12	PO109537.D	8.76	3.70
351MS	Q1442-03MS	02/27/2025	21:44	PO109542.D	8.76	3.70

Analytical Sequence

351MSD	Q1442-03MSD	02/27/2025	22:02	PO109543.D	8.75	3.70
AR1660CCC500	AR1660CCC500	02/28/2025	00:02	PO109548.D	8.76	3.70
I.BLK	I.BLK	02/28/2025	01:14	PO109552.D	8.76	3.70
AR1660CCC500	AR1660CCC500	02/28/2025	10:57	PO109579.D	8.76	3.70
I.BLK	I.BLK	02/28/2025	11:16	PO109580.D	8.75	3.70
K084-15BDL	Q1438-02DL	02/28/2025	11:34	PO109581.D	8.75	3.70
K084-16BDL	Q1438-04DL	02/28/2025	11:52	PO109582.D	8.75	3.70
K084-DUP1DL	Q1438-06DL	02/28/2025	12:10	PO109583.D	8.75	3.70
K084-DUP1DL2	Q1438-06DL2	02/28/2025	12:28	PO109584.D	8.75	3.70
K084-DUP2DL	Q1438-07DL	02/28/2025	12:47	PO109585.D	8.75	3.70
K084-DUP3DL	Q1438-08DL	02/28/2025	13:04	PO109586.D	8.75	3.70
K084-DUP3DL2	Q1438-08DL2	02/28/2025	13:22	PO109587.D	0.00	0.00
K084-DUP5DL	Q1438-10DL	02/28/2025	13:41	PO109588.D	8.75	3.70
AR1660CCC500	AR1660CCC500	02/28/2025	18:46	PO109600.D	8.75	3.70
I.BLK	I.BLK	02/28/2025	19:04	PO109601.D	8.75	3.69
AR1660CCC500	AR1660CCC500	03/06/2025	16:11	PO109662.D	8.76	3.70
I.BLK	I.BLK	03/06/2025	18:01	PO109666.D	8.76	3.70
K084-15C	Q1438-03	03/06/2025	20:47	PO109675.D	8.76	3.70
K084-16C	Q1438-05	03/06/2025	21:04	PO109676.D	8.75	3.69
AR1660CCC500	AR1660CCC500	03/06/2025	22:19	PO109677.D	8.75	3.70
I.BLK	I.BLK	03/07/2025	00:09	PO109681.D	8.76	3.70
PB167022BL	PB167022BL	03/07/2025	00:28	PO109682.D	8.75	3.70
PB167022BS	PB167022BS	03/07/2025	00:46	PO109683.D	8.76	3.70
K084-4CMS	Q1434-02MS	03/07/2025	02:18	PO109688.D	8.75	3.70
K084-4CMSD	Q1434-02MSD	03/07/2025	02:37	PO109689.D	8.75	3.70
AR1660CCC500	AR1660CCC500	03/07/2025	04:29	PO109692.D	8.75	3.70
I.BLK	I.BLK	03/07/2025	06:19	PO109696.D	8.75	3.70
AR1660CCC500	AR1660CCC500	03/07/2025	08:58	PO109698.D	8.75	3.70
I.BLK	I.BLK	03/07/2025	09:17	PO109699.D	8.75	3.70
K084-15CDL	Q1438-03DL	03/07/2025	09:55	PO109701.D	8.75	3.70
K084-16CDL	Q1438-05DL	03/07/2025	10:12	PO109702.D	8.75	3.69
AR1660CCC500	AR1660CCC500	03/07/2025	12:30	PO109708.D	8.75	3.70
I.BLK	I.BLK	03/07/2025	13:42	PO109712.D	8.75	3.70
I.BLK	I.BLK	02/24/2025	14:43	PP069995.D	10.25	4.53
AR1660ICC1000	AR1660ICC1000	02/24/2025	14:59	PP069996.D	10.25	4.52
AR1660ICC750	AR1660ICC750	02/24/2025	15:15	PP069997.D	10.26	4.53
AR1660ICC500	AR1660ICC500	02/24/2025	15:32	PP069998.D	10.26	4.53
AR1660ICC250	AR1660ICC250	02/24/2025	15:48	PP069999.D	10.25	4.52
AR1660ICC050	AR1660ICC050	02/24/2025	16:04	PP070000.D	10.26	4.53
AR1221ICC500	AR1221ICC500	02/24/2025	16:20	PP070001.D	10.25	4.52
AR12321ICC500	AR12321ICC500	02/24/2025	16:37	PP070002.D	10.26	4.53
AR12421ICC1000	AR12421ICC1000	02/24/2025	16:53	PP070003.D	10.26	4.53
AR12421ICC750	AR12421ICC750	02/24/2025	17:09	PP070004.D	10.25	4.52
AR12421ICC500	AR12421ICC500	02/24/2025	17:25	PP070005.D	10.26	4.53
AR12421ICC250	AR12421ICC250	02/24/2025	17:42	PP070006.D	10.25	4.53
AR12421ICC050	AR12421ICC050	02/24/2025	17:58	PP070007.D	10.26	4.53
AR12481ICC1000	AR12481ICC1000	02/24/2025	18:14	PP070008.D	10.26	4.53
AR12481ICC750	AR12481ICC750	02/24/2025	18:30	PP070009.D	10.26	4.53
AR12481ICC500	AR12481ICC500	02/24/2025	18:46	PP070010.D	10.26	4.53
AR12481ICC250	AR12481ICC250	02/24/2025	19:03	PP070011.D	10.26	4.53
AR12481ICC050	AR12481ICC050	02/24/2025	19:19	PP070012.D	10.25	4.52
AR12541ICC1000	AR12541ICC1000	02/24/2025	19:35	PP070013.D	10.26	4.53

Analytical Sequence

AR1254ICC750	AR1254ICC750	02/24/2025	19:51	PP070014.D	10.25	4.52
AR1254ICC500	AR1254ICC500	02/24/2025	20:08	PP070015.D	10.26	4.53
AR1254ICC250	AR1254ICC250	02/24/2025	20:24	PP070016.D	10.26	4.53
AR1254ICC050	AR1254ICC050	02/24/2025	20:40	PP070017.D	10.26	4.52
AR1262ICC500	AR1262ICC500	02/24/2025	20:56	PP070018.D	10.25	4.53
AR1268ICC1000	AR1268ICC1000	02/24/2025	21:12	PP070019.D	10.25	4.52
AR1268ICC750	AR1268ICC750	02/24/2025	21:29	PP070020.D	10.25	4.53
AR1268ICC500	AR1268ICC500	02/24/2025	21:45	PP070021.D	10.26	4.53
AR1268ICC250	AR1268ICC250	02/24/2025	22:01	PP070022.D	10.25	4.52
AR1268ICC050	AR1268ICC050	02/24/2025	22:17	PP070023.D	10.26	4.53
AR1660CCC500	AR1660CCC500	03/07/2025	10:58	PP070344.D	10.25	4.53
LBLK	LBLK	03/07/2025	12:03	PP070348.D	10.25	4.53
PB167029BL	PB167029BL	03/07/2025	13:41	PP070354.D	10.25	4.53
PB167029BS	PB167029BS	03/07/2025	13:57	PP070355.D	10.25	4.52
AR1660CCC500	AR1660CCC500	03/07/2025	15:45	PP070359.D	10.25	4.53
LBLK	LBLK	03/07/2025	16:50	PP070363.D	10.25	4.52
K084-14C	Q1438-01	03/07/2025	17:06	PP070364.D	10.26	4.53
K084-DUP4	Q1438-09	03/07/2025	17:23	PP070365.D	10.25	4.53
RBR251372MS	Q1508-01MS	03/07/2025	18:11	PP070368.D	10.25	4.52
RBR251372MSD	Q1508-01MSD	03/07/2025	18:27	PP070369.D	10.26	4.53
AR1660CCC500	AR1660CCC500	03/07/2025	20:32	PP070374.D	10.25	4.53
LBLK	LBLK	03/07/2025	21:37	PP070378.D	10.25	4.53

Analytical Sequence

Client: ATC Group Services LLC	SDG No.: Q1438
Project: K084-SCA PCBs NYC - 2022SCA421	Instrument ID: ECD_O
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 02/20/2025 02/20/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	02/20/2025	16:28	PO109425.D	8.71	3.69
AR1660ICC1000	AR1660ICC1000	02/20/2025	16:46	PO109426.D	8.71	3.69
AR1660ICC750	AR1660ICC750	02/20/2025	17:04	PO109427.D	8.71	3.69
AR1660ICC500	AR1660ICC500	02/20/2025	17:23	PO109428.D	8.71	3.69
AR1660ICC250	AR1660ICC250	02/20/2025	17:41	PO109429.D	8.71	3.69
AR1660ICC050	AR1660ICC050	02/20/2025	17:59	PO109430.D	8.71	3.69
AR1221ICC500	AR1221ICC500	02/20/2025	18:18	PO109431.D	8.71	3.69
AR1232ICC500	AR1232ICC500	02/20/2025	18:36	PO109432.D	8.71	3.69
AR1242ICC1000	AR1242ICC1000	02/20/2025	18:55	PO109433.D	8.71	3.69
AR1242ICC750	AR1242ICC750	02/20/2025	19:13	PO109434.D	8.71	3.69
AR1242ICC500	AR1242ICC500	02/20/2025	19:31	PO109435.D	8.71	3.69
AR1242ICC250	AR1242ICC250	02/20/2025	19:50	PO109436.D	8.71	3.69
AR1242ICC050	AR1242ICC050	02/20/2025	20:08	PO109437.D	8.71	3.69
AR1248ICC1000	AR1248ICC1000	02/20/2025	20:26	PO109438.D	8.71	3.69
AR1248ICC750	AR1248ICC750	02/20/2025	20:45	PO109439.D	8.71	3.69
AR1248ICC500	AR1248ICC500	02/20/2025	21:03	PO109440.D	8.71	3.69
AR1248ICC250	AR1248ICC250	02/20/2025	21:21	PO109441.D	8.71	3.69
AR1248ICC050	AR1248ICC050	02/20/2025	21:40	PO109442.D	8.71	3.69
AR1254ICC1000	AR1254ICC1000	02/20/2025	21:58	PO109443.D	8.71	3.69
AR1254ICC750	AR1254ICC750	02/20/2025	22:17	PO109444.D	8.71	3.69
AR1254ICC500	AR1254ICC500	02/20/2025	22:35	PO109445.D	8.71	3.69
AR1254ICC250	AR1254ICC250	02/20/2025	22:53	PO109446.D	8.71	3.69
AR1254ICC050	AR1254ICC050	02/20/2025	23:12	PO109447.D	8.71	3.69
AR1262ICC500	AR1262ICC500	02/20/2025	23:30	PO109448.D	8.71	3.69
AR1268ICC1000	AR1268ICC1000	02/20/2025	23:48	PO109449.D	8.71	3.69
AR1268ICC750	AR1268ICC750	02/21/2025	00:07	PO109450.D	8.71	3.69
AR1268ICC500	AR1268ICC500	02/21/2025	00:25	PO109451.D	8.71	3.69
AR1268ICC250	AR1268ICC250	02/21/2025	00:43	PO109452.D	8.71	3.69
AR1268ICC050	AR1268ICC050	02/21/2025	01:02	PO109453.D	8.70	3.69
AR1660CCC500	AR1660CCC500	02/27/2025	10:32	PO109518.D	8.71	3.69
IBLK	IBLK	02/27/2025	11:45	PO109522.D	8.71	3.69
PB166892BL	PB166892BL	02/27/2025	13:16	PO109524.D	8.71	3.69
PB166892BS	PB166892BS	02/27/2025	13:35	PO109525.D	8.71	3.69
K084-15B	Q1438-02	02/27/2025	13:53	PO109526.D	8.71	3.69
K084-16B	Q1438-04	02/27/2025	14:11	PO109527.D	8.70	3.69
K084-DUP1	Q1438-06	02/27/2025	14:30	PO109528.D	8.71	3.69
K084-DUP2	Q1438-07	02/27/2025	14:48	PO109529.D	8.70	3.69
K084-DUP3	Q1438-08	02/27/2025	15:06	PO109530.D	8.71	3.69
K084-DUP5	Q1438-10	02/27/2025	15:25	PO109531.D	8.71	3.69
AR1660CCC500	AR1660CCC500	02/27/2025	17:49	PO109533.D	8.71	3.70
IBLK	IBLK	02/27/2025	20:12	PO109537.D	8.71	3.70
351MS	Q1442-03MS	02/27/2025	21:44	PO109542.D	8.71	3.70

Analytical Sequence

351MSD	Q1442-03MSD	02/27/2025	22:02	PO109543.D	8.71	3.70
AR1660CCC500	AR1660CCC500	02/28/2025	00:02	PO109548.D	8.71	3.70
I.BLK	I.BLK	02/28/2025	01:14	PO109552.D	8.71	3.70
AR1660CCC500	AR1660CCC500	02/28/2025	10:57	PO109579.D	8.71	3.69
I.BLK	I.BLK	02/28/2025	11:16	PO109580.D	8.71	3.69
K084-15BDL	Q1438-02DL	02/28/2025	11:34	PO109581.D	8.71	3.69
K084-16BDL	Q1438-04DL	02/28/2025	11:52	PO109582.D	8.71	3.69
K084-DUP1DL	Q1438-06DL	02/28/2025	12:10	PO109583.D	8.70	3.69
K084-DUP1DL2	Q1438-06DL2	02/28/2025	12:28	PO109584.D	8.71	3.69
K084-DUP2DL	Q1438-07DL	02/28/2025	12:47	PO109585.D	8.70	3.69
K084-DUP3DL	Q1438-08DL	02/28/2025	13:04	PO109586.D	8.71	3.69
K084-DUP3DL2	Q1438-08DL2	02/28/2025	13:22	PO109587.D	0.00	0.00
K084-DUP5DL	Q1438-10DL	02/28/2025	13:41	PO109588.D	8.71	3.69
AR1660CCC500	AR1660CCC500	02/28/2025	18:46	PO109600.D	8.71	3.70
I.BLK	I.BLK	02/28/2025	19:04	PO109601.D	8.71	3.69
AR1660CCC500	AR1660CCC500	03/06/2025	16:11	PO109662.D	8.71	3.70
I.BLK	I.BLK	03/06/2025	18:01	PO109666.D	8.71	3.69
K084-15C	Q1438-03	03/06/2025	20:47	PO109675.D	8.71	3.69
K084-16C	Q1438-05	03/06/2025	21:04	PO109676.D	8.71	3.69
AR1660CCC500	AR1660CCC500	03/06/2025	22:19	PO109677.D	8.71	3.69
I.BLK	I.BLK	03/07/2025	00:09	PO109681.D	8.71	3.69
PB167022BL	PB167022BL	03/07/2025	00:28	PO109682.D	8.71	3.69
PB167022BS	PB167022BS	03/07/2025	00:46	PO109683.D	8.71	3.69
K084-4CMS	Q1434-02MS	03/07/2025	02:18	PO109688.D	8.71	3.69
K084-4CMSD	Q1434-02MSD	03/07/2025	02:37	PO109689.D	8.70	3.69
AR1660CCC500	AR1660CCC500	03/07/2025	04:29	PO109692.D	8.71	3.70
I.BLK	I.BLK	03/07/2025	06:19	PO109696.D	8.70	3.69
AR1660CCC500	AR1660CCC500	03/07/2025	08:58	PO109698.D	8.70	3.69
I.BLK	I.BLK	03/07/2025	09:17	PO109699.D	8.70	3.69
K084-15CDL	Q1438-03DL	03/07/2025	09:55	PO109701.D	8.70	3.69
K084-16CDL	Q1438-05DL	03/07/2025	10:12	PO109702.D	8.70	3.69
AR1660CCC500	AR1660CCC500	03/07/2025	12:30	PO109708.D	8.71	3.69
I.BLK	I.BLK	03/07/2025	13:42	PO109712.D	8.71	3.69
I.BLK	I.BLK	02/24/2025	14:43	PP069995.D	8.89	3.83
AR1660ICC1000	AR1660ICC1000	02/24/2025	14:59	PP069996.D	8.89	3.83
AR1660ICC750	AR1660ICC750	02/24/2025	15:15	PP069997.D	8.89	3.83
AR1660ICC500	AR1660ICC500	02/24/2025	15:32	PP069998.D	8.89	3.83
AR1660ICC250	AR1660ICC250	02/24/2025	15:48	PP069999.D	8.89	3.83
AR1660ICC050	AR1660ICC050	02/24/2025	16:04	PP070000.D	8.89	3.83
AR1221ICC500	AR1221ICC500	02/24/2025	16:20	PP070001.D	8.89	3.83
AR1232ICC500	AR1232ICC500	02/24/2025	16:37	PP070002.D	8.89	3.83
AR1242ICC1000	AR1242ICC1000	02/24/2025	16:53	PP070003.D	8.89	3.83
AR1242ICC750	AR1242ICC750	02/24/2025	17:09	PP070004.D	8.89	3.83
AR1242ICC500	AR1242ICC500	02/24/2025	17:25	PP070005.D	8.89	3.83
AR1242ICC250	AR1242ICC250	02/24/2025	17:42	PP070006.D	8.89	3.83
AR1242ICC050	AR1242ICC050	02/24/2025	17:58	PP070007.D	8.89	3.83
AR1248ICC1000	AR1248ICC1000	02/24/2025	18:14	PP070008.D	8.89	3.83
AR1248ICC750	AR1248ICC750	02/24/2025	18:30	PP070009.D	8.89	3.83
AR1248ICC500	AR1248ICC500	02/24/2025	18:46	PP070010.D	8.89	3.83
AR1248ICC250	AR1248ICC250	02/24/2025	19:03	PP070011.D	8.89	3.83
AR1248ICC050	AR1248ICC050	02/24/2025	19:19	PP070012.D	8.89	3.83
AR1254ICC1000	AR1254ICC1000	02/24/2025	19:35	PP070013.D	8.89	3.83

Analytical Sequence

AR1254ICC750	AR1254ICC750	02/24/2025	19:51	PP070014.D	8.89	3.83
AR1254ICC500	AR1254ICC500	02/24/2025	20:08	PP070015.D	8.89	3.83
AR1254ICC250	AR1254ICC250	02/24/2025	20:24	PP070016.D	8.89	3.83
AR1254ICC050	AR1254ICC050	02/24/2025	20:40	PP070017.D	8.89	3.83
AR1262ICC500	AR1262ICC500	02/24/2025	20:56	PP070018.D	8.89	3.83
AR1268ICC1000	AR1268ICC1000	02/24/2025	21:12	PP070019.D	8.89	3.83
AR1268ICC750	AR1268ICC750	02/24/2025	21:29	PP070020.D	8.89	3.83
AR1268ICC500	AR1268ICC500	02/24/2025	21:45	PP070021.D	8.89	3.83
AR1268ICC250	AR1268ICC250	02/24/2025	22:01	PP070022.D	8.89	3.83
AR1268ICC050	AR1268ICC050	02/24/2025	22:17	PP070023.D	8.89	3.83
AR1660CCC500	AR1660CCC500	03/07/2025	10:58	PP070344.D	8.88	3.83
LBLK	LBLK	03/07/2025	12:03	PP070348.D	8.88	3.83
PB167029BL	PB167029BL	03/07/2025	13:41	PP070354.D	8.88	3.83
PB167029BS	PB167029BS	03/07/2025	13:57	PP070355.D	8.88	3.83
AR1660CCC500	AR1660CCC500	03/07/2025	15:45	PP070359.D	8.88	3.83
LBLK	LBLK	03/07/2025	16:50	PP070363.D	8.88	3.83
K084-14C	Q1438-01	03/07/2025	17:06	PP070364.D	8.88	3.83
K084-DUP4	Q1438-09	03/07/2025	17:23	PP070365.D	8.88	3.83
RBR251372MS	Q1508-01MS	03/07/2025	18:11	PP070368.D	8.88	3.83
RBR251372MSD	Q1508-01MSD	03/07/2025	18:27	PP070369.D	8.88	3.83
AR1660CCC500	AR1660CCC500	03/07/2025	20:32	PP070374.D	8.88	3.83
LBLK	LBLK	03/07/2025	21:37	PP070378.D	8.88	3.83