

SOP ID : M9012B-Total, Amenable and Reactive Cyanide-20

SDG No : N/A

Start Digest Date: 02/26/2025 Time : 16:00 Temp : N/A

Matrix : SOIL

End Digest Date: 02/26/2025 Time : 17:30 Temp : N/A

Pipette ID : N/A

Balance ID : WC SC-7

Hood ID : HOOD#1

Digestion tube ID : M5595

Block Thermometer ID : N/A

Block ID : MC-1, MC-2

Filter paper ID : N/A

Prep Technician Signature: NF

Weigh By : NF

pH Meter ID : N/A

Supervisor Signature: 12

Standardized Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.25N NaOH	50.0ML	WP111294
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

LAB SAMPLE ID	CLIENT SAMPLE ID	Comment

Extraction Conformance/Non-Conformance Comments:

N/A

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
02.26.2025, 17:40	NF (WC)	NF (WC)
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/ Nitrite	Comment	Prep Pos
PB166899BL	PBS899	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1420-04DUP	TP-1-WCDUP	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1420-04	TP-1-WC	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1420-08	TP-2-WC	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1427-02	VNJ-227	1.05	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1442-01	280	1.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1442-02	281	1.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1443-01	3733	1.02	50	N/A	N/A	N/A	N/A	N/A	N/A
Q1447-02	WC1	1.04	50	N/A	N/A	N/A	N/A	N/A	N/A