

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Fisal		Date Received:	
Client Sample ID:	VY0228SBS01		SDG No.:	Q1448
Lab Sample ID:	VY0228SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group2
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021377.D	1		02/28/25 11:32	VY022825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
74-87-3	Chloromethane	17.7		1.20	5.00	ug/Kg
75-01-4	Vinyl Chloride	19.3		0.77	5.00	ug/Kg
74-83-9	Bromomethane	20.1		1.00	5.00	ug/Kg
75-00-3	Chloroethane	20.1		1.00	5.00	ug/Kg
75-65-0	Tert butyl alcohol	82.2		15.6	25.0	ug/Kg
75-35-4	1,1-Dichloroethene	18.8		0.78	5.00	ug/Kg
67-64-1	Acetone	77.6		6.20	25.0	ug/Kg
75-15-0	Carbon Disulfide	17.4		1.30	5.00	ug/Kg
1634-04-4	Methyl tert-butyl Ether	18.8		0.67	5.00	ug/Kg
75-09-2	Methylene Chloride	19.1		3.40	10.0	ug/Kg
156-60-5	trans-1,2-Dichloroethene	18.4		0.84	5.00	ug/Kg
75-34-3	1,1-Dichloroethane	18.2		0.63	5.00	ug/Kg
78-93-3	2-Butanone	83.5		5.70	25.0	ug/Kg
56-23-5	Carbon Tetrachloride	19.5		0.87	5.00	ug/Kg
156-59-2	cis-1,2-Dichloroethene	18.7		0.61	5.00	ug/Kg
67-66-3	Chloroform	18.9		0.67	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	19.1		0.78	5.00	ug/Kg
71-43-2	Benzene	19.1		0.72	5.00	ug/Kg
107-06-2	1,2-Dichloroethane	19.5		0.61	5.00	ug/Kg
79-01-6	Trichloroethene	19.6		0.75	5.00	ug/Kg
78-87-5	1,2-Dichloropropane	19.0		0.66	5.00	ug/Kg
75-27-4	Bromodichloromethane	19.7		0.56	5.00	ug/Kg
108-10-1	4-Methyl-2-Pentanone	92.3		4.40	25.0	ug/Kg
108-88-3	Toluene	19.3		0.67	5.00	ug/Kg
10061-02-6	t-1,3-Dichloropropene	18.6		0.60	5.00	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	18.7		0.57	5.00	ug/Kg
79-00-5	1,1,2-Trichloroethane	19.7		0.84	5.00	ug/Kg
591-78-6	2-Hexanone	91.3		4.80	25.0	ug/Kg
124-48-1	Dibromochloromethane	20.4		0.65	5.00	ug/Kg
127-18-4	Tetrachloroethene	20.4		0.89	5.00	ug/Kg

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Fisal		Date Received:	
Client Sample ID:	VY0228SBS01		SDG No.:	Q1448
Lab Sample ID:	VY0228SBS01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group2
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021377.D	1		02/28/25 11:32	VY022825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
108-90-7	Chlorobenzene	19.7		0.74	5.00	ug/Kg
100-41-4	Ethyl Benzene	19.1		0.62	5.00	ug/Kg
179601-23-1	m/p-Xylenes	39.2		1.40	10.0	ug/Kg
95-47-6	o-Xylene	19.4		0.70	5.00	ug/Kg
100-42-5	Styrene	19.6		0.60	5.00	ug/Kg
75-25-2	Bromoform	20.2		0.81	5.00	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	19.2		1.10	5.00	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	43.2		70 (63) - 130 (155)	86%	SPK: 50
1868-53-7	Dibromofluoromethane	45.7		70 (70) - 130 (134)	91%	SPK: 50
2037-26-5	Toluene-d8	44.3		70 (74) - 130 (123)	89%	SPK: 50
460-00-4	4-Bromofluorobenzene	43.7		70 (38) - 130 (136)	87%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	169000	7.707			
540-36-3	1,4-Difluorobenzene	257000	8.616			
3114-55-4	Chlorobenzene-d5	224000	11.42			
3855-82-1	1,4-Dichlorobenzene-d4	115000	13.346			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products