

LAB CHRONICLE

OrderID:	Q1466	OrderDate:	2/28/2025 8:17:00 AM
Client:	Holland Manufacturing Co.	Project:	Pre Treatment Plant 2025
Contact:	Todd Holland	Location:	H11

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1466-01	EFFLUENT	WATER			02/27/25 09:00			02/27/25
			Ammonia	SM4500-NH3		03/05/25	03/06/25 10:09	
			BOD5	SM5210 B			02/28/25 16:00	
			Oil and Grease	1664A			02/28/25 10:25	
			Phosphorus-Ortho	SM4500-P E			02/28/25 16:46	
			Phosphorus-Total	365.3		02/28/25	02/28/25 15:36	
			TSS	SM2540 D			02/28/25 11:00	
Q1466-01DL	EFFLUENTDL	WATER			02/27/25 09:00			02/27/25
			Ammonia	SM4500-NH3		03/05/25	03/06/25 10:48	
Q1466-04	AERATION	WATER			02/27/25 09:00			02/27/25
			TSS	SM2540 D			02/28/25 11:00	
Q1466-05	CITY WATER	WATER			02/27/25 09:00			02/27/25
			Anions Group2	9056A			02/28/25 11:13	
			Residual Chlorine	SM4500 Cl G			02/28/25 10:11	

LAB CHRONICLE

Q1466-05DL

CITY WATERDL

WATER

02/27/25
09:00

02/27/25

Anions Group2

9056A

02/28/25
12:39