

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	02/28/25
Project:	Former Schlumberger STC PTC Site # D3868221	Date Received:	02/28/25
Client Sample ID:	IDW-SO-COMP-022825	SDG No.:	Q1478
Lab Sample ID:	Q1478-14	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	84.4
Sample Wt/Vol:	30.02 Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070199.D	1	03/03/25 13:45	03/03/25 20:03	PB166955

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.00	U	4.00	20.1	ug/kg
11104-28-2	Aroclor-1221	7.60	U	7.60	20.1	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	20.1	ug/kg
53469-21-9	Aroclor-1242	4.00	U	4.00	20.1	ug/kg
12672-29-6	Aroclor-1248	9.30	U	9.30	20.1	ug/kg
11097-69-1	Aroclor-1254	3.20	U	3.20	20.1	ug/kg
37324-23-5	Aroclor-1262	5.40	U	5.40	20.1	ug/kg
11100-14-4	Aroclor-1268	4.10	U	4.10	20.1	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	20.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.5		30 (32) - 150 (144)	98%	SPK: 20
2051-24-3	Decachlorobiphenyl	13.0		30 (32) - 150 (175)	65%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit