



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,
Fax : 908 789 8922

Hit Summary Sheet
SW-846

SDG No.: Q1478

Order ID: Q1478

Client: JACOBS Engineering Group, Inc.

Project ID: Former Schlumberger STC PTC Site #

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
-----------	-----------	--------	-----------	---------------	---	-----	-----	-------

Client ID :

Total Concentration: 0.000

A
B
C
D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	02/28/25
Project:	Former Schlumberger STC PTC Site # D3868221	Date Received:	02/28/25
Client Sample ID:	IDW-AQ-MW-19B-COMP-022825	SDG No.:	Q1478
Lab Sample ID:	Q1478-01	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0
Sample Wt/Vol:	970	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070233.D	1	03/04/25 08:35	03/04/25 20:33	PB166964

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.15	U	0.15	0.52	ug/L
11104-28-2	Aroclor-1221	0.24	U	0.24	0.52	ug/L
11141-16-5	Aroclor-1232	0.38	U	0.38	0.52	ug/L
53469-21-9	Aroclor-1242	0.16	U	0.16	0.52	ug/L
12672-29-6	Aroclor-1248	0.12	U	0.12	0.52	ug/L
11097-69-1	Aroclor-1254	0.11	U	0.11	0.52	ug/L
37324-23-5	Aroclor-1262	0.14	U	0.14	0.52	ug/L
11100-14-4	Aroclor-1268	0.12	U	0.12	0.52	ug/L
11096-82-5	Aroclor-1260	0.15	U	0.15	0.52	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	24.2		30 (16) - 150 (158)	121%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.3		30 (10) - 150 (173)	91%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	02/28/25
Project:	Former Schlumberger STC PTC Site # D3868221	Date Received:	02/28/25
Client Sample ID:	IDW-AQ-IW-01-COMP-022825	SDG No.:	Q1478
Lab Sample ID:	Q1478-03	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0
Sample Wt/Vol:	960	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070234.D	1	03/04/25 08:35	03/04/25 20:49	PB166964

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.16	U	0.16	0.52	ug/L
11104-28-2	Aroclor-1221	0.24	U	0.24	0.52	ug/L
11141-16-5	Aroclor-1232	0.39	U	0.39	0.52	ug/L
53469-21-9	Aroclor-1242	0.17	U	0.17	0.52	ug/L
12672-29-6	Aroclor-1248	0.13	U	0.13	0.52	ug/L
11097-69-1	Aroclor-1254	0.11	U	0.11	0.52	ug/L
37324-23-5	Aroclor-1262	0.15	U	0.15	0.52	ug/L
11100-14-4	Aroclor-1268	0.13	U	0.13	0.52	ug/L
11096-82-5	Aroclor-1260	0.16	U	0.16	0.52	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.9		30 (16) - 150 (158)	114%	SPK: 20
2051-24-3	Decachlorobiphenyl	18.9		30 (10) - 150 (173)	94%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	02/28/25
Project:	Former Schlumberger STC PTC Site # D3868221	Date Received:	02/28/25
Client Sample ID:	IDW-AQ-IW-02-COMP-022825	SDG No.:	Q1478
Lab Sample ID:	Q1478-05	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0
Sample Wt/Vol:	900	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070242.D	1	03/04/25 08:35	03/04/25 23:31	PB166964

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.17	U	0.17	0.56	ug/L
11104-28-2	Aroclor-1221	0.26	U	0.26	0.56	ug/L
11141-16-5	Aroclor-1232	0.41	U	0.41	0.56	ug/L
53469-21-9	Aroclor-1242	0.18	U	0.18	0.56	ug/L
12672-29-6	Aroclor-1248	0.13	U	0.13	0.56	ug/L
11097-69-1	Aroclor-1254	0.12	U	0.12	0.56	ug/L
37324-23-5	Aroclor-1262	0.16	U	0.16	0.56	ug/L
11100-14-4	Aroclor-1268	0.13	U	0.13	0.56	ug/L
11096-82-5	Aroclor-1260	0.17	U	0.17	0.56	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.7		30 (16) - 150 (158)	114%	SPK: 20
2051-24-3	Decachlorobiphenyl	17.9		30 (10) - 150 (173)	89%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	02/28/25
Project:	Former Schlumberger STC PTC Site # D3868221	Date Received:	02/28/25
Client Sample ID:	IDW-AQ-IW-03-COMP-022825	SDG No.:	Q1478
Lab Sample ID:	Q1478-07	Matrix:	WATER
Analytical Method:	SW8082A	% Solid:	0
Sample Wt/Vol:	910	Units:	mL
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	PH :	
Prep Method :	3510C	Injection Volume :	

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070235.D	1	03/04/25 08:35	03/04/25 21:05	PB166964

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
12674-11-2	Aroclor-1016	0.16	U	0.16	0.55	ug/L
11104-28-2	Aroclor-1221	0.25	U	0.25	0.55	ug/L
11141-16-5	Aroclor-1232	0.41	U	0.41	0.55	ug/L
53469-21-9	Aroclor-1242	0.18	U	0.18	0.55	ug/L
12672-29-6	Aroclor-1248	0.13	U	0.13	0.55	ug/L
11097-69-1	Aroclor-1254	0.12	U	0.12	0.55	ug/L
37324-23-5	Aroclor-1262	0.15	U	0.15	0.55	ug/L
11100-14-4	Aroclor-1268	0.13	U	0.13	0.55	ug/L
11096-82-5	Aroclor-1260	0.16	U	0.16	0.55	ug/L
SURROGATES						
877-09-8	Tetrachloro-m-xylene	24.2		30 (16) - 150 (158)	121%	SPK: 20
2051-24-3	Decachlorobiphenyl	13.4		30 (10) - 150 (173)	67%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	JACOBS Engineering Group, Inc.	Date Collected:	02/28/25
Project:	Former Schlumberger STC PTC Site # D3868221	Date Received:	02/28/25
Client Sample ID:	IDW-SO-COMP-022825	SDG No.:	Q1478
Lab Sample ID:	Q1478-14	Matrix:	SOIL
Analytical Method:	SW8082A	% Solid:	84.4
Sample Wt/Vol:	30.02 Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	PCB
Extraction Type:		Injection Volume :	
GPC Factor :	1.0	PH :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP070199.D	1	03/03/25 13:45	03/03/25 20:03	PB166955

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.00	U	4.00	20.1	ug/kg
11104-28-2	Aroclor-1221	7.60	U	7.60	20.1	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	20.1	ug/kg
53469-21-9	Aroclor-1242	4.00	U	4.00	20.1	ug/kg
12672-29-6	Aroclor-1248	9.30	U	9.30	20.1	ug/kg
11097-69-1	Aroclor-1254	3.20	U	3.20	20.1	ug/kg
37324-23-5	Aroclor-1262	5.40	U	5.40	20.1	ug/kg
11100-14-4	Aroclor-1268	4.10	U	4.10	20.1	ug/kg
11096-82-5	Aroclor-1260	3.40	U	3.40	20.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	19.5		30 (32) - 150 (144)	98%	SPK: 20
2051-24-3	Decachlorobiphenyl	13.0		30 (32) - 150 (175)	65%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q1478	OrderDate:	3/3/2025 10:28:22 AM
Client:	JACOBS Engineering Group, Inc.	Project:	Former Schlumberger STC PTC Site # D3868221
Contact:	John Ynfante	Location:	H31,H41,VOA Ref. #3 Water

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q1478-01	IDW-AQ-MW-19B-CO MP-022825	WATER			02/28/25			02/28/25
			PCB	8082A		03/04/25	03/04/25	
Q1478-02	IDW-AQ-DRUM-610-0 22825	Water			02/28/25			02/28/25
			Diesel Range Organics	8015D		03/06/25	03/06/25	
			Gasoline Range Organics	8015D			03/04/25	
Q1478-03	IDW-AQ-IW-01-COMP -022825	WATER			02/28/25			02/28/25
			PCB	8082A		03/04/25	03/04/25	
Q1478-04	IDW-AQ-DRUM-616-0 22825	Water			02/28/25			02/28/25
			Diesel Range Organics	8015D		03/06/25	03/06/25	
Q1478-05	IDW-AQ-IW-02-COMP -022825	WATER			02/28/25			02/28/25
			PCB	8082A		03/04/25	03/04/25	
Q1478-06	IDW-AQ-DRUM-614-0 22825	Water			02/28/25			02/28/25
			Diesel Range Organics	8015D		03/06/25	03/06/25	
Q1478-07	IDW-AQ-IW-03-COMP -022825	WATER			02/28/25			02/28/25
			PCB	8082A		03/04/25	03/04/25	
Q1478-08	IDW-AQ-DRUM-612-0 22825	Water			02/28/25			02/28/25
			Diesel Range Organics	8015D		03/06/25	03/06/25	
Q1478-14	IDW-SO-COMP-02282 5	SOIL			02/28/25			02/28/25

LAB CHRONICLE

Q1478-16	IDW-SO-DRUM-582-0 22825	SOIL	Diesel Range Organics	8015D	03/05/25	03/06/25	02/28/25	02/28/25
			PCB	8082A	03/03/25	03/03/25		
			Gasoline Range Organics	8015D		03/03/25		