

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Fisal		Date Received:	
Client Sample ID:	VY0306SBSD01		SDG No.:	Q1479
Lab Sample ID:	VY0306SBSD01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group2
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021429.D	1		03/06/25 12:55	VY030625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
74-87-3	Chloromethane	20.8		1.20	5.00	ug/Kg
75-01-4	Vinyl Chloride	21.0		0.77	5.00	ug/Kg
74-83-9	Bromomethane	20.9		1.00	5.00	ug/Kg
75-00-3	Chloroethane	22.2		1.00	5.00	ug/Kg
75-65-0	Tert butyl alcohol	110		15.6	25.0	ug/Kg
75-35-4	1,1-Dichloroethene	20.1		0.78	5.00	ug/Kg
67-64-1	Acetone	83.1		6.20	25.0	ug/Kg
75-15-0	Carbon Disulfide	19.5		1.30	5.00	ug/Kg
1634-04-4	Methyl tert-butyl Ether	20.4		0.67	5.00	ug/Kg
75-09-2	Methylene Chloride	20.4		3.40	10.0	ug/Kg
156-60-5	trans-1,2-Dichloroethene	20.1		0.84	5.00	ug/Kg
75-34-3	1,1-Dichloroethane	20.5		0.63	5.00	ug/Kg
78-93-3	2-Butanone	95.3		5.70	25.0	ug/Kg
56-23-5	Carbon Tetrachloride	18.7		0.87	5.00	ug/Kg
156-59-2	cis-1,2-Dichloroethene	20.2		0.61	5.00	ug/Kg
67-66-3	Chloroform	21.3		0.67	5.00	ug/Kg
71-55-6	1,1,1-Trichloroethane	20.0		0.78	5.00	ug/Kg
71-43-2	Benzene	19.9		0.72	5.00	ug/Kg
107-06-2	1,2-Dichloroethane	20.4		0.61	5.00	ug/Kg
79-01-6	Trichloroethene	19.0		0.75	5.00	ug/Kg
78-87-5	1,2-Dichloropropane	20.5		0.66	5.00	ug/Kg
75-27-4	Bromodichloromethane	20.2		0.56	5.00	ug/Kg
108-10-1	4-Methyl-2-Pentanone	100		4.40	25.0	ug/Kg
108-88-3	Toluene	19.7		0.67	5.00	ug/Kg
10061-02-6	t-1,3-Dichloropropene	19.4		0.60	5.00	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	19.5		0.57	5.00	ug/Kg
79-00-5	1,1,2-Trichloroethane	20.4		0.84	5.00	ug/Kg
591-78-6	2-Hexanone	96.5		4.80	25.0	ug/Kg
124-48-1	Dibromochloromethane	19.9		0.65	5.00	ug/Kg
127-18-4	Tetrachloroethene	18.8		0.89	5.00	ug/Kg

Report of Analysis

Client:	G Environmental		Date Collected:	
Project:	Fisal		Date Received:	
Client Sample ID:	VY0306SBSD01		SDG No.:	Q1479
Lab Sample ID:	VY0306SBSD01		Matrix:	SOIL
Analytical Method:	SW8260		% Solid:	100
Sample Wt/Vol:	5	Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:		uL	Test:	VOCMS Group2
GC Column:	RXI-624	ID : 0.25	Level :	LOW
Prep Method :				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY021429.D	1		03/06/25 12:55	VY030625

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
108-90-7	Chlorobenzene	19.2		0.74	5.00	ug/Kg
100-41-4	Ethyl Benzene	18.6		0.62	5.00	ug/Kg
179601-23-1	m/p-Xylenes	37.8		1.40	10.0	ug/Kg
95-47-6	o-Xylene	18.8		0.70	5.00	ug/Kg
100-42-5	Styrene	19.5		0.60	5.00	ug/Kg
75-25-2	Bromoform	19.6		0.81	5.00	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	19.0		1.10	5.00	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	55.0		70 (63) - 130 (155)	110%	SPK: 50
1868-53-7	Dibromofluoromethane	52.0		70 (70) - 130 (134)	104%	SPK: 50
2037-26-5	Toluene-d8	51.4		70 (74) - 130 (123)	103%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.6		70 (38) - 130 (136)	105%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	197000	7.707			
540-36-3	1,4-Difluorobenzene	317000	8.616			
3114-55-4	Chlorobenzene-d5	285000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	146000	13.347			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products