

Client Contact Information						Bottle Order ID : B2502047	Courier : F Galdun	<u>2</u> of <u>6</u> COCs							
Client ID : GFEL01 Project ID : 10-Fieldridge-St.						Sampler Name(s) : FRANK GALDUN		Analysis Matrix							
Customer Name : GFE LLC						Project Manager : Frank galdun		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
Address : 58 Nokomis Ave						Phone Number : 646-542-3465									
						Fax Number : 973-334-1692									
City : Lake Hiawatha						Site Details: 97-36 63rd RD. BRONX, NY									
State : NJ						Analysis Turnaround Time 3 DAY		Data Package Type : RESULTS ONLY EDD Type : PDF							
Zip Code : 07034						Standard : 10 business days OR									
Country :						Rush (Specify): 3 Days									
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)		Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambinet Air
IAZ	3/25/11	11:12	12:12	30	6.4	60	60	-30	-6.7	10579	10401	50	VL041876.D	1	1
Temperature (Fahrenheit)															
		Ambient	Maximum	Minimum											
Start															
Stop															
Pressure (Inches of Hg)															
		Ambient	Maximum	Minimum											
Start															
Stop															
GC/MS Analyst Signature (TO-15) Sud															
** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1,1-TCA, 1,1-DCE, VINYL CHLORIDE															
Please follow the instructions on the back of this COC.															
Special Instructions/QC Requirements & Comments :															
Suspected Contamination: High Medium Low															
Sampling site (State):															
Quick Connector required : NO															
Canisters Shipped by: SGA				Date/Time: 02/18/11				Canisters Received by: CR				Date/Time: 3-4-25 / 039			
Samples Relinquished by: FSA				Date/Time: 3/4/25				Received by:				Date/Time:			
Relinquished by:				Date/Time:				Received by:				Date/Time:			

Client Contact Information		Bottle Order ID : B2502047		Courier : FRANK GARDUN		1 of 6 COCs								
Client ID : GFEL01		Project ID : 48-5111-10-01		Sampler Name(s) : FRANK GARDUN		Analysis								
Customer Name : GFE LLC		Project Manager : Frank gardun		AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified		Matrix								
Address : 58 Nokomis Ave		Phone Number : 646-542-3465												
		Fax Number : 973-334-1692												
City : Lake Hiawatha		Site Details: 97-36 63RD RD. REGO PARK, NY												
State : NJ		Analysis Turnaround Time 3 DAY												
Zip Code : 07034		Standard : business days days OR		Data Package Type : RESULTS ONLY										
Country :		Rush (Specify): 3 Days		EDD Type : PDF										
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/ Ambient Air	Soil Gas
	IAI 1/11/01	9:00	11:00	OVER 30	5	68	68	-30	-4.3	10511	6 L	50	VL041876.D	1
Temperature (Fahrenheit)														
		Ambient		Maximum		Minimum								
Start														
Stop														
Pressure (Inches of Hg)														
		Ambient		Maximum		Minimum								
Start														
Stop														
Special Instructions/QC Requirements & Comments :														
Suspected Contamination: High Medium Low														
Sampling site (State):														
PID Readings: 0.0														
GC/MS Analyst Signature (TO-15)														
** Submittal of this COC indicates approval of the analysis based on existing conditions.														
REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1,1-TCA, 1,1-DCE, VINYL CHLORIDE														
Please follow the instructions on the back of this COC.														
Quick Connector required : NO														
Canisters Shipped by: Sam		Date/Time: 02/28/15		Canisters Received by: OR		Date/Time: 3-4-25		1039						
Samples Relinquished by: IAI		Date/Time: 3/1/25		Received by:		Date/Time:								
Relinquished by:		Date/Time:		Received by:		Date/Time:								
B2502047 - 6														

Client Contact Information		Bottle Order ID : B2502047		Courier : <u>Frank Galdun</u>		4 of 6 COCs	
Client ID : GFEL01		Project ID : <u>10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100</u>		Sampler Name(s) : <u>Frank Galdun</u>		Analysis	
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS		Matrix	
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY			
		Fax Number : 973-334-1692		Batch Certified			
City : Lake Hiawatha		Site Details: <u>97-36 63RD RD.</u>					
State : NJ		<u>REGO PARK NY</u>					
Zip Code : 07034		Analysis Turnaround Time <u>3 DAY</u>		Data Package Type : <u>Results only</u>			
Country :		Standard : <u>10 business days</u> OR		EDD Type : <u>RDF</u>			
		Rush (Specify): <u>3</u> Days					
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)
<u>SN2</u>	<u>12/29/04</u>	<u>11:54</u>	<u>11:54</u>	<u>7.5</u>	<u>7.5</u>	<u>64</u>	<u>64</u>
				Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Controller Readout (ml/min)	Can Cert ID
				<u>-30</u>	<u>-8.4</u>	<u>50</u>	<u>VL041876.D</u>
				Can ID	Flow Reg. ID		
				<u>10300</u>	<u>10502</u>	<u>6 L</u>	<u>1</u>
				GC/MS Analyst Signature (TO-15)			
				<u>[Signature]</u>			
				** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>Report only: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE</u> Please follow the instructions on the back of this COC.			
Special Instructions/QC Requirements & Comments :							
Suspected Contamination: <u>High</u>							
Sampling site (State):							
PID Readings: <u>101 ppm</u>							
Quick Connector required : <u>N/A</u>							
Canisters Shipped by: <u>[Signature]</u>		Date/Time: <u>02/28/05</u>		Canisters Received by: <u>CR</u>		Date/Time: <u>3-4-25 1039</u>	
Samples Relinquished by: <u>[Signature]</u>		Date/Time: <u>2/28/05</u>		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Received by:		Date/Time:	
						B2502047 - 3	

Client Contact Information		Bottle Order ID : B2502047		Courier : FRANK GULDUN		3 of 6 COCs																											
Client ID : GFEL01		Project ID : 10-10-10-10-10		Sampler Name(s) : FRANK GULDUN		Analysis Matrix																											
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS																													
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																													
		Fax Number : 973-334-1692		Batch Certified																													
City : Lake Hiawatha		Site Details: 97-36 63RD RD. RESO PARK, NY																															
State : NJ		Analysis Turnaround Time 3 DAY																															
Zip Code : 07034		Standard : 10-10-10-10-10 OR		Data Package Type Results ONLY																													
Country :		Rush (Specify): 3 Days		EDD Type :																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas																		
SU1	12/21/2011 8:11 AM	12:11	12:11	6	6	70	70	-30	-4.7	10648	10326	6 L	50	VL041876.D	1																		
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop			Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
GC/MS Analyst Signature (TO-15) GC/MS Analyst Signature (TO-15)																																	
** Submittal of this COC indicates approval of the analysis based on existing conditions. Report only: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.																																	
Special Instructions/QC Requirements & Comments :																																	
Suspected Contamination: High																																	
Sampling site (State):																																	
Quick Connector required : NO																																	
Canisters Shipped by: [Signature]																																	
Samples Relinquished by: [Signature]																																	
Relinquished by: [Signature]																																	
Canisters Received by: [Signature]																																	
Received by: [Signature]																																	
Date/Time: 3-4-25 10:34																																	
Date/Time:																																	
Date/Time:																																	
B2502047 - 4																																	

Client Contact Information				Bottle Order ID : B2502047				Courier : <u>Frank Galdun</u>				5 of 6 COCs													
Client ID : GFELO1				Project ID : <u>10-ELM-01</u>				Sampler Name(s) : <u>FRANK GALDUN</u>				Analysis Matrix													
Customer Name : GFE LLC				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified																	
Address : 58 Nokomis Ave				Phone Number : 646-542-3465																					
City : Lake Hiawatha				Fax Number : 973-334-1692																					
State : NJ				Analysis Turnaround Time : <u>3 DAY</u>				Data Package Type : <u>RESULTS ONLY</u>																	
Zip Code : 07034				Standard : <u>10-ELM-01</u> <u>Days</u> OR <u>Days</u>				EDD Type : <u>PDP</u>																	
Country :				Rush (Specify): <u>3</u> Days																					
Sample Identification		Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas									
GNS 1/2/21		1/2/21	10:00	12:00	0.50	0.30	65	65	-30	-5.5	10226	10024	50	VL041954.D		1									
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																							
Start																									
Stop																									
Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																	Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																							
Start																									
Stop																									
GC/MS Analyst Signature (TO-15) <u>Sull</u>																									
** Submittal of this COC indicates approval of the analysis based on existing conditions. <u>REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE</u>																									
Please follow the instructions on the back of this COC.																									
Special Instructions/QC Requirements & Comments :																									
Suspected Contamination: High Medium Low <u>Low</u>																									
Sampling site (State):																									
Quick Connector required: <u>NO</u>																									
Canisters Shipped by: <u>Sull</u>				Date/Time: <u>02/20/21</u>				Canisters Received by: <u>CR</u>				Date/Time: <u>3-4-25 10:39</u>													
Samples Relinquished by: <u>FRANK</u>				Date/Time: <u>3/3/25</u>				Received by:				Date/Time:													
Relinquished by:				Date/Time:				Received by:				Date/Time:													
B2502047 - 1																									

Client Contact Information		Bottle Order ID : B2502047		Courier : F Galdun		6 of 6 COCs																											
Client ID : GFELO1		Project ID : 10-01-01-01		Sampler Name(s) : FRANK GALDUN		Analysis Matrix																											
Customer Name : GFE LLC		Project Manager : Frank galdun		AIR ANALYSIS																													
Address : 58 Nokomis Ave		Phone Number : 646-542-3465		CHAIN-OF-CUSTODY																													
		Fax Number : 973-334-1692		Batch Certified																													
City : Lake Hiawatha		Site Details : 97-36 6387 RD. REGO PARK, NY																															
State : NJ		Analysis Turnaround Time : 3 DAY																															
Zip Code : 07034		Standard : 10-business days OR		Data Package Type : RESULTS ONLY																													
Country :		Rush (Specify): 3 Days		EDD Type : PDF																													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum In Field ("Hg) (Start)	Can Vacuum In Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID	Flow Controller Readout (ml/min)	Can Cert ID	Indoor/Ambient Air	Soil Gas																		
SU4	4/27/03	10:53	12:57	30	5	68	68	-30	-4.7	10707	10197	50	VL041954.D		1																		
Temperature (Fahrenheit) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table> Pressure (Inches of Hg) <table border="1"> <tr> <td>Ambient</td> <td>Maximum</td> <td>Minimum</td> </tr> <tr> <td>Start</td> <td></td> <td></td> </tr> <tr> <td>Stop</td> <td></td> <td></td> </tr> </table>																Ambient	Maximum	Minimum	Start			Stop			Ambient	Maximum	Minimum	Start			Stop		
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
Ambient	Maximum	Minimum																															
Start																																	
Stop																																	
GC/MS Analyst Signature (TO-15) Sut																																	
** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.																																	
Special Instructions/QC Requirements & Comments :																																	
Suspected Contamination: High Medium Low PID Readings: 25 RPM																																	
Sampling site (State):																																	
Quick Connector required : NO																																	
Canisters Shipped by: SEM																																	
Samples Relinquished by: FLS																																	
Relinquished by:																																	
Date/Time: 02/28/25 Canisters Received by: CR																																	
Date/Time: 3/4/25 1039																																	
Date/Time: 3/4/25																																	
Date/Time: 3/4/25																																	
B2502047 - 2																																	

New Jersey Department of Environmental Protection
Internal Chain of Custody

Instructions: Use 1 form for each 20 samples of aliquot

Laboratory: Chemtech	
Location: 284 Sheffield Street, Mountainside, NJ 7092	
Title: Sample Custodian	
Date Broken: 3/4/2025	
Military Time Seal Broken: 10:39:00	
Case No.: 97-34 63RD RD, Rego Part	
Field Sample Seal No.: Q1483	
Analytical Parameter/Fraction: OCMS Group 3	

Sample No.	Aliquot/Extract No.	Sample No.	Aliquot/Extract No.
Q1483-01	IA1		
Q1483-02	IA2		
Q1483-03	SV1		
Q1483-04	SV2		
Q1483-05	SV3		
Q1483-06	SV4		


Date	Time	Relinquished By	Received By	Purpose of Change of Custody
3/4	1030	Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	
		Signature	Signature	
		Printed Name	Printed Name	

Distribution: White - Original (Sent With Report) Yellow - Contractor Archive Pink - Sample Custodian - Interim Copy

AIR SAMPLE PRESSURE & DILUTION LOGBOOK

Analyst Signature: 

METHOD: TO-15

Supervisor Signature: 

Pressure Gauge ID: A255971

Date	Sample Number	Canister #	Initial Pressure psia	Initial Pressure Hg	Final Pressure psia	Final Pressure Hg	Dilution Factor	Comment
02/18/15	Q1386-01	10294	11.8	-5.9				sy
02/14/15	Q1419-01	10267	12.4	-4.7				sy
11	Q1419-02	10492	12.4	-3.9				sy
02/25/15	Q1436-01	10158	12.4	-4.7				sy
	Q1436-02	10334	11.8	-5.9				sy
	Q1436-03	10320	12.4	-4.7				sy
	Q1436-04	10060	12.4	-4.7				sy
	Q1436-05	10597	13.8	-1.8				sy
	Q1436-06	10280	12.2	-5.1				sy
02/12/15	Q1419-01	10461	1.0	+0.7	10.0		10x	sy
02/26/15	Q1450-01	10445	12.2	-5.1				sy
4	Q1450-02	10606	12.4	-4.7				sy
03/04/15	Q1483-01	10604	12.6	-4.3				sy
	Q1483-02	10401	11.4	-6.7				sy
	Q1483-03	10326	12.4	-4.7				sy
	Q1483-04	10300	12.0	-8.4				sy
	Q1483-05	10024	12.0	-5.5				sy
	Q1483-06	10197	12.4	-4.7				sy

Process Report

284 Sheffield Street, Mountinside, New Jersey 07092 Phone : 908 789 8900 Fax : 908 789 8922

Order ID : Q1483

Date	Bottle ID	Lab Sample Number	Incoming Vacuum	Canister ID	Can Size	Reg ID	Reg Size	Batch Code	Certification ID
03/04/2025	B2502047	Q1483-01	-4.3	10604	6 L	10511		VL041876.D Seq: VL010925 TUNE: VL041857.D ICAL: VL041864.D CCAL: VL041859.D MB: VL041869.D	
03/04/2025	B2502047	Q1483-02	-6.7	10401	6 L	10579		VL041876.D Seq: VL010925 TUNE: VL041857.D ICAL: VL041864.D CCAL: VL041859.D MB: VL041869.D	
03/04/2025	B2502047	Q1483-03	-4.7	10326	6 L	10648		VL041876.D Seq: VL010925 TUNE: VL041857.D ICAL: VL041864.D CCAL: VL041859.D MB: VL041869.D	
03/04/2025	B2502047	Q1483-04	-8.4	10300	6 L	10502		VL041876.D Seq: VL010925 TUNE: VL041857.D ICAL: VL041864.D CCAL: VL041859.D MB: VL041869.D	
03/04/2025	B2502047	Q1483-06	-4.7	10197	6 L	10707		VL041954.D Seq: VL012725 TUNE: VL041943.D ICAL: VL041894.D CCAL: VL041944.D MB: VL041946.D	
03/04/2025	B2502047	Q1483-05	-5.5	10024	6 L	10226		VL041954.D Seq: VL012725 TUNE: VL041943.D ICAL: VL041894.D CCAL: VL041944.D MB: VL041946.D	

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA2
Client Name: GFE
Project Name: 97-36 63RD RD.
Date: 3/3 Time: 10-15
Analysis: _____
Comments: _____
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration: _____

Storage Location: VOA Lab
Sample: Q1483-02
Cust #: IA2

B2502047

CHEMTECH

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: IA1
Client Name: GFE
Project Name: 63RD RD
Date: 3/3 Time: 10-15
Analysis: _____
Comments: _____
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration: _____

Storage Location: VOA Lab
Sample: Q1483-01
Cust #: IA1

B2502047

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH

Client Sample ID #: SV1
Client Name: GFE
Project Name: 63RD RD.
Date: 3/3 Time: 10-15
Analysis: _____
Comments: _____
CHEMTECH'S SAMPLE ID: _____
Date Received: _____ Expiration: _____

Storage Location: VOA Lab
Sample: Q1483-03
Cust #: SV1

B2502047

92301

10024

155

CHEMTECH 788m

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SV3

Client Name: GFE

Project Name: 63RD RD

Date: 3/3 Time: 10-15

Analysis: _____

Comments: _____

Storage Location: VOA Lab

Sample: Q1483-05

Cust #: SV3

CHEMTECH'S SAMPLE ID _____

Date Received: _____ Exp: _____

B2502047

10360

184

CHEMTECH 10148m

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

Client Sample ID #: SV2

Client Name: GFE

Project Name: 63RD RD

Date: 3/3 Time: 10-15

Analysis: _____

Comments: _____

Storage Location: VOA Lab

Sample: Q1483-04

Cust #: SV2

CHEMTECH'S SAMPLE ID _____

Date Received: _____ Exp: _____

B2502047

284 Sheffield Street, Mountainside, NJ 07092 P: (908) 789-8900 F: (908) 789-8922

CHEMTECH 2588m

Client Sample ID #: SV4

Client Name: GFE

Project Name: 63RD RD

Date: 3/3 Time: 10-15

Analysis: _____

Comments: _____

Storage Location: VOA Lab

Sample: Q1483-06

Cust #: SV4

CHEMTECH'S SAMPLE ID _____

Date Received: _____ Exp: _____

B2502047

47-16191