

Client Contact Information				Bottle Order ID : B2502047				Courier : FGALDUN				1 of 6 COCs						
Client ID : GFEL01 Project ID : 10-Elmridge Ct				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix						
Customer GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified										
				Phone Number : 646-542-3465														
				Fax Number : 973-334-1692														
				Site Details: 97-36 63RD RD. REGO PARK, NY														
City : Lake Hiawatha				Analysis Turnaround Time 3 DAY				Data Package Type : RESULTS ONLY				TO-15 Indoor Ambient Air Soil Gas						
State : NJ				Standard : 10 Business days OR														
Zip Code : 07034				Rush (Specify): 3 Days				EDD Type : PDF										
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID				
IA1	3/26/15	9:40	11:40	OVER 30	S	60	60	-30	-4.3	10511	10604	6 L	50	VL041876.D	1		1	
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) SUA								
	Ambient	Maximum	Minimum															
Start																		
Stop																		
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1,1-TCA, 1,1-DCE, VINYL CHLORIDE Please follow the instructions on the back of this COC.								
	Ambient	Maximum	Minimum															
Start																		
Stop																		
Special Instructions/QC Requirements & Comments :																		
Suspected Contamination: High Medium <u>Low</u> PID Readings: <u>0.0</u>																		
Sampling site (State):																		
Quick Connector required : <u>NO</u>																		
Canisters Shipped by: <u>SUA</u>				Date/Time: <u>02/28/15</u>				Canisters Received by: <u>OR</u>				Date/Time: <u>3-4-25 1039</u>						
Samples Relinquished by: <u>FRANK</u>				Date/Time: <u>3/15/15</u>				Received by:				Date/Time:						
Relinquished by:				Date/Time:				Received by:				Date/Time:						

Client Contact Information				Bottle Order ID : B2502047				Courier : FGALDUN				2 of 6 COCs			
Client ID : GFELO1 Project ID : 10 Elbridge St.				Project Manager : Frank galdun				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix	
Customer Name : GFE LLC Address : 58 Nokomis Ave				Phone Number : 646-542-3465				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified							
				Fax Number : 973-334-1692											
				Site Details: 97-36 63RD RD. BRONX, NY											
Analysis Turnaround Time 3 DAY															
City : Lake Hiawatha				Standard : 10 business days OR				Data Package Type : RESULTS ONLY							
State : NJ				Rush (Specify): 3 Days				EDD Type : PDF							
Zip Code : 07034															
Country :															

Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
IAZ	3/4/25	11:12	1:12	30	6.5	60	60	-30	-6.7	10579	10401	6 L	50	VL041876.D	1	1	

Temperature (Fahrenheit)					GC/MS Analyst Signature (TO-15) Sult
	Ambient	Maximum	Minimum		
Start					
Stop					

Pressure (Inches of Hg)					** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1,1-TEA, 1,1-DCE, VINYL CHLORIDE Please follow the instructions on the back of this COC.
	Ambient	Maximum	Minimum		
Start					
Stop					

Special Instructions/QC Requirements & Comments :
Suspected Contamination: High Medium Low PID Readings: 0.0
Sampling site (State):
Quick Connector required : **NO**

Canisters Shipped by: Sgt	Date/Time: 02/28/25	Canisters Received by: CR	Date/Time: 3-4-25 /039
Samples Relinquished by: FSU	Date/Time: 3/4/25	Received by:	Date/Time:
Relinquished by:	Date/Time:	Received by:	Date/Time:

B2502047 - 5

Client Contact Information				Bottle Order ID : B2502047				Courier : FGALDUN				3 of 6 COCs							
Client ID : GFEL01 Project ID : 10-Bridge St.				Sampler Name(s) : FRANK GALDUN				Analysis				Matrix							
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified											
				Phone Number : 646-542-3465															
				Fax Number : 973-334-1692															
				Site Details: 97-36 63RD RD, REGO PARK, NY															
				Analysis Turnaround Time 3 DAY				Data Package Type RESULTS ONLY											
				Standard : 10 business days OR				EDD Type : PDF											
				Rush (Specify): 3 Days															
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas		
SU1	3/25	8:41	10:41	OVER 30	6	70	70	-30	-4.7	10648	10326	6 L	50	VL041876.D					
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Sust									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. Report only: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.									
		Ambient	Maximum	Minimum															
Start																			
Stop																			
Special Instructions/QC Requirements & Comments :																			
Suspected Contamination: High Medium Low PID Readings: 45 PPM																			
Sampling site (State):																			
Quick Connector required : NO																			
Canisters Shipped by: Sam				Date/Time: 3/28/25				Canisters Received by: AR				Date/Time: 3-25 10:39				B2502047 - 4			
Samples Relinquished by: FED				Date/Time: 3/25				Received by:				Date/Time:							
Relinquished by:				Date/Time:				Received by:				Date/Time:							

Client Contact Information				Bottle Order ID : B2502047				Courier : FGaldun				4 of 6 COCs					
Client ID : GFEL01 Project ID : 10 EL1483-24				Sampler Name(s) : FRANK Galdun				Analysis				Matrix					
Customer GFE LLC Name : Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 97-36 63RD RD. REGO PARK, NY													
Analysis Turnaround Time 3 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY									
Rush (Specify): 3 Days				EDD Type : PDF													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV2	3/12/2014	11:54	3:00	30	1.5	69	69	-30	-8.4	10502	10300	6 L	50	VL041876.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 101 PPM																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: [Signature]				Date/Time: 02/28/2014				Canisters Received by: [Signature]				Date/Time: 3-4-25 1039				B2502047 - 3	
Samples Relinquished by: [Signature]				Date/Time: 3/4/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2502047				Courier : Frank Galdun				5 of 6 COCs					
Client ID : GFEL01				Project ID : 10 ELK 1000000000				Sampler Name(s) : FRANK GALDUN				Analysis		Matrix			
Customer : GFE LLC Name : Address : 58 Nokomis Ave				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 97-36 63RD RD, REGO PARK, NY													
City : Lake Hiawatha				Analysis Turnaround Time 3 DAY				Data Package Type : Results only									
State : NJ				Standard : 10 business days OR													
Zip Code : 07034				Rush (Specify): 3 Days				EDD Type : PDI									
Country :																	
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	TO-15	Indoor/Ambient Air	Soil Gas
SV3	3/3/25	10:02	12:02	OVER 30	S	65	65	-30	-5.5	10226	10024	6 L	50	VL041954.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) Suh							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE. Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 3 PPM																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: Suh				Date/Time: 02/28/25				Canisters Received by: CR				Date/Time: 3-4-25 1039					
Samples Relinquished by: FRA				Date/Time: 3/3/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					

Client Contact Information				Bottle Order ID : B2502047				Courier : F Galdun				<u>6</u> of <u>6</u> COCs					
Client ID : GFEL01 Project ID : 10 Eldridge St.				Sampler Name(s) : FRANK G. GALDUN				Analysis				Matrix					
Customer Name : GFE LLC Address : 58 Nokomis Ave City : Lake Hiawatha State : NJ Zip Code : 07034 Country :				Project Manager : Frank galdun				AIR ANALYSIS CHAIN-OF-CUSTODY Batch Certified									
				Phone Number : 646-542-3465													
				Fax Number : 973-334-1692													
				Site Details: 97-36 63RD RD. REGO PARK, NY													
Analysis Turnaround Time 3 DAY				Standard : 10 business days OR				Data Package Type : RESULTS ONLY									
Rush (Specify): 3 Days				EDD Type : PDF													
Sample Identification	Sample Date(s)	Time Start (24 hr Clock)	Time Stop (24 hr Clock)	Can Vacuum in Field ("Hg) (Start)	Can Vacuum in Field ("Hg) (Stop)**	Interior Temp. (F) (Start)	Interior Temp. (F) (Stop)	Out going Can Pressure ("Hg)(Lab)	In coming Can Pressure ("Hg)(Lab)	Flow Reg. ID	Can ID		Flow Controller Readout (ml/min)	Can Cert ID	<u>TO-15</u>	Indoor/Ambient Air	Soil Gas
SU4	3/25	10:53	12:53	OVER 30	5	68	68	-30	-4.7	10707	10197	6 L	50	VL041954.D	1		1
Temperature (Fahrenheit)										GC/MS Analyst Signature (TO-15) [Signature]							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Pressure (Inches of Hg)										** Submittal of this COC indicates approval of the analysis based on existing conditions. REPORT ONLY: PCE, TCE, cis-1,2-DCE, 1,1-DCE, 1,1,1-TCA, VINYL CHLORIDE Please follow the instructions on the back of this COC.							
		Ambient	Maximum	Minimum													
Start																	
Stop																	
Special Instructions/QC Requirements & Comments :																	
Suspected Contamination: High Medium Low PID Readings: 25 PPM																	
Sampling site (State):																	
Quick Connector required : NO																	
Canisters Shipped by: Sam				Date/Time: 02/28/25				Canisters Received by: [Signature]				Date/Time: 3-4-25 1039				B2502047 - 2	
Samples Relinquished by: FNU				Date/Time: 3/3/25				Received by:				Date/Time:					
Relinquished by:				Date/Time:				Received by:				Date/Time:					