

Analytical Sequence

Client: JPCL Engineering	SDG No.: Q1485
Project: NYSDOT Two Bronx River Parkway Bridge	Instrument ID: ECD_L
GC Column: ZB-MR1	ID: 0.32 (mm) Inst. Calib. Date(s): 02/21/2025 02/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
LBLK	LBLK	02/21/2025	10:15	PL094323.D	9.05	3.54
PEM	PEM	02/21/2025	10:29	PL094324.D	9.05	3.54
RESCHK	RESCHK	02/21/2025	10:42	PL094325.D	9.05	3.54
PSTDICC100	PSTDICC100	02/21/2025	10:56	PL094326.D	9.05	3.54
PSTDICC075	PSTDICC075	02/21/2025	11:10	PL094327.D	9.05	3.54
PSTDICC050	PSTDICC050	02/21/2025	11:23	PL094328.D	9.05	3.54
PSTDICC025	PSTDICC025	02/21/2025	11:37	PL094329.D	9.05	3.54
PSTDICC005	PSTDICC005	02/21/2025	11:51	PL094330.D	9.05	3.54
PCHLORICC500	PCHLORICC500	02/21/2025	12:32	PL094333.D	9.05	3.54
PTOXICC500	PTOXICC500	02/21/2025	13:40	PL094338.D	9.05	3.54
LBLK	LBLK	03/05/2025	08:58	PL094497.D	9.06	3.54
PEM	PEM	03/05/2025	09:12	PL094498.D	9.05	3.54
PSTDCCC050	PSTDCCC050	03/05/2025	09:25	PL094499.D	9.05	3.54
PB166986BL	PB166986BL	03/05/2025	14:46	PL094500.D	9.07	3.55
PB166986BS	PB166986BS	03/05/2025	14:59	PL094501.D	9.06	3.54
LBLK	LBLK	03/05/2025	17:32	PL094510.D	9.05	3.54
PSTDCCC050	PSTDCCC050	03/05/2025	17:46	PL094511.D	9.05	3.54
DN-B-41	Q1485-01	03/05/2025	18:40	PL094515.D	9.05	3.54
DN-B-41MS	Q1485-01MS	03/05/2025	18:54	PL094516.D	9.05	3.54
DN-B-41MSD	Q1485-01MSD	03/05/2025	19:08	PL094517.D	9.05	3.54
LBLK	LBLK	03/05/2025	19:49	PL094520.D	9.05	3.54
PSTDCCC050	PSTDCCC050	03/05/2025	20:02	PL094521.D	9.05	3.54

Analytical Sequence

Client: JPCL Engineering	SDG No.: Q1485
Project: NYSDOT Two Bronx River Parkway Bridge	Instrument ID: ECD_L
GC Column: ZB-MR2	ID: 0.32 (mm) Inst. Calib. Date(s): 02/21/2025 02/21/2025

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,
AND STANDARDS IS GIVEN BELOW:

EPA SAMPLE NO.	LAB SAMPLE ID	DATE ANALYZED	TIME ANALYZED	DATAFILE	DCB RT #	TCX RT #
IBLK	IBLK	02/21/2025	10:15	PL094323.D	7.91	2.77
PEM	PEM	02/21/2025	10:29	PL094324.D	7.90	2.77
RESCHK	RESCHK	02/21/2025	10:42	PL094325.D	7.90	2.77
PSTDICCC100	PSTDICCC100	02/21/2025	10:56	PL094326.D	7.90	2.77
PSTDICCC075	PSTDICCC075	02/21/2025	11:10	PL094327.D	7.90	2.77
PSTDICCC050	PSTDICCC050	02/21/2025	11:23	PL094328.D	7.90	2.77
PSTDICCC025	PSTDICCC025	02/21/2025	11:37	PL094329.D	7.91	2.77
PSTDICCC005	PSTDICCC005	02/21/2025	11:51	PL094330.D	7.90	2.77
PCHLORICC500	PCHLORICC500	02/21/2025	12:32	PL094333.D	7.90	2.77
PTOXICC500	PTOXICC500	02/21/2025	13:40	PL094338.D	7.90	2.77
IBLK	IBLK	03/05/2025	08:58	PL094497.D	7.91	2.77
PEM	PEM	03/05/2025	09:12	PL094498.D	7.91	2.77
PSTDCCC050	PSTDCCC050	03/05/2025	09:25	PL094499.D	7.91	2.77
PB166986BL	PB166986BL	03/05/2025	14:46	PL094500.D	7.91	2.77
PB166986BS	PB166986BS	03/05/2025	14:59	PL094501.D	7.91	2.77
IBLK	IBLK	03/05/2025	17:32	PL094510.D	7.91	2.77
PSTDCCC050	PSTDCCC050	03/05/2025	17:46	PL094511.D	7.91	2.77
DN-B-41	Q1485-01	03/05/2025	18:40	PL094515.D	7.91	2.77
DN-B-41MS	Q1485-01MS	03/05/2025	18:54	PL094516.D	7.91	2.77
DN-B-41MSD	Q1485-01MSD	03/05/2025	19:08	PL094517.D	7.91	2.77
IBLK	IBLK	03/05/2025	19:49	PL094520.D	7.91	2.77
PSTDCCC050	PSTDCCC050	03/05/2025	20:02	PL094521.D	7.91	2.77