

Report of Analysis

Client:	JPCL Engineering	Date Collected:	
Project:	NYSDOT Two Bronx River Parkway Bridges	Date Received:	
Client Sample ID:	PB166986BS	SDG No.:	Q1485
Lab Sample ID:	PB166986BS	Matrix:	SOIL
Analytical Method:	SW8081	% Solid:	100 Decanted:
Sample Wt/Vol:	30.01 Units: g	Final Vol:	10000 uL
Soil Aliquot Vol:	uL	Test:	Pesticide-TCL
Extraction Type:		Injection Volume :	
GPC Factor :	1.0 PH :		
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094501.D	1	03/05/25 09:10	03/05/25 14:59	PB166986

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
319-84-6	alpha-BHC	17.1		0.18	1.70	ug/kg
319-85-7	beta-BHC	17.6		0.49	1.70	ug/kg
319-86-8	delta-BHC	17.4		0.47	1.70	ug/kg
58-89-9	gamma-BHC (Lindane)	16.9		0.19	1.70	ug/kg
76-44-8	Heptachlor	18.1		0.17	1.70	ug/kg
309-00-2	Aldrin	17.2		0.14	1.70	ug/kg
1024-57-3	Heptachlor epoxide	17.9		0.23	1.70	ug/kg
959-98-8	Endosulfan I	18.0		0.17	1.70	ug/kg
60-57-1	Dieldrin	18.1		0.15	1.70	ug/kg
72-55-9	4,4-DDE	19.0		0.13	1.70	ug/kg
72-20-8	Endrin	20.8		0.16	1.70	ug/kg
33213-65-9	Endosulfan II	19.1		0.30	1.70	ug/kg
72-54-8	4,4-DDD	20.3		0.19	1.70	ug/kg
1031-07-8	Endosulfan Sulfate	18.5		0.13	1.70	ug/kg
50-29-3	4,4-DDT	19.4		0.17	1.70	ug/kg
72-43-5	Methoxychlor	18.6		0.38	1.70	ug/kg
53494-70-5	Endrin ketone	19.2		0.22	1.70	ug/kg
7421-93-4	Endrin aldehyde	17.6		0.39	1.70	ug/kg
5103-71-9	alpha-Chlordane	18.3		0.17	1.70	ug/kg
5103-74-2	gamma-Chlordane	18.2		0.19	1.70	ug/kg
8001-35-2	Toxaphene	33.0	U	5.20	33.0	ug/kg
SURROGATES						
2051-24-3	Decachlorobiphenyl	22.9		20 - 144	114%	SPK: 20
877-09-8	Tetrachloro-m-xylene	21.6		19 - 148	108%	SPK: 20

Report of Analysis

Client:	JPCL Engineering		Date Collected:		
Project:	NYSDOT Two Bronx River Parkway Bridges		Date Received:		
Client Sample ID:	PB166986BS		SDG No.:	Q1485	
Lab Sample ID:	PB166986BS		Matrix:	SOIL	
Analytical Method:	SW8081		% Solid:	100	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Pesticide-TCL	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PL094501.D	1	03/05/25 09:10	03/05/25 14:59	PB166986

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit